



CED's Money Maker range of free standing chilled high capacity merchandisers, are the environmentally friendly answer to volume refrigerated "grab n' go" retail sales.

Gently chilled by hydrocarbon (HT) refrigerant, these self-help units are available in a choice of 5 standard widths, 2 depths & fitted with either 3 or 4 adjustable steel shelves. Internal display space is maximized & traditional bottle well storage is provided on a deck below the display tiers. A complete 304 stainless steel interior with bright polished back and inner side panels offer a truly inviting merchandising space, where food display is enhanced by both horizontal & vertical diffused LED lighting (4000 k).

Each model is supplied with an energy saving retractable insulated night blind, 24 hour operational use, forced electric defrost, solid insulated steel end panels and integral evaporation. Each display tier also features a 40 mm ticket strip.

The Money Maker range is also available in both depths, as a lockable roller shutter version, in all sizes. The shutter system comprises an insulated aluminum overhead shuttering in matching silver, with secure twin locking suited keys. Whether standard or fitted with roller shutter, the unit height remains the same.

Each CED Money Maker is mobile & mounted on durable locking castors with a central adjustable foot, for smooth delivery, final positioning & levelling. A heavy duty castor version is also available.





# Maxim

Money Maker



Volume storage with maximum visibility



Built in security

# ise sales!



# Illuminating the Grab n' Go Market



From forecourt to convenience store, food hall to campus.

The Money Maker is the ideal grab n' go merchandiser.







Car Stell















# Money Maker 3 Tier Slim Merchandiser (Night Blind) (HT)

# 3 Tier Slim Merchandiser with Night Blind



# Options







TOP: Hook In Impulse Basket. LEFT: Panoramic Glazed Side Panels





ABOVE: Ø 100 mm Heavy Duty Castor

# Money Maker 3 Tier Slim Merchandiser (Night Blind) (HT)

Model	MM600SHT	MM900SHT	MM1200SHT	MM1500SHT	MM1800SHT
Capacity (Litres)	160	240	330	420	510
Length (mm)	600	900	1200	1500	1800
Depth (mm)	635(+50)	635(+50)	635(+50)	635(+50)	635(+50)
Height (mm)	1725	1725	1725	1725	1725
3 Tiers + Deck	Included	Included	Included	Included	Included
Night Blind	Included	Included	Included	Included	Included
Shelf Depth (mm) (4 x 1/2 litre cola bottles)	291	291	291	291	291
Well Depth (mm) (6 x 1/2 litre cola bottles)	400	400	400	400	400
Weight (uncrated) (kg)	157	187	217	247	275
Refrigerant Type	R290	R290	R290	R290	R290
Power (kW)	1.31	1.48	1.66	1.69	1.72
Total Heat Rejection @ 25°C Ambient (watts)	1508	2004	2235	2235	2454
Electrical supply	13A 230V	13A 230V	13A 230V	13A 230V	13A 230V

## Options Ø 100 mm Heavy Duty Castor HDC6 HDC9 HDC12 HDC15 HDC18 Revised Height (mm) 1765 1765 1765 1765 1765 Hook In Impulse Basket. MMIB6 MMIB9 MMIB12 MMIB15 Basket Size: LxHxD (mm) 540 x 99 x 210 840 x 99 x 210 1140 x 99 x 210 1440 x 99 x 210 1740 x 99 x 210 Panoramic Glazed Side Panels DGPS DGPS DGPS DGPS DGPS

# Main Features

- Compact mobile chilled merchandiser in a range of sizes, for retail locations where space is a premium.
- Features integral energy efficient chilled R290 hydrocarbon refrigeration (HT).
- Self help (fixed back) application.
- 3 tier steel adjustable height shelving, for increased chilled product display area.
- Additional cold deck area, typically used as bottle storage.
- Can achieve temperatures of 0°C to 5°C (max 27°C ambient 55% relative humidity).
- Product illumination is from horizontal & vertical diffused LED lighting (4000 Kelvin).
- Fitted with energy saving retractable insulated night blind
- > Available in 600, 900, 1200, 1500 & 1800 mm wide.
- Slimline unit depth 635 mm (+50), unit height 1725 mm.
- Optional Ø 100 mm heavy duty castor (2 braked to customer side) \*\*unit height increases to 1765 mm\*\*.
- Optional panoramic glazed side panels.
- > Optional hook in chrome wire impulse basket.
- > 24-hour operation.
- Superstructure in bright polished (internal) and satin (external) steel.
- Bright polished steel rear back panel for typical use in wall sited situation
- Features low-level digital temperature display and control panel (customer side).
- Features 'tamper proof' temperature control facility.
- > 40 mm tall 'point of sale' display/ ticket strips are fitted as standard.
- Integral automatic condensate water evaporation eliminates the need for site drainage.
- Supplied with 2m lead, cord wrap & parking socket, for connection to a single 13 Amp socket (13A 230V 50 Hz).
- Removable steel front fascia panel, for ease of cleaning/ service maintenance.
- Modular removable deck plate system for easier cleaning and maintenance.
- Stand off brackets for wall siting included, to ensure adequate unit ventilation.

# Food Display Types

## Drink:

Still & carbonated, bottled, canned or carton, water, dairy, lemonade, wine, beer, lager, fruit juice & health drinks. Shelving typically accepts 1/2 litre 240 mm (h) cola bottles/ sandwich packs etc.

## Food

Wrapped sandwiches, baguettes, rolls & barm cakes, salad, pasta, cheese snacks, cream cakes & pastries, cakes, yoghurt, cereals, fruit in juice & fruit.

# Options

# Ø 100 mm Heavy Duty Castor

Set of heavy duty castors - 2 braked to customer side (200 kg load/ castor).\*1765 mm Unit Height\*

# Impulse Basket

Hook in Chrome wire basket, continuous open frame type, for local display of ambient product ( crisps etc.) to merchandiser front. Ideal for maximizing impulse sales, meal deal offers. Basket depth accepts 6 x standard 32.5g crisp packets.

# Panoramic Glazed Side Panels.

Partially double glazed end panels provide a more panoramic view of displayed merchandise, whilst also adding more natural light to the cabinet. Vertical LED lighting is retained to the display area.









# Money Maker 4 Tier Large Merchandiser (Night Blind) (HT)

# 4 Tier Large Merchandiser with Night Blind



# Options









ABOVE: Ø 100 mm Heavy

# **Duty Castor**

# Money Maker 4 Tier Large Merchandiser (Night Blind) (HT

Model	MM600LHT	MM900LHT	MM1200LHT	MM1500LHT	MM1800LHT
Capacity (Litres)	260	397	552	700	862
Length (mm)	600	900	1200	1500	1800
Depth (mm)	795(+50)	795(+50)	795(+50)	795(+50)	795(+50)
Height (mm)	1965	1965	1965	1965	1965
4 Tiers + Deck	Included	Included	Included	Included	Included
Night Blind	Included	Included	Included	Included	Included
Shelf Depth (mm) (6 x 1/2 litre cola bottles)	391	391	391	391	391
Well Depth (mm) (8 x 1/2 litre cola bottles)	560	560	560	560	560
Weight (uncrated) (kg)	192	231	270	311	349
Refrigerant Type	R290	R290	R290	R290	R290
Power (kW)	1.31	1.48	1.67	1.70	1.72
Total Heat Rejection @ 25°C Ambient (watts)	1508	2004	2235	2235	2454
Electrical supply	13A 230V	13A 230V	13A 230V	13A 230V	13A 230V

# Ontions

Model	MM600LHT	MM900LHT	MM1200LHT	MM1500LHT	MM1800LHT
Ø 100 mm Heavy Duty Castor	HDC6	HDC9	HDC12	HDC15	HDC18
Revised Height (mm)	2005	2005	2005	2005	2005
Hook In Impulse Basket.	MMIB6	MMIB9	MMIB12	MMIB15	MMIB18
Basket Size : L x H x D (mm)	540 x 99 x 210	840 x 99 x 210	1140 x 99 x 210	1440 x 99 x 210	1740 x 99 x 210
Panoramic Glazed Side Panels	DGPL	DGPL	DGPL	DGPL	DGPL

## Main Features

- > Large mobile chilled merchandiser in a range of sizes, for retail locations where maximum merchandising capacity is a premium.
- > Features integral energy efficient chilled R290 hydrocarbon refrigeration (HT).
- > Self help (fixed back) application.
- 4 tier steel adjustable height shelving, for maximum chilled product display area in a minimum footprint.
- > Additional cold deck area, typically used as bottle
- Can achieve temperatures of 0°C to 5°C (max 27°C ambient 55% relative humidity).
- > Product illumination is from horizontal & vertical diffused LED lighting (4000 Kelvin).
- > Fitted with energy saving retractable insulated night
- > Available in 600, 900, 1200, 1500 & 1800 mm wide.
- > Large unit depth 795 mm (+50), unit height 1965 mm.
- Optional Ø 100 mm heavy duty castor (2 braked to customer side) \*\*unit height increases to 2005 mm\*\*.
- Optional panoramic glazed side panels.
- Optional hook in chrome wire impulse basket.
- 24-hour operation.
- Superstructure in bright polished (internal) and satin (external) steel.
- Bright polished steel rear back panel for typical use in wall sited situation
- Features low-level digital temperature display and control panel (customer side).
- > Features 'tamper proof' temperature control facility.
- 40 mm tall 'point of sale' display/ ticket strips are fitted as standard.
- Integral automatic condensate water evaporation eliminates the need for site drainage.
- Supplied with 2m lead, cord wrap & parking socket, for connection to a single 13 Amp socket (13A 230V 50 Hz).
- > Removable steel front fascia panel, for ease of cleaning/ service maintenance.
- > Modular removable deck plate system for easier cleaning and maintenance.
- > Stand off brackets for wall siting included, to ensure adequate unit ventilation.

# Food Display Types

Still & carbonated, bottled, canned or carton, water, dairy, lemonade, wine, beer, lager, fruit juice & health drinks. Shelving typically accepts 1/2 litre 240 mm (h) cola bottles/ sandwich packs etc.

Wrapped sandwiches, baquettes, rolls & barm cakes, salad, pasta, cheese snacks, cream cakes & pastries, cakes, yoghurt, cereals, fruit in juice & fruit.

# Options

# Ø 100 mm Heavy Duty Castor.

Set of heavy duty castors - 2 braked to customer side (200 kg load/ castor).\*2005 mm Unit Height\*

# Impulse Basket

Hook in Chrome wire basket, continuous open frame type, for local display of ambient product ( crisps etc.) to merchandiser front. Ideal for maximizing impulse sales, meal deal offers. Basket depth accepts 6 x standard 32.5 g crisp packets.

# Panoramic Glazed Side Panels

Partially double glazed end panels provide a more panoramic view of displayed merchandise, whilst also adding more natural light to the cabinet. Vertical LED lighting is retained to the display area.











# Money Maker 3 Tier Slim Merchandiser (Roller Shutter) (HT)

# 3 Tier Slim Merchandiser with Roller Shutter



# Options









LEFT: Panoramic Glazed Side

ABOVE: Ø 100 mm Heavy **Duty Castor** 

# Money Maker 3 Tier Slim Merchandiser (Roller Shutter) (HT)

Model	MM600SRHT	MM900SRHT	MM1200SRHT	MM1500SRHT	MM1800SRHT
Capacity (Litres)	160	240	330	420	510
Length (mm)	600	900	1200	1500	1800
Depth (mm)	635(+50)	635(+50)	635(+50)	635(+50)	635(+50)
Height (mm)	1725	1725	1725	1725	1725
3 Tiers + Deck	Included	Included	Included	Included	Included
Roller Shutter (1725mm Unit Height)	Included	Included	Included	Included	Included
Shelf Depth (mm) (4 x 1/2 litre cola bottles)	291	291	291	291	291
Well Depth (mm) (6 x 1/2 litre cola bottles)	400	400	400	400	400
Weight (uncrated) (kg)	167	197	227	257	288
Refrigerant Type	R290	R290	R290	R290	R290
Power (kW)	1.31	1.48	1.66	1.69	1.72
Total Heat Rejection @ 25°C Ambient (watts)	1508	2004	2235	2235	2454
Electrical supply	13A 230V	13A 230V	13A 230V	13A 230V	13A 230V

# Options

Model	MM600SRHT	MM900SRHT	MM1200SRHT	MM1500SRHT	MM1800SRHT
Ø 100 mm Heavy Duty Castor	HDC6	HDC9	HDC12	HDC15	HDC18
Revised Height (mm)	1765	1765	1765	1765	1765
Hook In Impulse Basket.	MMIB6	MMIB9	MMIB12	MMIB15	MMIB18
Basket Size : L x H x D (mm)	540 x 99 x 210	840 x 99 x 210	1140 x 99 x 210	1440 x 99 x 210	1740 x 99 x 210
Panoramic Glazed Side Panels	DGPS	DGPS	DGPS	DGPS	DGPS

# Main Features

- Compact mobile chilled merchandiser in a range of sizes, for retail locations where space is a premium.
- Features integral energy efficient chilled R290 hydrocarbon refrigeration (HT).
- Self help (fixed back) application.
- 3 tier steel adjustable height shelving, for increased chilled product display area.
- Additional cold deck area, typically used as bottle
- Can achieve temperatures of 0°C to 5°C (max 27°C ambient 55% relative humidity).
- Product illumination is from horizontal & vertical diffused LED lighting (4000 Kelvin).
- Lockable roller shutter overhead type, twin locking, insulated aluminum lath, silver finish. (unit height 1725
- > Available in 600, 900, 1200, 1500 & 1800 mm wide.
- Slimline unit depth 635 mm (+50), unit height 1725
- Optional Ø 100 mm heavy duty castor (2 braked to customer side) \*\*unit height increases to 1765 mm\*\*.
- Optional panoramic glazed side panels.
- Optional hook in chrome wire impulse basket.
- > 24-hour operation.
- Superstructure in bright polished (internal) and satin (external) steel.
- Bright polished steel rear back panel for typical use in wall sited situation
- Features low-level digital temperature display and control panel (customer side).
- Features 'tamper proof' temperature control facility.
- 40 mm tall 'point of sale' display/ ticket strips are fitted as standard.
- Integral automatic condensate water evaporation eliminates the need for site drainage.
- Supplied with 2m lead, cord wrap & parking socket, for connection to a single 13 Amp socket (13A 230V 50 Hz).
- Removable steel front fascia panel, for ease of cleaning/ service maintenance.
- Modular removable deck plate system for easier cleaning and maintenance.
- Stand off brackets for wall siting included, to ensure adequate unit ventilation.

# Food Display Types

Still & carbonated, bottled, canned or carton, water, dairy, lemonade, wine, beer, lager, fruit juice & health drinks. Shelving typically accepts 1/2 litre 240 mm (h) cola bottles/ sandwich packs etc.

Wrapped sandwiches, baguettes, rolls & barm cakes, salad, pasta, cheese snacks, cream cakes & pastries, cakes, yoghurt, cereals, fruit in juice & fruit.

# Options

# Ø 100 mm Heavy Duty Castor.

Set of heavy duty castors - 2 braked to customer side (200 kg load/ castor).\*1765 mm Unit Height\*

## Impulse Basket

Hook in Chrome wire basket, continuous open frame type, for local display of ambient product ( crisps etc.) to merchandiser front. Ideal for maximizing impulse sales, meal deal offers. Basket depth accepts 6 x standard 32.5g crisp packets

# Panoramic Glazed Side Panels.

Partially double glazed end panels provide a more panoramic view of displayed merchandise, whilst also adding more natural light to the cabinet. Vertical LED lighting is retained to the display area.









# Money Maker 4 Tier Large Merchandiser (Roller Shutter) (HT)

# 4 Tier Large Merchandiser with Roller Shutter



# Options









ABOVE: Ø 100 mm Heavy Duty Castor

# Money Maker 4 Tier Large Merchandiser (Roller Shuller) (HT)

Model	MM600LRHT	MM900LRHT	MM1200LRHT	MM1500LRHT	MM1800LRHT
Capacity (Litres)	260	397	552	700	862
Length (mm)	600	900	1200	1500	1800
Depth (mm)	795(+50)	795(+50)	795(+50)	795(+50)	795(+50)
Height (mm)	1965	1965	1965	1965	1965
4 Tiers + Deck	Included	Included	Included	Included	Included
Roller Shutter (1965mm Unit Height)	Included	Included	Included	Included	Included
Shelf Depth (mm) (6 x 1/2 litre cola bottles)	391	391	391	391	391
Well Depth (mm) (8 x 1/2 litre cola bottles)	560	560	560	560	560
Weight (uncrated) (kg)	202	241	280	321	359
Refrigerant Type	R290	R290	R290	R290	R290
Power (kW)	1.31	1.48	1.67	1.70	1.72
Total Heat Rejection @ 25°C Ambient (watts)	1508	2004	2235	2235	2454
Electrical supply	13A 230V	13A 230V	13A 230V	13A 230V	13A 230V

# Options

Model	MM600LRHT	MM900LRHT	MM1200LRHT	MM1500LRHT	MM1800LRHT
Ø 100 mm Heavy Duty Castor	HDC6	HDC9	HDC12	HDC15	HDC18
Revised Height (mm)	2005	2005	2005	2005	2005
Hook In Impulse Basket.	MMIB6	MMIB9	MMIB12	MMIB15	MMIB18
Basket Size : L x H x D (mm)	540 x 99 x 210	840 x 99 x 210	1140 x 99 x 210	1440 x 99 x 210	1740 x 99 x 210
Panoramic Glazed Side Panels	DGPL	DGPL	DGPL	DGPL	DGPL

# Main Features

- Large mobile chilled merchandiser in a range of sizes, for retail locations where maximum merchandising capacity is a premium.
- Features integral energy efficient chilled R290 hydrocarbon refrigeration (HT).
- > Self help (fixed back) application.
- 4 tier steel adjustable height shelving, for maximum chilled product display area in a minimum footprint.
- Additional cold deck area, typically used as bottle storage.
- Can achieve temperatures of 0°C to 5°C (max 27°C ambient 55% relative humidity).
- > Product illumination is from horizontal & vertical diffused LED lighting (4000 Kelvin).
- Lockable roller shutter overhead type, twin locking, insulated aluminum lath, silver finish. (unit height 1965 mm)
- > Available in 600, 900, 1200, 1500 & 1800 mm wide.
- Large unit depth 795 mm (+50), unit height 1965 mm.
- Optional Ø 100 mm heavy duty castor (2 braked to customer side) \*\*unit height increases to 2005 mm\*\*.
- Optional panoramic glazed side panels.
- Optional hook in chrome wire impulse basket.
- > 24-hour operation.
- Superstructure in bright polished (internal) and satin (external) steel.
- Bright polished steel rear back panel for typical use in wall sited situation
- Features low-level digital temperature display and control panel (customer side).
- > Features 'tamper proof' temperature control facility.
- > 40 mm tall 'point of sale' display/ ticket strips are fitted as standard.
- Integral automatic condensate water evaporation eliminates the need for site drainage.
- Supplied with 2m lead, cord wrap & parking socket, for connection to a single 13 Amp socket (13A 230V 50 Hz).
- Removable steel front fascia panel, for ease of cleaning/ service maintenance.
- Modular removable deck plate system for easier cleaning and maintenance.
- Stand off brackets for wall siting included, to ensure adequate unit ventilation.

# Food Display Types

## Drinks

Still & carbonated, bottled, canned or carton, water, dairy, lemonade, wine, beer, lager, fruit juice & health drinks. Shelving typically accepts 1/2 litre 240 mm (h) cola bottles/ sandwich packs etc.

## Food:

Wrapped sandwiches, baguettes, rolls & barm cakes, salad, pasta, cheese snacks, cream cakes & pastries, cakes, yoghurt, cereals, fruit in juice & fruit.

# Options

# Ø 100 mm Heavy Duty Castor.

Set of heavy duty castors - 2 braked to customer side (200 kg load/ castor).\*2005 mm Unit Height\*

# Impulse Basket

Hook in Chrome wire basket, continuous open frame type, for local display of ambient product ( crisps etc.) to merchandiser front. Ideal for maximizing impulse sales, meal deal offers. Basket depth accepts 6 x standard 32.5 g crisp packets.

# Panoramic Glazed Side Panels.

Partially double glazed end panels provide a more panoramic view of displayed merchandise, whilst also adding more natural light to the cabinet. Vertical LED lighting is retained to the display area.

