



in the Kitchen



FABRICATION PRICE LIST 2020

OFF-THE-SHELF · TOURNUS EQUIPEMENT · MADE-TO-MEASURE · BESPOKE

# READY TO SERVE

With 3 manufacturing sites to better target our customers needs, CED are one of the most successful UK manufacturers of commercial catering equipment, with over 150 dedicated employees providing an extensive range of kitchen equipment.

At CED we pride ourselves on our innovative, stylish and reliable ranges of bespoke and standard commercial catering equipment.

As we continue to gain market share, our recent merger with Tournus Equipement confirms CED's investment in future business growth.

At the heart of our positive growth lies continued investment in ourselves. Staff training, product development, design software, component sourcing and manufacturing plant & processes.

The Tournus manufacturing partnership has enabled CED to extensively increase our UK product range like never before, introducing many new innovative commercial kitchen products, from plate dispensers to serving trolleys and beyond, all available in our Tournus Equipement Price List.

CED's unequalled capacity to fulfil our customers many diverse requirements, simply increases year on year.

Whether that need is for kitchen fabrication components, the latest in energy efficient drop in displays and patisseries, or the most complex of bespoke servery counters.

With a fleet of 13 delivery vehicles operating from three fully equipped manufacturing and stock holding facilities, we're ready to serve !

Howard Rishton

Managing Director.

## CONTENTS

### In the Kitchen

Our Brands

What's new at CED 4-5

### Designline

#### Made-to-Measure Fabrication

Designline Fabrication 6-7

Introduction

Wall & Centre Benches 8

Mounted Over Shelves 9

Sink Units 10

Dishwash Inlet/Outlet Tables 11

Roller Tables 12

Storage Racks 13

Pan Storage Shelves

Wall Shelves 14

& Microwave Shelves  
(Heavy & Medium duty)

Bucket Sinks, Wash hand basin, 15  
Combi Stands, Tundish

COSHH Storage Cupboards

Hot Cupboards 16

Heated Gantries 17

Hot Cupboard Bain Maries

Wall Cupboards 18

Base Cupboards

Coshh Cupboards w/ sink 19

Steel Guide 20

### Quick Service

#### Off-the-Shelf Fabrication

Quick Service Fabrication 21-22

Introduction

QS Wall Benches 23

QS Wall & Centre Benches  
with Voids 24

QS Centre Benches 25

QS Corner & Angled Wall Benches 26

QS Single Bowl Sink Units 27

QS Double Bowl Sink Units 28

& Tap Accessories

QS Heavy Duty Wall Shelving 29

QS Pan Storage Shelving 30

QS Microwave Wall Shelving 31

QS Wall Cupboards 32

QS Lockable Wall Cupboards 33

### Tournus Equipement

#### Commercial Kitchen Equipment

Serving Trolleys 34

Stackable Gastronorm Serving  
Trolleys

Food Tray Storage Trolley 35

Gastronorm Container Trolley

Plate Storage Trolley 36

Rack & Tray Dollys 36

Dishwasher Basket Trolley 36

Plate Dispensers 37

TS 2000N Wash Hand Basins 38

GA & GC Wash Hand Bowls/Basins 39-40

Mobile Wash Hand Basins

Janitorial Sink, Sterilizing Cabinet 41

Insect Killers

Tournus Racking 42-46

Maintenance Guide 47

### Bespoke Fabrication

#### 5 Star Fabrication

Bespoke Fabrication Introduction 48

Bespoke Fabrication Examples 49-51

Site address & contact details 52



# in the Kitchen



Off-the-shelf  
fabrication range



Commercial kitchen  
equipment



Made-to-measure  
fabrication range



**BESPOKE  
FABRICATION**

5 Star bespoke  
fabrication

Our products & brands satisfy a wide range of catering markets and customer requirements.

**Quick Service Off-the-Shelf Range:** Our most popular sizes of commercial fabrication, self-draining single & double bowl sinks, wall, centre & corner benches, hinged, sliding & lockable cupboards, heavy duty shelving, stock available In 2-6 full working days after order.

**Tournus Commercial Kitchen Equipment:** Stocked items, and always available. Includes; trolleys, hand wash basins, plate dispensers, and janitor sinks.

**Designline Made-to-Measure Range:** Our classic catalogue of commercial kitchen fabrication from hot cupboards to sinks, always adapted to suit each made-to-measure environment. A full manufacturing drawing service, short lead time equipment, multiple options, cut-outs, notches, voids, all 304 gd. etc

**5 Star Bespoke Fabrication:** Consultant specified counter constructed fabrication, made to measure – full manufacturing drawings, cook suites, site welding and polishing of joints, tanked bases, integral service spines & race ways, 2mm worktops, bull nose worktop edge details, mirror finishing, ceiling mounted gantries with heated/ ambient task lighting.



Certificate Number 7895  
ISO 9001, ISO 14001

# WHAT'S NEW



HYGIENE SOLUTIONS  
BROCHURE - OUT NOW!



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)

## NEW SANITISER & BARRIER EQUIPMENT

New CED sanitiser posts and barrier equipment now available. Options to include sanitising and signage with crowd control to help direct the flow of crowds and enhance safety. For more information on these products check out our new hygiene solutions brochure or speak to a member of our sales team.

### ROPE GUIDES & RETRACTABLE BELTS



## CED HYGIENE SOLUTIONS

New CED & Tournus hygiene range now available. Various options & solutions available for any environment. From sanitiser posts to sterilising units, here at CED we have explored every option to help you create safer and more hygienic spaces (indoor & outdoor) for your customers.

For more information on these products enquire now by emailing our estimating team for a quotation at [estimating@cedlimited.com](mailto:estimating@cedlimited.com) or call us on 01254 23 282. Separate hygiene solution brochure also available on request.

## NEW DESIGNLINE ITEMS

We now have new items added to the designline fabrication range, including; coshh cupboards with sinks, tundishes & combi stands.



AVAILABLE  
WITHOUT  
RUNNERS

Combi stand with runners & without shown



## TOURNUS GASTRONORM COMBI GRIDS

Tournus GN combi grids available for very competitive prices, speak to our sales team for more information on this product!



AVAILABLE  
IN 3 SIZES

Cossh cupboard with  
sink (open) shown



Tundish shown

# MADE-TO-MEASURE FABRICATED KITCHENS



## DESIGNLINE



A perfect fit for your perfect kitchen

CED are now, quite simply, one of the UK's largest manufacturers of standard and bespoke steel catering fabrication, producing a wide range of fabrication to meet your every requirement. Automation is the key to our continued success. No other UK fabrication company has the need for robotic sink welding facilities.



# MADE-TO-MEASURE

## ANY SIZE | ANY COMBINATION



Designline is the benchmark of quality in the kitchen

Short lead in time orders are no problem to CED, once the standard/bespoke fabrication drawing has been produced, together with our lead time order acknowledgement, simply sign it off by the date we request and relax.

With a fleet of 13 delivery vehicles at our disposal, fabrication can be delivered to your project or premises, on time every time.

# WALL & CENTRE BENCHES


Wall Bench



**RIGID:**  
1.5 thk.  
stainless steel  
worktop

**HEALTH  
& SAFETY:**  
Easy clean  
surface with  
no dirt traps

Centre Bench



**STURDY  
ASSEMBLY:**  
Fully welded  
framework

**STABLE:**  
Adjustable  
levelling feet  
with floor  
fixings

Part of the Made-to-Measure  
Designline Fabrication Range



## Main Features

- **Wall Bench:** Wall sited commercial s/steel solid top wall bench.
- **Centre Bench:** Free standing commercial s/steel solid top centre bench.
- Worktop constructed in 304 gd (1.5 thk.) s/steel supported on 30 x 30 box section 430 gd (1.2 thk.) and fully welded framework.
- Welded low level 430 gd (1.2 thk.) s/steel storage under-shelf.
- Available in 600, 900, 1200, 1500, 1800, 2100, 2400, 2700 & 3000 mm standard lengths.
- Each bench length is also available up to 850mm deep.
- Standard bench height is 900 mm – to suit most kitchen area back counters.
- Steel worktop features 50 mm down stand to each edge.
- **Wall Bench:** 50 mm splashback/wall up stand to rear of worktop.
- **Centre Bench:** Can be used as an island unit.
- **Wall Bench:** Legs inset 100 mm to the rear, to allow for service pipework behind.
- **Centre Bench:** Legs inset 25 mm to the rear & 50 mm at each end of worktop.
- Frame fitted with flanged levelling feet for mechanical fixing to floor surface.

## Wall and Centre Benches

Length	Up to 650mm deep	Up to 700mm deep	Up to 850mm deep
600mm	£274	£293	£311
900mm	£311	£322	£369
1200mm	£350	£366	£413
1500mm	£384	£412	£454
1800mm	£423	£455	£512
2100mm	£475	£513	£570
2400mm	£518	£561	£627
2700mm	£614	£664	£720
3000mm	£657	£711	£770



\*Option: Drop Down Bench Top  
(Fully Welded One Piece) Shown.

## Options - Additional Undershelf

Length	650mm deep	700mm deep	850mm deep
600mm	£50	£60	£60
900mm	£66	£72	£72
1200mm	£78	£89	£89
1500mm	£90	£105	£105
1800mm	£104	£121	£121
2100mm	£115	£134	£134
2400mm	£129	£151	£151
2700mm	£176	£198	£198
3000mm	£188	£213	£213

\* All 304gd - £ P.O.A.

## Options - Wall/Centre Bench Worktop

Product	Price
Cable Management Port	£22
Additional Upstand Left or Right	£29
Partial Upstand	£29
Drop down to bench top end (separate top)	£156
Drop down to bench to centre (separate top)	£235
Drop down bench top (fully welded one top)	£317
Reinforced top (per 300m)	£16
Sound Deadening (per 300mm)	£7
Cut out in top	£23
Notch around column bench top centre	£105
Notch around column bench top end	£89
Welded Joint/ Joint to make L Shape	£235
Bolted Joint	£131
Chamfer 100x100	£68
Angled Top	£98
Additional Cost for All 304 Grade £67 per metre	

## Options - Wall/Centre Bench Bowls

Product	Price
Bowl 610x450x300mm	£392
Bowl 500x400x300mm	£380
Bowl 400x400x300mm	£367
Bowl 760x510x380mm	£768
Bowl cover	£141
Hand wash basin set into top (small)	£254
Hand wash basin set into top (large)	£260
Localised Anti Drip around bowl	£233
Localised Anti Drip around centre bowl	£381

**Taps options - see sink units section  
P.36**


# (WALL/CENTRE BENCH) MOUNTED OVERSHELF



Ambient Single Tier Overshelf

## HYGIENIC:

Wipe down stainless steel surfaces




Ambient Double Tier Overshelf

## DURABLE:

Fully welded framework

Ambient Triple Tier Overshelf



## PRACTICAL:

Ideal for ingredients storage

## FUNCTIONAL:

Choice of storage tiers



Made in the UK

Part of the Made-to-Measure Designline Fabrication Range



## Options - Wall/ Centre Bench Drawers

Product	Price
400x400 drawer	£135
400x400 drawer (set of two)	£260
400x400 drawer (set of three)	£492
Gn Drawer inc 1/1 container	£174
Gn Drawer inc 1/1 container (set of two)	£322
Gn Drawer inc 1/1 container (set of three)	£561
Lock for drawer	£41

## Options - Wall/Centre Bench Frames

Product	Price
Bank of 3 runners left/right	£165
Bank of 3 runners centre	£220
Bank of 6 gn runners	£267
Part void to centre (with tie bar)	£125
Part void to end (with tie bar)	£70
Straight/ U shape tie bar in lieu of undershelf	£5
Removable tie bar	£39
Angled Underframe	£96
Removable undershelf	£40
Castors (2 braked, 2 unbraked)	£62

## Overshelves - Main Features

- **Single Tier:** 450 mm high overhead steel single tier storage shelf
  - **Double Tier:** 700 mm high overhead steel double tier storage shelf
  - **Triple Tier:** 900 mm high overhead steel triple tier storage shelf
- All versions manufactured from 1.2 mm thick 430 gd. with 30 x 30 steel box section gantry frame in 430 gd 1.2 thk.
- Shelves are mounted directly on to steel worktop.
  - For ambient storage, can be used as local food preparation/ingredient store shelf
  - Available in 600, 900, 1200, 1500, 1800, 2100 or 2400 mm standard lengths.
  - Available in 300, 400 or 500 mm standard depth.
  - Ambient use.



\*Option: Part Void to End (With Tie bar) Shown.

\*\*Option: Additional Undershelf, 1500mm Shown.

## (Wall/Centre Bench) Mounted Overshelf

### Single Tier, Ambient

Length	300mm deep	400mm deep	500mm deep
600mm	£197	£237	£262
900mm	£210	£253	£282
1200mm	£225	£273	£301
1500mm	£237	£286	£319
1800mm	£251	£305	£336
2100mm	£264	£320	£355
2400mm	£278	£336	£372

For cantilevered overshelf add £52 to above prices.  
All 304 gd - £ P.O.A.

### Double Tier, Ambient

Length	300mm deep	400mm deep	500mm deep
600mm	£230	£279	£311
900mm	£251	£317	£353
1200mm	£273	£329	£364
1500mm	£289	£352	£391
1800mm	£311	£376	£417
2100mm	£331	£401	£445
2400mm	£350	£424	£472

For cantilevered overshelf add £52 to above prices.  
All 304 gd - £ P.O.A.

### Triple Tier, Ambient

Length	300mm deep	400mm deep	500mm deep
600mm	£261	£320	£362
900mm	£289	£383	£424
1200mm	£319	£385	£427
1500mm	£344	£417	£462
1800mm	£373	£449	£499
2100mm	£397	£480	£534
2400mm	£424	£513	£570

For cantilevered overshelf add £52 to above prices.  
All 304 gd - £ P.O.A.

# SINK UNITS

Single Bowl


WIPE DOWN  
DRAINERS

**SOLID:**  
1.5 thk.  
worktops in  
rust-free  
stainless steel

**CHOICE  
OF 3 BOWL  
SIZES:**  
from 48 to 80  
litre capacity

Double Bowl


WIPE DOWN  
DRAINERS

**MADE-TO-  
MEASURE:**  
Flexible sizes to  
suit your kitchen  
environment

**ANTI DRIP  
MOULD:**  
Prevents  
water spillage

## Options - Sink Taps



Set - 1/2"  
basin taps,  
dome head  
£45

Set - 1/2"  
basin taps,  
lever arm  
£58

Set - 1/2" high  
neck pillar taps,  
dome head  
£54

Set - 1/2" high  
neck pillar  
taps, lever arm  
£65

Set - 1/2" mixer  
tap, dome  
head  
£87

Set - 1/2" mixer  
tap, lever arm  
£103

Set - 1/2" mono  
block mixer tap,  
dome head  
£93

Set - 1/2" mono  
block mixer  
tap, lever arm  
£119

Tournus  
sensor tap  
£446

## Single Bowl Sink Unit

Length	600mm deep	650mm deep	700mm deep	800mm deep
900mm*	£728	£728	£728	£740
1200mm	£771	£771	£771	£800
1500mm	£813	£813	£813	£860
1800mm	£885	£885	£885	£924
2100mm	£934	£934	£934	£987
2400mm	£991	£991	£991	£1045

## Double Bowl Sink Unit

Length	600mm deep	650mm deep	700mm deep	800mm deep
1500mm	£1156	£1156	£1156	£1192
1800mm	£1210	£1210	£1210	£1255
2100mm	£1265	£1265	£1265	£1315
2400mm	£1320	£1320	£1320	£1376
2700mm	£1429	£1429	£1429	£1489
3000mm	£1482	£1482	£1482	£1557

## Options - Sink Unit Tops

Product	Price
Additional Upstand Left or Right	£29
Partial Upstand	£29
Reinforced top (per 300mm)	£16
Sound Deadening (per 300mm)	£7
Cut out in top	£23
Notch around column bench top centre	£105
Notch around column bench top end	£89
Bolted Joint	£131
Welded Joint/ Joint to make L Shape	£235
Chamfer to sink 100x100mm	£92
Angled Top	£98

Additional Cost for All 304 Grade £64 per metre

## Options - Sink Unit Bowls

Product	Price
Extra for 760x510x380mm deep	£362
Extra for each hand made bowl	£439
Hand wash basin set into top (small)	£254
Hand wash basin set into top (large)	£260
Bowl made ready to accept waste disposal	£55
Bowl cover	£141

## Options - Sink Unit Valences

Product	Price
1200 Valance fully welded 300mm deep	£71
1500 Valance fully welded 300mm deep	£80
1800 Valance fully welded 300mm deep	£87
2100 Valance fully welded 300mm deep	£94
2400 Valance fully welded 300mm deep	£104
2700 Valance fully welded 300mm deep	£113
3000 Valance fully welded 300mm deep	£129

## Main Features

- Single Bowl Type: Free standing commercial s/steel single bowl sink unit with left or right hand drainer worktop.
- Double Bowl Type: Free standing commercial s/steel double bowl sink unit with left & right hand drainer worktop.
- Worktop constructed in 304 gd (1.5 thk.) s/steel with 304 gd (1.2 thk.) s/steel bowl, supported on 30 x 30 box section 430 gd (1.2 thk.) fully welded framework.
- Welded low level 430 gd (1.2 thk.) s/steel storage under-shelf.
- Single Bowl Type: Available in 900, 1200, 1500, 1800, 2100 & 2400mm standard lengths.
- Double Bowl Type: Available in 1500, 1800, 2100, 2400, 2700 & 3000 mm standard lengths.
- Option of 3 bowl sizes:
  - 610 long x 450 wide x 300 mm deep (80 Ltr.).
  - 500 long x 400 wide x 300 mm deep (60 Ltr.).
  - 400 long x 400 wide x 300 mm deep (48 Ltr.).
- Each sink unit length also available in 600, 650, 700 & 800 mm depths.
- Standard sink height is 900mm – to suit most kitchen area back counters.
- Drainer worktop features ribbed drainer pattern, enabling less surface contact whilst drying dishes etc.

- Drip mould edging surround to worktop area prevents water spillage.
- 50 mm splashback/wall upstand to rear of worktop.
- Single Bowl Type: Supplied with waste fitting and strainer waste for bowl.
- Double Bowl Type: Supplied with 2 no. waste fittings and 2 no. strainer wastes for bowls
- Sink unit legs inset 100 mm to the rear, to allow for service pipework behind.
- Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- Taps, waste traps & waste pipes are not supplied.
- \*Single Bowl Type: 900 mm long single bowl sink unit available with 400 long x 400 wide x 300 mm deep bowl only, when drainer required.

## Options - Sink Unit Frames

Product	Price
Part void to centre (with tie bar)	£125
Part void to end (with tie bar)	£70
Straight/ U shape tie bar in lieu of undershelf	£5
Removable tie bar	£39
Removable undershelf	£40
Angled Underframe	£96

# DISHWASH INLET/OUTLET TABLES

## Pricing Dishwash Tables (Example) Inc. Undershelf

Price	
Table top 1500 x 685 x 865	£563
610 x 450 x 300 Bowl	£381
700 Splashback	£147
Pre-Rinse Arm	£364
<b>Total (List Price)</b>	<b>£1,455</b>

## Dishwash Inlet/ Outlet Tables

**ANTI DRIP  
MOULD:**  
Prevents  
water spillage

**HYGIENIC:**  
Splash guards  
fitted

## ONE END OF TABLE IS FLAT:

Forming an  
inlet or outlet  
for dishwash  
baskets



WIPE DOWN  
DRAINERS

**EXTENSIVE  
CHOICE:**  
Of options &  
accessories



Part of the  
Made-to-Measure  
Designline Fabrication  
Range



## Purpose made commercial s/steel solid top dishwash inlet/ outlet table – selected from a choice of :

- A) Dishwash Inlet/ Outlet Table Top - General Sizes.
- B) Dishwash Inlet/ Outlet Table - Top Options.
- C) Dishwash Inlet/ Outlet Table - Frame Options.

## A) General Sizes - Dishwash Inlet/ Outlet Table Top. (Inc. Undershelf)

Length	685mm deep	900mm deep
600mm	£428	£464
900mm	£480	£509
1200mm	£534	£568
1500mm	£580	£615
1800mm	£627	£667
2100mm	£675	£731
2400mm	£720	£778

## C) Frame Options - Dishwash Inlet/Outlet Table

Product	Price
Dishwash frame - bank of three s/steel basket runners (580 wide). 520mm between runners	£219
Dishwash frame - additional pair s/steel basket runners (c/w braked castors) no top	£22
Dishwash frame - mobile frame/ bank of three basket runners. 520mm between runners	£233
Part void to centre (with tie bar)	£125
Part void to end (with tie bar)	£70
Full Length Void (in lieu of undershelf) with Tie Bar	£54

## Main Features

- > Inlet/ outlet table top constructed in 304 gd (1.5 thk.) s/steel supported on 30 x 30 box section 430 gd. (1.2 thk.) framework.
- > Inlet/ outlet table top has anti drip mould to three sides – rear edge wider to accept optional taps.
- > One end of table top is flat – forming an inlet or outlet for dishwash baskets.
- > Dishwash table top is manufactured at 865 mm standard height – to connect to a commercial pass through dish wash machine. (other heights available)
- > Dishwash inlet/ outlet table tops available in 600, 900, 1200, 1500, 1800, 2100 & 2400 mm standard lengths.
- > Each Dishwash inlet/ outlet table top length also available in 685 & 900 mm standard depths – to suit site position/ size of dish washing machine.
- > S/steel under shelf frame option made in 1.2 thk. 430 gd.



## B) Top Options - Dishwash Inlet/Outlet Table

### Options - Dishwash Bowls

Product	Price
Bowl 610x450x300mm deep	£392
Bowl 500x400x300mm deep	£380
Bowl 400x400x250mm deep	£367
Bowl 760x510x380mm deep	£768
Bowl cover	£141
Hand Wash Basin Welded into top	£260
W.D.U Connection (in bowl base)	£55
Localised Anti Drip Mould to Centre Bowl	£381

### Options - Dishwash Splashguards

Product	Price
Splashguard 700mm	£151
Splashguard 1200mm	£210
Splashguard 1500mm	£240
Splashguard 1800mm	£271
Splashguard 2100mm	£301
Splashguard 2400mm	£332

### Options - Dishwash Tops

Product	Price
Rubber scrapping block inset into top	£65
Manufactured Scrap Chute (200 x 200)	£184
Cut-out for Cutlery Catcher	£29
W.D.U Hopper welded into top	£151
Joint to make L-shaped unit	£235
Pre Rinse Arm	£375

### Options - Dishwash Basket Shelves

Product	Price
Wall mounted basket shelf / metre	£191
Bench mounted overshelf / metre	£208
Bench mounted basket shelf / metre	£237

Additional Cost for All 304 Grade £64 per metre

# ROLLER TABLES

## Roller Table

### COMPATIBLE TABLE END:

To suit leading dish wash machine manufacturers, (Angelo Po, Hobart Electrolux, etc)

### HYGIENE:

Fully welded deep well basket area

Part of the  
Made-to-Measure  
Designline  
Fabrication Range



A purpose made dish wash basket roller table can be produced by selecting from a choice of:

- A) Roller Table Top – General Sizes.
- B) Roller Table – Top Options.
- C) Roller Table – Frame Options.

## Main Features

- Roller table top constructed in 304 gd (1.5 thk.) s/steel supported on 30 x 30 box section 430 gd. (1.2 thk.) open framework.
- Roller table top has a fully welded deep well area in the steel base – nylon rollers mount to the side walls, to facilitate the smooth passage of dish wash baskets over.
- The roller table can also be used either as an inlet or outlet table, adjacent to dish wash machine.
- Includes an open steel box section support frame under as standard.
- One end of table top is flat – forming an inlet or outlet for dish wash baskets.
- Roller table top is manufactured at 865 mm standard height – to connect to a commercial pass through dish wash machine.
- Roller table tops are available in 900, 1200, 1500 & 1800 mm standard lengths.
- Each roller table top length is also available in either 685 & 900 mm standard depths – to suit site position/size of dish washing machine.
- S/steel under shelf frame option made in 1.2 thk. 430 gd.
- Bespoke table lengths/ heights are available on request.

## A) General Sizes Roller Inlet/Outlet Table Top.

Length	685mm deep
900mm	£1189
1200mm	£1386
1500mm	£1584
1800mm	£1783

\* Roller tables include leg sets with open frame as standard. (as image shown).

## B) Top Options - Roller Inlet/Outlet Table

Product	Price
S/Steel bowls (Set In Well Area Of Top)	
610 x 450 x 300 mm deep.	£392
500 x 400 x 300 mm deep.	£380
400 x 400 x 300 mm deep.	£367
Rear Steel Splash Guard To Bowl (380mm High)	
700 mm length	£151
1200 mm length	£210
1500 mm length	£240
1800 mm length	£271
Wall Mounted Angled Basket Shelf ( c/w Front Up Stand)	£191
510mm deep x per metre length	
Waste Disposal Unit Connection (To Inlet Bowl Base)	£55
Hole size to suit W.D.U.	
Joint To Form L-Shaped Inlet/Outlet Top	£235
Scrapping Chute – Steel (Welded Into Inlet Side Top)	£184
200 x 200 x 50 mm deep.	
Bench Mounted Basket Shelf	£237

## C) Frame Options Roller Inlet/Outlet Table.

Product	Price
Roller Table Frame – Additional Leg Set	
865 mm high or to suit dishwasher	£55
Roller Table Frame – S/steel Under Shelf (685mm deep)	
900 mm long (add)	£66
1200 mm long (add)	£78
1500 mm long (add)	£90
1800 mm long (add)	£104
Roller Table Frame – Part Void End	£70
Roller Table Frame – Part Void Centre	£125
All 304 gd. construction roller table, (per m)	£64
Bespoke roller table length, depth or height on request	£ P.O.A.



### QUALITY:

Rust proof  
stainless steel  
fastenings

# STORAGE RACKS (SOLID/PERFORATED SHELVING)

Solid



\* Mobile rack option shown

Perforated



**STABILITY:**  
Fully welded  
frame  
construction

**PERFORATED  
SHELVING:**  
Allows air  
circulation



\* Storage rack -  
solid shelving

Part of the Made-to-  
Measure Designline  
Fabrication Range



\* Storage rack -  
perforated shelving



## Main Features

- Commercial s/steel 3 or 4 tiered shelf racking.
- Ideal for many types of kitchen equipment storage - from utensils to containers.
- Solid Shelving:** Solid folded tray shelving constructed in 430 gd 1.2 thk. s/steel.
- Perforated Shelving:** Perforated folded tray shelving constructed in 430 gd 1.2 thk. s/steel.
- Fully welded construction with 430 gd 1.2 thk. 30mm s/steel box framing.
- Frame fitted with adjustable height flanged feet for securing to a finished floor surface
- Available in two heights, 1500 mm & 1800 mm high.
- 1500 mm height racks have 3 tiers of shelving.
- 1800 mm high racks have 4 tiers of shelving.
- Standard rack depth 540 mm.
- Available in 900, 1200, 1500, 1800 & 2100 mm lengths.

## Solid Shelf Racks - 3 & 4 Tier

Length	Depth	Height	No of tiers	Price
900mm	540mm	1500mm	3	£332
1200mm	540mm	1500mm	3	£383
1500mm	540mm	1500mm	3	£430
1800mm	540mm	1500mm	3	£477
2100mm	540mm	1500mm	3	£522
900mm	540mm	1800mm	4	£427
1200mm	540mm	1800mm	4	£490
1500mm	540mm	1800mm	4	£553
1800mm	540mm	1800mm	4	£615
2100mm	540mm	1800mm	4	£678

\* All 304gd. - £ P.O.A.

## Perforated Shelf Racks - 3 & 4 Tier

Length	Depth	Height	No of tiers	Price
900mm	540mm	1500mm	3	£332
1200mm	540mm	1500mm	3	£383
1500mm	540mm	1500mm	3	£430
1800mm	540mm	1500mm	3	£477
2100mm	540mm	1500mm	3	£522
900mm	540mm	1800mm	4	£427
1200mm	540mm	1800mm	4	£490
1500mm	540mm	1800mm	4	£553
1800mm	540mm	1800mm	4	£615
2100mm	540mm	1800mm	4	£678

\* All 304gd. - £ P.O.A.

## Options - Storage Racks


Product	Price
Mobile rack - set of castors (2 no. braked).	£62
Non standard rack sizes available on request.	£ P.O.A.

\* All 304gd. - £ P.O.A.

## Pan Storage Shelf

### Main Features - Pan Storage Shelf

- Commercial s/steel open framed heavy duty pot drainage rack, supported on fully welded cantilever box section brackets.
- Perfect for back of house utensil storage.
- Available in 600, 900, 1200, 1500, 1800, 2100 and 2400 mm lengths x 300 mm deep.
- Each rack length available 300, 400 or 500 mm deep.
- Durable 10 mm diameter integral 304 gd. steel rods form open shelving area.
- Outer rack perimeter frame in fully welded 430 gd 1.2 thk. 30 mm box section.



- Pre-drilled box section support brackets, for fixing in situ. (Fixings not supplied).
- Additional box section support brackets provided, depending on the shelf length selected.

### Options

Non standard sizes available on request.

## Pan Storage Shelf

Length	300mm deep	400mm deep	500mm deep
600mm	£185	£221	£266
900mm	£202	£242	£289
1200mm*	£218	£262	£312
1500mm*	£266	£318	£381
1800mm*	£282	£340	£407
2100mm*	£298	£357	£427
2400mm*	£312	£375	£451

\* All 304gd. - £ P.O.A.

# WALL SHELVES - (MEDIUM & HEAVY DUTY)

## Main Features

- > Commercial s/steel shelving supported on cantilever folded steel brackets, perfect for back of house utensil/ container & equipment storage.
- > Available in 600, 900, 1200, 1500, 1800, 2100 and 2400 mm lengths x 300 mm deep.
- > Durable 1.2 mm thick 430 gd. solid steel shelf.
- > Steel shelf has a 35 mm deep turn down to 3 faces and a rear wall up stand of 20 mm.

### MEDIUM DUTY TYPE:

- > Supplied with 430 gd 1.2 thk. folded steel gusset bracket shelf supports.
- > Pre-drilled gusset support brackets, for fixing insitu. (Fixings not supplied).
- > Additional gusset support brackets provided, depending on the shelf length selected.

### HEAVY DUTY TYPE:

- > Each shelf length available 300, 400 or 500 mm deep.
- > Supplied with 430 gd 1.2 thk. 30 mm sq box section bracket support framing.
- > Pre-drilled L-shaped box section support brackets, for fixing insitu. (Fixings not supplied).
- > Additional box section support brackets provided, depending on the shelf length selected.

## Options

Non standard sizes available on request.

Gusset Brackets  
Wall Shelf  
(Medium Duty)

**REAR  
UPSTAND:**  
Prevents wall  
damage

Box Section  
Brackets Wall Shelf  
(Heavy Duty)

## Wall Shelves - Gusset & Box Section Brackets

### Gusset Brackets (Medium Duty)

Length	300mm deep
600mm	£96
900mm	£104
1200mm	£112
1500mm	£135
1800mm	£144
2100mm	£153
2400mm	£175

\* All 304gd. - £ P.O.A.

### Box Section Brackets (Heavy Duty)

Length	Brackets	300mm deep	400mm deep	500mm deep
600mm	2	£100	£111	£136
900mm	2	£107	£124	£150
1200mm	2	£116	£136	£164
1500mm	3	£131	£167	£199
1800mm	3	£146	£179	£212
2100mm	3	£159	£193	£233
2400mm	4	£184	£222	£268

\* All 304gd. - £ P.O.A.

## MICROWAVE SHELF (HEAVY DUTY)



**PRACTICAL:**  
Flexible  
positioning of grills  
and microwave  
ovens



## Main Features

- > Commercial heavy duty s/steel microwave shelf.
- > Shelf constructed from 1.2 mm thick 430 gd. s/steel.
- > Mounted on cantilever type welded 430 gd. 1.2 thk. 30 mm box section wall brackets.
- > Available as 600 mm long x 450 mm deep.
- > Available as 600 mm long x 600 mm deep.
- > Pre-drilled box section support brackets, for fixing insitu. (Fixings not supplied).
- > Shelf strengthened with 32 mm turn down to edges/ rear up stand of 30 mm.
- > Electrical cable of microwave can pass behind shelf up stand when insitu

## Options

Non standard sizes available on request.

### Microwave Shelf (Heavy Duty)

Length (mm)	Strength	Depth (mm)	Price
600 max	heavy duty	450	£221
600 max	heavy duty	600	£233

\* All 304gd. - £ P.O.A.

### Microwave Shelf (Medium Duty)

Length (mm)	Strength	Depth (mm)	Price
600	medium duty	450	£149
600	medium duty	600	£163

\* All 304gd. - £ P.O.A.

## Main Features - Microwave Shelf

- > Commercial medium duty s/steel microwave shelf.
- > Constructed from 1.2 mm thick 430 gd. s/steel
- > Available as 600 mm long x 450 mm deep.
- > Available as 600 mm long x 600 mm deep.
- > 3 sided folded shelf and folded return side cheeks for strengthening.
- > Side cheeks pre-drilled for wall fixing. (Fixings not supplied).
- > Folded 30 mm front turn down to front edge for strengthening.

## Options

Non standard sizes available on request.

Part of the Made-to-  
Measure Designline  
Fabrication Range



## BUCKET SINK



Bucket Sink

### PRACTICAL:

Locate under a wall tap to fill and rinse your mop buckets

### Bucket Sink

Size (mm)	Price
550 x 520 x 450 (h)	£504

### Main Features

- Commercial free standing s/steel bucket sink, frame and bucket rest insert – 550 mm wide x 520 mm deep x 450 mm high.
- Worktops constructed in 304 gd (1.5 thk.) s/steel with 304 gd (1.2 thk.) s/steel bowl, supported on 30 x 30 box section 430 gd (1.2 thk.) framework.
- Low height floor standing bucket sink/ stand for use with a wall mounted overhead tap & local floor drain.
- Worktop has 50 mm up stand to rear & houses a 300 mm deep s/steel bowl and waste outlet in the bottom, for positioning over a floor gully.
- Supplied with removable sit on perforated steel bucket rest.
- Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- Taps, waste traps & waste pipes are not supplied.

## COSHH/STORAGE CUPBOARDS

### Main Features

- Storage Cupboard:** Free standing commercial s/steel, fully enclosed storage cupboard.
- C.O.S.H.H. Cupboard:** Free standing commercial s/steel, fully enclosed C.O.S.H.H. hazardous materials storage cupboard.
- Four tier storage internally.
- 30 mm deep welded base shelf (1 no.)
- 30 mm deep fixed mid shelf. (1 no.)
- 2 no. Adjustable mid shelves.
- Storage Cupboard:** Outer panels & doors constructed in 430 gd (0.9 thk.) s/steel.
- C.O.S.H.H. Cupboard:** All 304 gd s/steel – outer panels/ locking doors in 304 gd (0.9 thk.) s/steel.
- Storage Cupboard:** Base and mid shelving in 430 gd (1.2 thk.)
- C.O.S.H.H. Cupboard:** Base and mid shelving in 304 gd (0.90/1.2 thk.) s/steel.
- Standard cupboard height 1800 mm.
- Available in 600, 900 or 1200 mm standard lengths.
- Available in 450 or 600 mm deep.
- Fitted with side hung steel doors, mounted on sturdy cabinet hinges with D handles.
- All doors constructed from inner/ outer panel work in s/steel.
- Full height rear back panel to cupboard base.
- Cupboard legs fitted with adjustable height feet, for positioning & fixing to a floor surface on site.
- Standard leg height of cupboard set at 135 mm (door to floor) – to suite with other CED equipment/ adjacent counter kick plinth heights.

### COSHH/Storage Cupboards



Adjustable shelving.

**FLEXIBILITY:**  
2 fixed and  
2 adjustable  
height shelves

## COMBI OVEN STAND



Combi Oven Stand  
(with runners)



Combi Oven Stand  
(without runners)

Option for Castors £141 in lieu of standard feet.

\*Various bespoke sizes available to suit all combi oven manufacturers equipment - £ POA.

### Combi Oven Stand

Length	Depth	Height		Price
916mm	640mm	720mm	40mm x 40mm Box Section Framework with Flanged Feet	£410
916mm	640mm	720mm	40mm x 40mm Box Section Framework with Flanged Feet, two Banks of Seven Gn 1:1 Runners (Portrait)	£910

## TUNDISH



### Tundish

Length	Depth	Height	Price
250mm	100mm	140mm	£92

### COSHH/Storage Cupboards

Length	Height	Depth	
		450mm	600mm
430 Grade Stainless Steel (Storage Cupboard)			
600mm	1800mm	£1122	£1159
900mm	1800mm	£1483	£1548
1200mm	1800mm	£1844	£1937
304 Grade Stainless Steel (COSHH Cupboard)			
600mm	1800mm	£1165	£1403
900mm	1800mm	£1703	£1863
1200mm	1800mm	£2240	£2324

### Options - COSHH/Storage Cupboard

Product	Price
Lockable doors (Storage cupboard) – 2 no. suited keys per lock.	£41
Flush steel door handles. (Inset steel handles replace the standard D handle).	£ F.O.C.
Mobile storage cupboard – Set of castors (2 braked – max load 210 Kg).	£62
COSHH/Storage cupboard – Non standard size (Standard material specification applies).	£ P.O.A.

Part of the Made-to-Measure Designline Fabrication Range



# HOT CUPBOARDS

Plain Top Hot Cupboard



**FLEXIBLE:**  
Rolls under  
a kitchen or  
counter top

Roll Under Hot Cupboard

Option - Digital temperature display



**EASY  
CLEAN:**  
Lift Out doors

Pass through option



**PRACTICAL:**  
Dual access for  
restricted working  
spaces

## Main Features

- **Plain Top:** Freestanding s/steel insulated hot cupboard with plain steel strengthened worktop.
- **Roll Under:** Mobile s/steel insulated hot cupboard with plain steel worktop.
- Constructed in 0.9mm 430gd s/steel panel work with 1.5mm thick 304 gd s/steel worktop.
- **Plain Top:** Available as either 850mm or 900mm worktop height as standard.
- **Roll Under:** Available as 650 mm worktop height as standard, for seamless integration in a servery counter.
- Fitted with set of sliding s/steel doors to operator side of hot cupboard.
- Fully removable s/steel mid shelf with supporting removable box section steel bars.
- Single control panel is mounted to operator right hand side of cupboard.
- Supplied with individual rotary thermostatic temperature control for hot cupboard.
- Illuminating individual On/Off switch for heated section & separate indicator light showing 'heating power on'.
- **Plain Top:** Adjustable height levelling feet for accurate final site positioning.
- **Roll Under:** Mounted on braked castors for accurate final site positioning.
- Fully removable control panel section, for improved service access.
- **Plain Top:** Supplied in a standard depth of 700mm for optimum heated storage space.
- **Roll Under:** Supplied in a standard depth of 650mm for optimum heated storage space within a counter void.
- Supplied with plug top and 2M lead (>3kW).

## Installation-Roll-Under Hot Cupboard:

A 50mm clearance void is recommended around the hot cupboard within counter void, to circulate warm air created.

### Plain Top Hot Cupboard

Length	Depth	Height	Power (kw)	Price
900mm	700mm		1.5	£1634
1200mm	700mm		1.5	£1796
1500mm	700mm	850mm	2.0	£1978
1800mm	700mm	or 900mm	2.5	£2174
2100mm	700mm		3.0	£2501
2400mm	700mm		3.0	£2596

\* Control panel to right hand side. If required to left then specify with order: no cost option.

\* All 304 gd. - £ P.O.A.

### Roll Under Hot Cupboard

Length	Depth	Height	Power (kw)	Price
900mm	650mm	650mm	1.0	£1835
1200mm	650mm	650mm	1.5	£1926
1500mm	650mm	650mm	2.0	£2019
1800mm	650mm	650mm	2.5	£2114

\* All 304 gd. - £ P.O.A..

### Options - Hot Cupboards

Product	Price
<b>Plain Top &amp; Roll Under</b>	
Digital temperature display (776)	£84
Fan assisted hot cupboard	£77
Optional heights and depths available	£195
Digital Thermostat	£238
<b>Plain Top Only</b>	
Conversion to mobile (100mm Diam. wheels - 2 locking)	£27
Pass through (Additional doors - all sizes)	£298



**Made in  
the UK**

Part of the Made-to-Measure Designline Fabrication Range



# HEATED GANTRY (TIERED)

## Main Features

- > Heated gantry can be added above plain top, pass-through or bain marie type hot cupboard worktops.
- > Gantry can be independently fitted to other equipment (Servery pass etc).
- > Available in single, double and triple tier heated versions.
- > Ideal for short term heated meal/plate storage etc.
- > Heated solid steel shelf/ pass is supported on sturdy steel box section gantry.
- > Individual 300 w quartz infra red holding lamps sited under the shelf surface, 1 per gastronorm section (350mm centres)
- > Gantry lengths to suit all CED standard hot cupboards.
- > Fitted with dimmer control switches to each heated shelf.



Heated Gantry (Single)

**VERSATILE:**  
Up to 3 tiers  
high of heated  
storage

- > (<3kw) Gantry wired integrally to hot cupboard control panel and supplied with 2M single electrical cable & 13 amp plug top.
- > (>3kw) Wired integrally and supplied with 2M cable only, will need to be hard wired or fitted with commando plug.

## Heated Gantry (Tiered)

Tier type	Length	Lamps	Depth	Height	Power (kw)	Price
Single - heated	1200mm	3	300mm	450mm	0.9	£758
	1500mm	3	300mm	450mm	0.9	£800
	1800mm	4	300mm	450mm	1.2	£855
	2100mm	5	300mm	450mm	1.5	£885
Double - heated	2400mm	6	300mm	450mm	1.8	£903
	1200mm	6	300mm	700mm	1.8	£1283
	1500mm	6	300mm	700mm	1.8	£1350
	1800mm	8	300mm	700mm	2.4	£1463
Triple - Heated Gantry	2100mm	10	300mm	700mm	3.0	£1543
	2400mm	12	300mm	700mm	3.6	£1612
	1200mm	9	300mm	900mm	2.7	£1843
	1500mm	9	300mm	900mm	2.7	£1954
Additional Ambient Tier	1800mm	12	300mm	900mm	3.6	£2115
	2100mm	15	300mm	900mm	4.5	£2252
	2400mm	15	300mm	900mm	4.5	£2354
	1200mm	N/A	300mm	N/A	N/A	£170
Additional Ambient Tier	1500mm	N/A	300mm	N/A	N/A	£176
	1800mm	N/A	300mm	N/A	N/A	£185
	2100mm	N/A	300mm	N/A	N/A	£211
	2400mm	N/A	300mm	N/A	N/A	£218



\* Double tiered heated gantry shown.

# HOT CUPBOARD BAIN MARIE (DRY HEAT OR WET WELL)

## Main Features

- > Free standing s/steel combined hot cupboard with either 'Dry Heat' or 'Wet Well' Bain marie top, independently controlled.
- > Bain marie upper section supplied with removable G/N container support bars.
- > Constructed in 0.9mm 430gd s/steel panel work with 1.5mm thick 304 gd s/steel worktop.
- > Available as either 850mm or 900mm worktop height as standard.
- > **Wet Well:** Bain marie is fitted with 3/4" BSP lever valve/ handle & 15mm swivel arm drain, for emptying the tank, accessed behind the sliding hot cupboard door.
- > Fitted with set of sliding s/steel doors to operator side of hot cupboard.
- > Fully removable s/steel mid shelf with supporting removable box section steel bars.
- > Dual control panel is mounted to operator right hand side of cupboard
- > Supplied with individual rotary thermostatic temperature controls for hot cupboard & bain marie sections.
- > Illuminating individual On/Off switches for each heated section & separate indicator lights showing 'heating power on'.
- > Adjustable height levelling feet for accurate final site positioning.
- > Fully removable control panel section, for improved service access.
- > Supplied in a standard depth of 700mm for optimum heated hot cupboard storage space.
- > Supplied with plug top and 2M lead (<3kW) or 2M cable for hard wiring by others (>3kW).
- > \*G/N containers not supplied.



**HEATING SYSTEM:**  
Ensures even temperature distribution

Hot Cupboard Bain Marie

## Hot Cupboard Bain Marie (Dry Heat/Wet Well)

Dry Well					Wet Well	
Length	Depth	Height	Power (kw)	Price	Power (kw)	Price
900mm	700mm	850mm or 900mm	3.0	£2271	4.0	£2349
1200mm	700mm		3.0	£2508	4.0	£2587
1500mm	700mm		4.0	£2745	5.0	£2825
1800mm	700mm		4.5	£3000	6.5	£3088
2100mm	700mm		5.5	£3356	7.0	£3456
2400mm	700mm		6.0	£3512	7.0	£3617

## Options - Hot Cupboard (Bain Marie)

Product	Price
Digital Thermostat	£238
Digital temperature display	£84
Mobile conversion to locking castors	£27
Fan assisted hot cupboard section	£77
Pass through (Additional doors - All sizes)	£298
Bespoke heights and depths 800 deep	£195

\* Control panel to right hand side. If required to left then specify with order: no cost option.

# WALL CUPBOARDS

**EASIER CLEANING:**  
Reduces surface build up of dust

## Main Features

- > Wall mounted commercial s/steel fully enclosed storage cupboard.
- > Outer panels, doors, top & base shelf constructed in 430 gd (0.9 thk.) s/steel.
- > Available in 600, 900, 1200, 1500 & 1800 mm standard lengths.
- > Adjustable height 430 gd (0.9 thk.) s/steel storage mid-shelf.
- > Standard cupboard height 540 mm. Standard cupboard depth 300 mm.
- > Rear up stand to roof for sealing against a surface where items may be stored on top.
- > Full height flush steel back panel can be fixed through to conceal screw heads.
- > **Hinged Door models:** 600, 900 & 1200 mm models feature side hinged steel doors (inner/outer panel type) fitted with chrome D handles.
- > **Sliding Door models:** 900, 1200, 1500 & 1800 mm models feature top hung sliding steel doors (inner/outer panel type) fitted with chrome D handles.
- > Sliding door models fitted with central door channel guide.

## Wall Cupboards



**CONVENIENCE:**  
Adjustable height storage inside

\* Sloping top option



\* Flush handle option



\* Lockable doors option

## Wall Cupboards

Door type	Length	Width	Height	Price
Sliding doors	900mm	300mm	540mm	£640
	1200mm	300mm	540mm	£672
	1500mm	300mm	540mm	£732
	1800mm	300mm	540mm	£813
Hinged doors	600mm	300mm	540mm	£547
	900mm	300mm	540mm	£640
	1200mm	300mm	540mm	£672

## Options - Wall Cupboards

Product	Price
Lockable doors (Hinged or sliding door cupboard types) – 2 no. suited keys per lock.	£41
Wall cupboard sloping top – Sloping top to the wall cupboard. Reduces surface build up of dust/ debris & makes for easier cleaning.	£87
Wall cupboard (Non standard size) – Available up to 600 mm high and depth of 350 mm. Standard material specification applies.	£146
Flush steel door handles. Inset steel handles replace the standard D handle.	£F.O.C.

\* All 304 gd. - £ P.O.A..

# BASE CUPBOARDS - (WALL SITED OR FREE STANDING)

## Main Features

- > Commercial s/steel fully enclosed storage cupboard and steel work surface.
- > Worktop made from 304 gd (1.5 thk.) s/steel. Outer panels & doors constructed in 430 gd (0.9 thk.) s/steel supported on 30 x 30 box section 430 gd (1.2 thk.) framework. Base shelving in 430 gd (1.2 thk.)
- > Standard base cupboard height is 900 mm to suit most kitchen area back counters.
- > Available in 900, 1200, 1500, 1800, 2100 & 2400 mm standard lengths.
- > All standard lengths also available in 650/ 700 mm depth.
- > Adjustable height, removable full length mid shelf on strengthened lift out support rails.
- > 30mm welded base shelf.
- > **Steel worktop type:** for wall sited cupboard – features 50 mm rear wall up stand. (Wall bench worktop type).
- > **Steel worktop type:** for free standing cupboard – features 50 mm turn down to each edge. (Centre bench worktop type).
- > **Standard base cupboards:** < 1200 mm long – fitted with side hung steel doors, mounted on sturdy cabinet hinges with D handles.
- > **Standard base cupboards:** >1200 mm long fitted with top hung sliding steel doors c/w central door channel guide & D handles.
- > All doors constructed from inner/ outer panel work in s/steel.
- > Full height rear back panel to cupboard base.
- > Cupboard legs fitted with adjustable height flanged feet, for positioning & fixing to a floor surface on site.
- > Standard leg height of cupboard set at 135 mm (door to floor) – to suite with other CED equipment/ adjacent counter kick plinth heights.

## Base Cupboards



Base cupboard with hinged doors shown



Base cupboard with sliding doors shown

**900mm HIGH:**  
Convenient cupboard storage that suites with our wall bench heights

## Base Cupboards

Length	Width	Height	Price
900mm*	650mm	900mm	£1048
1200mm*	650mm	900mm	£1168
1500mm	650mm	900mm	£1316
1800mm	650mm	900mm	£1431
2100mm	650mm	900mm	£1553
2400mm	650mm	900mm	£1728
900mm*	700mm	900mm	£1102
1200mm*	700mm	900mm	£1226
1500mm	700mm	900mm	£1381
1800mm	700mm	900mm	£1497
2100mm	700mm	900mm	£1628
2400mm	700mm	900mm	£1814

\* With hinged doors, all other sizes are sliding doors

## Options - Base Cupboards

Product	Price
Lockable doors (Hinged or sliding door cupboard types) – 2 no. suited keys per lock.	£41
Flush steel door handles. (Inset steel handles replace the standard D handle).	£ F.O.C.
Mobile base cupboard – Set of castors (2 braked – max load 210 Kg).	£62
Base cupboard – Sliding doors ( Replace standard side hung doors on 900/ 1200 mm long models).	£ F.O.C.
Base cupboard Non standard leg height 210 mm – door to floor ( To suite with CED wall/ centre bench base shelf heights).	£ F.O.C.
Base cupboard – Non standard size (Standard material specification applies).	£195
Non standard base cupboard height > 900 (i.e. 850 mm to suit certain kitchen area back counters).	£195


\* All 304 gd. - £ P.O.A..



900mm Model Shown  
(Doors Closed)



900mm Model Shown  
(Doors Open)



**PERFORATED  
ROOF PANEL:**  
Allows fumes to  
disperse

## NEW COSHH CUPBOARD WITH SINK

### Main Features

- > Free standing commercial s/steel, fully enclosed C.O.S.H.H. hazardous materials storage cupboard.
- > Perforated roof panel to allow fumes to disperse.
- > Removable rear access panels.
- > Adjustable feet for levelling.
- > Double skin lockable doors.
- > 2no barrel locks with matching keys.
- > Chrome plated D type door handles.
- > 2no coat hangers to rear of doors.
- > Robust adjustable shelving (x2)
- > Mob hanger and hooks.
- > 3no cabinet hinges per door.
- > Double swivel faucet with lever taps.
- > 400x400x300 sink bowl with hinged grid.
- > Removable drip tray.
- > Available in 600, 900 & 1200 mm standard lengths.
- > All constructed from 304gd steel.

### COSHH Cupboards with Sinks

Length	Depth	Depth	Price
600mm	650mm	1800mm	£2610
900mm	650mm	1800mm	£2955
1200mm	650mm	1800mm	£3296



**SINK BOWL:**  
400x400x300mm  
sink bowl with  
hinged grid



Part of the Made-to-  
Measure Designline  
Fabrication Range





# STEEL SPECIFICATIONS & MAINTENANCE GUIDE



## DESIGNLINE MADE-TO-MEASURE RANGE

Product	Bowls	Worktop/Top	Undershelf	Framework - 30x30 Box		Shelves	Panelwork	
	304gd-1.2thk.	304gd-1.5thk.	430gd-1.2thk.	304gd-1.5thk.	430gd-1.2thk.	430gd-1.2thk.	304gd-0.9thk.	430gd-0.9thk.
Benches		•	•		•			
Sinks	•	•	•		•			
Dishwash tables	•	•	•		•			
Shelves					•	•		
Base cupboards		•			•	•		•
Wall cupboards					•	•		•
COSHH cupboards		•		•			•	•
Gantries					•	•		

## QUICK SERVICE OFF-THE-SHELF RANGE

Product	Bowls	Worktop/Top	Undershelf	Framework - 30x30 Box	Shelves	Panelwork
	304gd-1.0thk.	304gd-1.2thk.	430gd-1.2thk.	430gd-1.2thk.	430gd-1.2thk.	430gd-0.9thk.
Benches		•	•	•		
Sinks	•	•	•	•		
Shelves				•	•	
Hot cupboards		•			•	•
Cupboards					•	•





# In the Kitchen with CED

## In stock and ready to go



**Popular Sizes**



**Stock Available**



**Fast Delivery**  
**2/6 Days**  
(after order)



**Quality**  
**Guaranteed**

**W**e've taken our vast experience producing every conceivable kind of made to measure commercial kitchen fabrication, in order to develop the new Quick Service fabrication range.

Quick Service now offers dealers a complete range of CED standard fabrication in the popular sizes you want. With stock available and ready to go, you can configure your kitchen equipment layout and have that kitchen on site in 6 full working days from your order, because in a next day world it's what your customers have come to expect.

There is no compromise on quality with Quick Service fabrication either, otherwise we couldn't offer our 2 year warranty as standard!

There's over 150 of our most popular kitchen equipment products to select from, including single or double bowl sinks, wall & corner cupboards, wall & corner benches, centre benches, heavy duty wall shelving, pan storage & microwave shelving.

So download Quick Service specification sheets & drawings at [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk) to plan your Quick Service kitchen solution.

**Quick Service Off-the-Shelf Range:** Our most popular sizes of commercial fabrication, self-draining single & double bowl sinks, wall, centre & corner benches, hinged, sliding & lockable cupboards, heavy duty shelving, stock available in 2-6 full working days after order.

**Tournus Commercial Kitchen Equipment:** Stocked items, and always available. Includes; trolleys, hand wash basins, plate dispensers, and janitor sinks.

**Designline Made-to-Measure Range:** Our classic catalogue of commercial kitchen fabrication from hot cupboards to sinks, always adapted to suit each made-to-measure environment. A full manufacturing drawing service, short lead time equipment, multiple options, cut-outs, notches, voids, all 304 gd. etc

**5 Star Bespoke Fabrication:** Consultant specified counter constructed fabrication, made to measure – full manufacturing drawings, cook suites, site welding and polishing of joints, tanked bases, integral service spines & race ways, 2mm worktops, bull nose worktop edge details, mirror finishing, ceiling mounted gantries with heated/ ambient task lighting.



# OFF-THE-SHELF QUICK SERVICE RANGE

Standard lengths and sizes means all Quick Service products can be easily specified and supplied to your door in just 2-6 full working days after order – guaranteed !

(delivery to some mainland UK locations may be extended)

Heavy duty shelving. 600mm to 2400mm widths.

Wall cupboards. Hinged doors 450mm to 1200mm widths.

Angled corner wall cupboard. Hinged doors 750mm wide.

Wall cupboards, sliding doors. 900mm to 1800mm widths.

Microwave shelving. 560mm to 600mm widths.



Single and double bowl sinks. 1000mm to 2400mm widths.

Corner and angled wall benches. 600mm to 700mm widths.

Centre benches with & without voids. 600mm to 2100mm widths.

Wall benches. 600mm to 2100mm widths.

Wall benches with voids. 900mm to 1200mm widths.

## QUICK SERVICE WALL BENCH (1 SHELF)



**STORAGE:**  
Steel storage  
under-shelf as  
standard

Model QWB1261U  
Shown

### Main Features

- Fully welded free standing, wall sited commercial s/steel wall bench with worktop.
- Worktop constructed in 304 gd (1.2 thk.) s/steel supported on 30 x 30 box section 430 gd (1.2 thk.) framework.
- Welded low level 430 gd. 1.2 thk. s/steel storage under-shelf.
- Available in 600, 900, 1000, 1200, 1400, 1500, 1800 & 2100 mm popular lengths.
- Available in 600, 650 & 700mm depths.
- Standard wall bench height is 900mm — to suit most kitchen area back counters.
- Steel worktop features 50mm down stand to each edge.
- 50 mm(H) splashback/ wall up stand to rear of worktop.
- Wall bench legs inset 100mm to the rear, to allow for service pipework behind.
- Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- Wall bench height adjustment : - 15/+ 35mm.

### Wall Bench - 1 Under Shelf

#### 600mm Deep

Model	Description	Height (mm)	Weight (kg)	Price
QWB661U	600(L) x 600(D) W. Bench (1 Shelf)	900	14	£269
QWB961U	900(L) x 600(D) W. Bench (1 Shelf)	900	19	£306
QWB1061U	1000(L) x 600(D) W. Bench (1 Shelf)	900	20	£344
QWB1261U	1200(L) x 600(D) W. Bench (1 Shelf)	900	23	£344
QWB1461U	1400(L) x 600(D) W. Bench (1 Shelf)	900	27	£377
QWB1561U	1500(L) x 600(D) W. Bench (1 Shelf)	900	28	£377
QWB1861U	1800(L) x 600(D) W. Bench (1 Shelf)	900	33	£415
QWB2161U	2100(L) x 600(D) W. Bench (1 Shelf)	900	38	£466

#### 650mm Deep

Model	Description	Height (mm)	Weight (kg)	Price
QWB6651U	600(L) x 650(D) W. Bench (1 Shelf)	900	15	£269
QWB9651U	900(L) x 650(D) W. Bench (1 Shelf)	900	20	£306
QWB12651U	1200(L) x 650(D) W. Bench (1 Shelf)	900	25	£344
QWB15651U	1500(L) x 650(D) W. Bench (1 Shelf)	900	30	£377
QWB18651U	1800(L) x 650(D) W. Bench (1 Shelf)	900	35	£415
QWB21651U	2100(L) x 650(D) W. Bench (1 Shelf)	900	40	£466


#### 700mm Deep

Model	Description	Height (mm)	Weight (kg)	Price
QWB671U	600(L) x 700(D) W. Bench (1 Shelf)	900	15	£286
QWB971U	900(L) x 700(D) W. Bench (1 Shelf)	900	21	£316
QWB1071U	1000(L) x 700(D) W. Bench (1 Shelf)	900	22	£358
QWB1271U	1200(L) x 700(D) W. Bench (1 Shelf)	900	26	£358
QWB1571U	1500(L) x 700(D) W. Bench (1 Shelf)	900	32	£404
QWB1871U	1800(L) x 700(D) W. Bench (1 Shelf)	900	37	£447
QWB2171U	2100(L) x 700(D) W. Bench (1 Shelf)	900	43	£503




DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)


#### 600mm DEEP



#### 650mm DEEP



#### 700mm DEEP




Popular Sizes



Stock Available



Fast Delivery  
2/6 Working Days  
(after order)



# QUICK SERVICE WALL BENCH (WITH VOID)



Model QWB126V  
Shown

**DUAL  
FUNCTION:**  
Under-counter  
equipment  
housed under  
work surface



## Main Features

- Fully welded free standing, wall sited commercial s/steel wall bench with worktop/ void under.
- Worktop constructed in 304 gd (1.2 thk.) s/steel supported on 30 x 30 box section 430 gd (1.2 thk.) framework.
- Void underneath replaces s/steel storage under-shelf (to accommodate under-counter equipment).
- U shaped horizontal tie bar fitted @ 250mm (H) between rear legs, within void.
- Available in 900, 1200 & 1800mm popular lengths.
- Available in 600, 650 & 700mm depths.
- Wall bench height is 900mm — to suit most kitchen area back counters.
- Steel worktop features 50mm down stand to each edge.
- 50 mm(H) splashback/ wall up stand to rear of worktop.
- Wall bench legs inset 100mm to the rear, to allow for service pipework behind.
- Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- Wall bench height adjustment - 15/+ 35mm.

# QUICK SERVICE CENTRE BENCH (WITH VOID)



Model QCB126V  
Shown


**EASY  
CLEAN  
SURFACES:**  
No Dirt  
Traps



## Main Features

- Fully welded free standing, wall sited commercial s/steel centre bench with worktop/ void under.
- Worktop constructed in 304 gd (1.2 thk.) s/steel supported on 30 x 30 box section 430 gd (1.2 thk.) framework.
- Void underneath replaces s/steel storage under-shelf (to accommodate under-counter equipment).
- Horizontal tie bar fitted @ 250mm (H) between rear legs, within void.
- Available in 900, 1200 & 1800mm popular lengths.
- Available in 600, 650 & 700mm depths.
- Centre bench height is 900mm — to suit most kitchen area back counters.
- Steel worktop features 50mm down stand to each edge.
- Centre bench legs are inset 25 mm at the front & rear, they are also inboard of the worktop 50mm at each end.
- 600mm(D) models have a 545mm(D) void
- 650mm(D) models have a 595mm(D) void
- 700mm(D) models have a 645mm(D) void
- Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- Centre bench height adjustment : - 15/+ 35mm.

600mm, 650mm, 700mm DEEP



## Wall Bench - With Void

### 600mm, 650mm & 700mm Deep

Model	Description	Height (mm)	Weight (kg)	Price
QWB96V	900(L) x 600(D) W. Bench (With Void)	900	16	£311
QWB126V	1200(L) x 600(D) W. Bench (With Void)	900	19	£349
QWB186V	1800(L) x 600(D) W. Bench (With Void)	900	26	£420
QWB1265V	1200(L) x 650(D) W. Bench (With Void)	900	20	£349
QWB127V	1200(L) x 700(D) W. Bench (With Void)	900	21	£364



Popular Sizes




Stock Available



Fast Delivery  
2/6 Working Days  
(after order)

600mm, 650mm, 700mm DEEP



## Centre Bench - With Void

### 600mm, 650mm & 700mm Deep

Model	Description	Height (mm)	Weight (kg)	Price
QCB96V	900(L) x 600(D) C. Bench (With Void)	900	16	£311
QCB126V	1200(L) x 600(D) C. Bench (With Void)	900	20	£349
QCB186V	1800(L) x 600(D) C. Bench (With Void)	900	27	£420
QCB1265V	1200(L) x 650(D) C. Bench (With Void)	900	21	£349
QCB127V	1200(L) x 700(D) C. Bench (With Void)	900	22	£364



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)

## QUICK SERVICE CENTRE BENCH (1 SHELF)



### FUNCTIONAL:

The island work station utilises dead space in the kitchen area

Model QCB1261U  
Shown

### Main Features

- Fully welded free standing, wall sited commercial s/steel centre bench with worktop.
- Worktop constructed in 304 gd (1.2 thk.) s/steel supported on 30 x 30 box section 430 gd (1.2 thk.) framework.
- Welded low level 430 gd. 1.2 thk. s/steel storage under-shelf.
- Available in 600, 800, 900, 1200, 1500, 1800 & 2100mm popular lengths.
- Available in 600, 650, 700mm & 900mm depths.
- Standard centre bench height is 900mm — to suit most kitchen area back counters.
- Steel worktop features 50mm down stand to each edge.
- Centre bench legs are inset 25mm at the front & rear, they are also inboard of the worktop 50 mm at each end.
- Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- Centre bench height adjustment : - 15/+ 35mm.

### Centre Bench - 1 Under Shelf

#### 600mm Deep

Model	Description	Height (mm)	Weight (kg)	Price
QCB661U	600(L) x 600(D) C. Bench (1 Shelf)	900	14	£269
QCB861U	800(L) x 600(D) C. Bench (1 Shelf)	900	18	£306
QCB961U	900(L) x 600(D) C. Bench (1 Shelf)	900	19	£306
QCB1261U	1200(L) x 600(D) C. Bench (1 Shelf)	900	24	£344
QCB1561U	1500(L) x 600(D) C. Bench (1 Shelf)	900	29	£377
QCB1861U	1800(L) x 600(D) C. Bench (1 Shelf)	900	35	£415
QCB2161U	2100(L) x 600(D) C. Bench (1 Shelf)	900	40	£466

#### 650mm deep

Model	Description	Height (mm)	Weight (kg)	Price
QCB6651U	600(L) x 650(D) C. Bench (1 Shelf)	900	15	£269
QCB9651U	900(L) x 650(D) C. Bench (1 Shelf)	900	20	£306
QCB12651U	1200(L) x 650(D) C. Bench (1 Shelf)	900	26	£344
QCB15651U	1500(L) x 650(D) C. Bench (1 Shelf)	900	31	£377
QCB18651U	1800(L) x 650(D) C. Bench (1 Shelf)	900	37	£415
QCB21651U	2100(L) x 650(D) C. Bench (1 Shelf)	900	42	£466

#### 700mm Deep

Model	Description	Height (mm)	Weight (kg)	Price
QCB671U	600(L) x 700(D) C. Bench (1 Shelf)	900	16	£286
QCB971U	900(L) x 700(D) C. Bench (1 Shelf)	900	22	£316
QCB1271U	1200(L) x 700(D) C. Bench (1 Shelf)	900	27	£358
QCB1571U	1500(L) x 700(D) C. Bench (1 Shelf)	900	33	£404
QCB1871U	1800(L) x 700(D) C. Bench (1 Shelf)	900	39	£447
QCB1971U	1900(L) x 700(D) C. Bench (1 Shelf)	900	40	£503
QCB2171U	2100(L) x 700(D) C. Bench (1 Shelf)	900	44	£503


#### 900mm deep

Model	Description	Height (mm)	Weight (kg)	Price
QCB1891U	1800(L) x 900(D) C. Bench (1 Shelf)	900	47	£590




DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)



#### 600mm DEEP




#### 650mm DEEP



#### 700mm & 900mm DEEP



QUICK SERVICE  
CORNER WALL BENCH



(Left hand)  
Model QCWB6565LH  
Shown

**PRACTICAL  
DESIGN:**  
Matches our wall  
bench depths

(Right hand)  
Model QCWB6565RH  
Shown

## Main Features

- Fully welded free standing, wall sited commercial s/steel corner wall bench with worktop.
- Worktop constructed in 304 gd (1.2 thk.) s/steel supported on 30 x 30 box section 430 gd (1.2 thk.) framework.
- Welded low level 430 gd. 1.2 thk. s/steel storage under-shelf.
- Left hand & right hand corner versions available.
- Available in 600, 650 & 700mm popular lengths.
- Available in 600, 650 & 700mm depths.
- Standard corner wall bench height is 900mm - to suit most kitchen area back counters.
- Steel worktop features 50mm down stand to each edge.
- 50 mm (H) splashback/ wall up stands to rear & L/H or R/H side of worktop.
- Corner wall bench legs inset 100mm to the rear, to allow for service pipework behind.
- Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- Wall bench height adjustment : - 15/+ 35mm.

QUICK SERVICE  
ANGLED CORNER WALL BENCH




Model QACWB6565  
Shown

## Main Features

- Fully welded free standing, wall sited angled corner commercial s/steel wall bench with worktop.
- Worktop constructed in 304 gd (1.2 thk.) s/steel supported on 30 x 30 box section 430 gd (1.2 thk.) framework.
- Welded low level 430 gd. 1.2 thk. s/steel storage under-shelf.
- Available in 600, 650 & 700mm popular depths.
- Standard corner wall bench height is 900mm — to suit most kitchen area back counters.
- Steel worktop features 50 mm down stand to each edge. 50 mm(H) splashback/ wall up stand to rear L/H & R/H side of worktop.
- Corner wall bench legs inset 100mm to the rear, to allow for service pipework behind.
- Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- Wall bench height adjustment : - 15/+ 35mm

600mm, 650mm , 700mm DEEP



### Corner Wall Bench - Left or Right Hand - 1 Under Shelf

## 600mm, 650mm & 700mm Deep

Model	Description	Height (mm)	Weight (kg)	Price
QCWB66LH	600(L) x 600(D) L.H. C.Wall Bench (1 Shelf)	900	14	£297
QCWB66RH	600(L) x 600(D) R.H. C.Wall Bench (1 Shelf)	900	14	£297
QCWB6565LH	650(L) x 650(D) L.H. C.Wall Bench (1 Shelf)	900	15	£334
QCWB6565RH	650(L) x 650(D) R.H. C.Wall Bench (1 Shelf)	900	15	£334
QCWB77LH	700(L) x 700(D) L.H. C.Wall Bench (1 Shelf)	900	17	£345
QCWB77RH	700(L) x 700(D) R.H. C.Wall Bench (1 Shelf)	900	17	£345

\* (L.H.) denotes left hand, (R.H.) denotes right hand corner model.



### Popular Sizes




**Stock Available**



**Fast Delivery**  
2/6 Working Days  
(after order)

600mm, 650mm , 700mm DEEP



### Angled Corner Wall Bench - 1 Under Shelf

### 600mm, 650mm & 700mm Deep

Model	Description	Height (mm)	Weight (kg)	Price
QACWB66	600(L) x 600(D) Angle Corner W. Bench (1 Shelf)	900	29	£671
QACWB6565	650(L) x 650(D) Angle Corner W. Bench (1 Shelf)	900	30	£671
QACWB77	700(L) x 700(D) Angle Corner W. Bench (1 Shelf)	900	30	£671



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)

## QUICK SERVICE SINGLE BOWL SINKS



SELF DRAINING  
WORKTOPS

### COMFORT:

Sound  
deadened  
sink bowls

Model QSB126RS  
Shown

### Main Features

- Commercial s/steel single bowl sink units with left or right hand or double drainer worktop.
- Worktop in 304 gd 1.2 thk. s/steel with 304 gd. s/steel bowl, on 30 x 30 box section 430 gd. 1.2 thk. framework.
- Welded low level 430 gd. 1.2 thk. s/steel storage under-shelf.
- Available in 1000, 1200, 1400, 1500 & 1800mm popular lengths.
- Available in 600, 650 & 700mm depths.
- Standard sink height is 900mm — to suit most kitchen area back counters.
- 3 BOWL SIZES:**
  - (Type R) 45 Lt. (400 long x 400 wide x 290mm deep).
  - (Type S) 59 Lt. (500 long x 400 wide x 300mm deep).
  - (Type U) 79 Lt. (600 long x 450 wide x 300mm deep).
- Sound deadening is fitted to bowl base.
- Pressed drainer worktop features raised drainer pattern, enabling less surface contact whilst drying dishes etc.
- Drip mould edging surround to worktop area prevents water spillage.
- 50 mm high splashback/wall upstand to rear of worktop.
- Supplied with 38mm waste fitting and a 255mm high strainer waste for each bowl.
- Sink unit legs inset 100 mm to the rear, to allow for service pipework behind.
- Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- Sink height adjustment : - 15/+ 35mm
- Taps, 38mm waste traps & waste pipework are not supplied.
- 3 lever arm tap options available, all WRAS approved.

### Single Bowl Sink Models - 1 Under Shelf

#### 600mm deep

Model	Description	Bowl Size (mm)	Bowl Capacity (Ltr.)	Price
QSB106LR	1000x600 L/H Drain	400x400x290	45	£700
QSB106RR	1000x600 R/H Drain	400x400x290	45	£700
QSB106RS	1000x600 R/H Drain	500x400x300	59	£700
QSB126LR	1200x600 L/H Drain	400x400x290	45	£742
QSB126RS	1200x600 R/H Drain	500x400x300	59	£742
QSB126LS	1200x600 L/H Drain	500x400x300	59	£742
QSB156DS	1500x600 Dbl. Drain	500x400x300	59	£782


#### 650mm deep

Model	Description	Bowl Size (mm)	Bowl Capacity (Ltr.)	Price
QSB1265LU	1200x650 L/H-1 Drain	600x450x300	79	£742
QSB1265RU	1200x650 R/H Drain	600x450x300	79	£742
QSB1265LS	1200x650 L/H Drain	500x400x300	59	£742
QSB1265RS	1200x650 R/H Drain	500x400x300	59	£742
QSB1465RU	1400x650 R/H Drain	600x450x300	79	£782
QSB1465LU	1400x650 L/H Drain	600x450x300	79	£782
QSB1865DU	1800x650 Dbl. Drain	600x450x300	79	£851


#### 700mm deep

Model	Description	Bowl Size (mm)	Bowl Capacity (Ltr.)	Price
QSB127RS	1200x700 R/H Drain	500x400x300	59	£742
QSB127LS	1200x700 L/H Drain	500x400x300	59	£742
QSB147RU	1400x700 R/H Drain	600x450x300	79	£782
QSB147LU	1400x700 L/H Drain	600x450x300	79	£782

#### 600mm DEEP



#### 650mm DEEP



#### 700mm DEEP




Popular Sizes



Stock Available



Fast Delivery  
2/6 Working Days  
(after order)



# QUICK SERVICE DOUBLE BOWL SINKS



Model QDS186LUU  
Shown



SELF DRAINING  
WORKTOPS

**CHOICE  
OF BOWL  
SIZES:**  
From popular  
sizes listed  
below

## Main Features

- Commercial s/steel double bowl sink unit with left or right hand or double drainer worktop.
- Worktop in 304 gd 1.2 thk. s/steel with 304 gd. s/steel bowls, on 30 x 30 box section 430 gd. 1.2 thk. framework.
- Welded low level 430 gd. 1.2 thk. s/steel storage under-shelf.
- Available in 1500, 1800, & 2400mm popular lengths.
- Available in 600 & 650mm depths.
- Standard sink height is 900mm — to suit most kitchen area back counters.
- 3 BOWL SIZES:**  
(Type R) 45 Lt. (400 long x 400 wide x 290mm deep).  
(Type S) 59 Lt. (500 long x 400 wide x 300mm deep).  
(Type U) 79 Lt. (600 long x 450 wide x 300mm deep).
- Sound deadening is fitted to bowl bases.
- Pressed drainer worktop features raised drainer pattern, enabling less surface contact whilst drying dishes etc.
- Drip mould edging surround to worktop area prevents water spillage.
- 50 mm high splashback/wall upstand to rear of worktop.
- Supplied with 38mm waste fitting and a 255mm high strainer waste for each bowl.
- Sink unit legs inset 100 mm to the rear, to allow for service pipework behind.
- Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- Sink height adjustment : - 15/+ 35mm.
- Taps, 38mm waste traps & waste pipework are not supplied.
- 3 lever arm tap options available, all WRAS approved.

## Double Bowl Sink Models - 1 Under Shelf

### 600mm deep

Model	Description	Bowl Size (mm)	Bowl Capacity (Ltr.)	Price
QDBS156LRS	1500x600 L/H Drain	400x400x290 + 500x400x300	45 + 59	£1111
QDBS156RRS	1500x600 R/H Drain	400 x400x290 + 500x400x300	45 + 59	£1111
QDBS186LUU	1800x600 L/H Drain	600x450x300 + 600x450x300	79 + 79	£1164
QDBS186RUU	1800x600 R/H Drain	600 x450x300 + 600x450x300	79 + 79	£1164
QDBS246DUU	2400x600 Dbl.Drain	600x450x300 + 600x450x300	79 + 79	£1270

### 650mm deep

Model	Description	Bowl Size (mm)	Bowl Capacity (Ltr.)	Price
QDS1865RUU	1800x650 R/H Drain	600x450x300 + 600x450x300	79 + 79	£1164
QDS1865LUU	1800x650 L/H Drain	600x450x300 + 600x450x300	79 + 79	£1164
QDS2465DUU	2400x650 Dbl. Drain	600 x450x300 + 600x450x300	79 + 79	£1270



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)

### 600mm DEEP

QDBS156LRS



L/H DRAIN 1500 x 600 - 400+500 BOWLS

QDBS156RRS



R/H DRAIN 1500 x 600 - 400+500 BOWLS

QDBS186LUU



L/H DRAIN 1800 x 600 - 600+600 BOWLS

QDBS186RUU



RH DRAIN 1800 x 600 - 600+600 BOWLS

QDBS246DUU




DOUBLE DRAIN 2400 x 600 - 600+600 BOWLS



### 650mm DEEP

QDS1865RUU



R/H DRAIN 1800 x 650 - 600+600 BOWLS

QDS1865LUU



L/H DRAIN 1800 x 650 - 600+600 BOWLS

QDS2465DUU



DOUBLE DRAIN 2400 x 650 - 600+600 BOWLS



Double Bowl Sink Unit  
With 1 Shelf  
Model QDS2465DUU Shown

# QUICK SERVICE TAP ACCESSORIES

\* 2 Tap sets required for double bowl range.

CEDLBT0954



Set - ½" Lever Arm  
Basin Tap

CEDLPT0953



Set - ½" Lever Arm  
High Neck Pillar Tap

CEDLMM0955



Set - ½" Lever Arm  
Mixer Tap

## Taps


Model	Model	Price
CEDLBT0954	Set - ½" Lever Arm Basin Tap	£58
CEDLPT0953	Set - ½" Lever Arm High Neck Pillar Tap	£65
CEDLMM0955	Set - ½" Lever Arm Mixer Tap	£103



# QUICK SERVICE HEAVY DUTY WALL SHELVING



**WELDED  
SUPPORTS:**  
For maximum  
load bearing



(Box Section Brackets)  
Model QWS123HD2  
Shown


## Main Features

- Commercial s/steel shelving supported on cantilever box section brackets, perfect for back of house equipment storage.
- Available in 600 up to 2400mm lengths (100mm increments) x 300mm deep.
- Available in 600, 900, 1200, 1500, 1800, 2100 and 2400mm lengths x 400 mm deep.
- Durable 1.2 mm thick 430 gd. solid steel shelf (250mm high).
- Steel shelf has a 35 mm deep turn down to 3 faces and a rear wall up stand of 20 mm.
- Pre-drilled box section support brackets (430 gd 1.2 thk. 30mm sq) for fixing shelf insitu — Ø 6mm fixing holes (Fixings Not Supplied).
- Black heat resistant nylon bungs supplied to blank off through - fixing holes on face of brackets (Ø 16mm).
- Double sided tape strips supplied, for attaching shelf to wall brackets.
- Additional support brackets provided, depending on the shelf length selected.
- Plastic bungs fitted to wall bracket ends.

## Solid Steel Wall Shelf (Heavy Duty)

### 300mm deep

Model	Description	Height (mm )	Max. Load (kg)	Price
QWS63HD2	600(L) x 300(D) Solid Wall Shelf (H.Duty)	250	35	£100
QWS73HD2	700(L) x 300(D) Solid Wall Shelf (H.Duty)	250	35	£107
QWS83HD2	800(L) x 300(D) Solid Wall Shelf (H.Duty)	250	35	£107
QWS93HD2	900(L) x 300(D) Solid Wall Shelf (H.Duty)	250	35	£107
QWS103HD2	1000(L) x 300(D) Solid Wall Shelf (H.Duty)	250	35	£116
QWS113HD2	1100(L) x 300(D) Solid Wall Shelf (H.Duty)	250	35	£116
QWS123HD2	1200(L) x 300(D) Solid Wall Shelf (H.Duty)	250	35	£116
QWS133HD2	1300(L) x 300(D) Solid Wall Shelf (H.Duty)	250	35	£131
QWS143HD2	1400(L) x 300(D) Solid Wall Shelf (H.Duty)	250	35	£131
QWS153HD3	1500(L) x 300(D) Solid Wall Shelf (H.Duty)	250	65	£131
QWS163HD3	1600(L) x 300(D) Solid Wall Shelf (H.Duty)	250	65	£146
QWS173HD3	1700(L) x 300(D) Solid Wall Shelf (H.Duty)	250	65	£146
QWS183HD3	1800(L) x 300(D) Solid Wall Shelf (H.Duty)	250	65	£146
QWS193HD3	1900(L) x 300(D) Solid Wall Shelf (H.Duty)	250	65	£159
QWS203HD3	2000(L) x 300(D) Solid Wall Shelf (H.Duty)	250	65	£159
QWS213HD3	2100(L) x 300(D) Solid Wall Shelf (H.Duty)	250	65	£159
QWS223HD3	2200(L) x 300(D) Solid Wall Shelf (H.Duty)	250	65	£184
QWS233HD3	2300(L) x 300(D) Solid Wall Shelf (H.Duty)	250	65	£184
QWS243HD4	2400(L) x 300(D) Solid Wall Shelf (H.Duty)	250	100	£184






(Box Section Brackets)  
Model QWS124HD2 Shown


### 400mm Deep

Model	Description	Height (mm )	Max. Load (kg)	Price
QWS64HD2	600(L) x 400(D) Solid Wall Shelf (H.Duty)	250	35	£111
QWS94HD2	900(L) x 400(D) Solid Wall Shelf (H.Duty)	250	35	£124
QWS124HD2	1200(L) x 400(D) Solid Wall Shelf (H.Duty)	250	35	£136
QWS154HD3	1500(L) x 400 (D) Solid Wall Shelf (H.Duty)	250	65	£167
QWS184HD3	1800(L) x 400(D) Solid Wall Shelf (H.Duty)	250	65	£179
QWS214HD3	2100(L) x 400(D) Solid Wall Shelf (H.Duty)	250	65	£193
QWS244HD4	2400(L) x 400(D) Solid Wall Shelf (H.Duty)	250	100	£222

## HEAVY DUTY SOLID SHELF 300mm DEEP



## HEAVY DUTY SOLID SHELF 400mm DEEP



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)

# QUICK SERVICE PAN STORAGE SHELVING




**OPEN  
SHELVING  
AREA:**  
Allows air  
circulation to  
pans

Model QRWS123HD2 Shown

## Main Features - Pan Storage Shelf

- Commercial s/steel open frame heavy duty pan storage shelf, with fully welded cantilever box section brackets.
- Available in 1200 and 1500mm lengths x 300mm deep.
- Durable 10 mm diameter integral 304 gd. steel rods form open shelving area.
- Outer frame in fully welded 430 gd 1.2 thk. 30mm box section.
- Pre-drilled box section support brackets (430 gd 1.2 thk. 30mm sq) for fixing shelf insitu — Ø 6mm fixing holes (Fixings Not Supplied).
- Black heat resistant nylon bungs supplied to blank off through - fixing holes on face of brackets ( Ø 16mm).
- Welded bracket ends (in lieu of blanking plugs) to allow pan shelf to be sited over hot cooking areas.
- Additional support brackets provided, depending on the shelf length selected.

## PAN STORAGE SHELF 300mm DEEP



## Pan Storage Shelf

### 300mm Deep

Model	Description	Height (mm )	Max. Load (kg)	Price
QRWS123HD2	1200(L) x 300(D) Pan Storage Shelf (H.Duty)	300	35	£214
QRWS153HD3	1500(L) x 300(D) Pan Storage Shelf (H.Duty)	300	35	£261



Popular Sizes



Stock Available



**Fast Delivery**  
2/6 Working Days  
(after order)



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)



In stock and ready to go



Popular Sizes



Stock Available



**Fast Delivery**  
2/6 Days  
(after order)



**Quality  
Guaranteed**

## QUICK SERVICE MICROWAVE WALL SHELVING MEDIUM DUTY



**FOLDED  
FRAME:**  
For strength



Model QMS5646MD  
Shown

### Main Features - Medium Duty

- Commercial medium duty s/steel microwave shelf.
- Constructed from 1.2 mm thick 430 gd. s/steel
- Available as 560 mm long x 460 mm deep.  
Available as 600 mm long x 450 mm deep.  
Available as 600 mm long x 600 mm deep.
- 3 sided folded shelf and folded return side cheeks for strengthening.
- Side cheeks pre-drilled for wall fixings (Ø 7.2mm hole) (Fixings Not Supplied).
- Folded 30 mm front turn down to front edge for strengthening.
- Max. load 20 kg.

## QUICK SERVICE MICROWAVE WALL SHELVING HEAVY DUTY



**CHOICE OF  
SHELF SIZES:**  
To suit most  
common  
microwave  
ovens



Model QMS5645HD  
Shown


### Main Features - Heavy Duty

- Commercial heavy duty s/steel microwave shelf.
- Shelf constructed from 1.2 mm thick 430 gd. s/steel.
- Mounted on cantilever type welded 430 gd. 1.2 thk. 30 mm box section wall brackets.
- Available as 560 mm long x 560 mm deep.  
Available as 600 mm long x 450 mm deep.  
Available as 600 mm long x 600 mm deep.
- Pre-drilled box section support brackets (430 gd 1.2 thk. 30 mm sq) for fixing shelf insitu - Ø 6mm fixing holes (Fixings Not Supplied).
- Black heat resistant nylon bungs supplied to blank off through fixing holes on face of brackets (Ø 16mm).
- Double sided tape strips supplied, for attaching shelf to wall brackets.
- Shelf strengthened with 32 mm turn down to edges/ rear up stand of 30 mm.
- Electrical cable of microwave can pass behind shelf up stand insitu.
- Max. load 35kg.



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)

### MEDIUM DUTY 450mm, 460mm, 600mm DEEP



### Microwave Shelf (Medium Duty)

#### 450mm, 460mm & 600mm Deep

Model	Description	Height (mm)	Max Load (kg)	Price
QMS5646MD	560(L) x 460(D) MD Microwave Wall Shelf	325	20	£142
QMS645MD	600(L) x 450(D) MD Microwave Wall Shelf	325	20	£146
QMS66MD	600(L) x 600(D) MD Microwave Wall Shelf	325	20	£160

### HEAVY DUTY 450mm, 560mm, 600mm DEEP



### Microwave Shelf (Heavy Duty)

#### 450mm, 560mm & 600mm Deep

Model	Description	Height (mm)	Max Load (kg)	Price
QMS5656HD	560(L) x 560(D) HD Microwave Wall Shelf	400	35	£228
QMS645HD	600(L) x 450(D) HD Microwave Wall Shelf	400	35	£217
QMS66HD	600(L) x 600(D) HD Microwave Wall Shelf	400	35	£228



Popular Sizes



Stock Available



Fast Delivery  
2/6 Working Days  
(after order)

# QUICK SERVICE WALL CUPBOARDS

## WALL CUPBOARD

(SLIDING DOORS)

Model QWC123S Shown

### HYGIENE:

Lift out  
doors


### Main Features

- Wall mounted commercial s/steel fully enclosed storage cupboard.
- Panels, doors, top & base shelf constructed in 430 gd (0.9 thk.) s/steel.
- Available in 900, 1000, 1200, 1500 & 1800mm standard lengths.
- Adjustable height 430 gd (0.9 thk.) s/steel storage mid-shelf.
- Standard cupboard height 540 mm.
- Standard cupboard depth 300 mm.
- Rear up stand to roof for sealing against a surface where items may be stored on top.
- Roof upstand fixing holes size Ø 7.2mm. Full height flush steel back panel.
- Wall mounting hooks supplied.
- Sliding door models feature top hung sliding steel doors (inner/ outer panel type) fitted with chrome D handles.
- Sliding door models fitted with central door channel guides.



## WALL CUPBOARD

(HINGED DOORS)

Model QWC123H Shown

### FUNCTION:

Adjustable  
height  
shelving


### Main Features

- Wall mounted commercial s/steel fully enclosed storage cupboard.
- Outer panels, doors, top & base shelf constructed in 430 gd (0.9 thk.) s/steel.
- Available in 450, 600, 750, 900 & 1200 mm standard lengths.
- Adjustable height 430 gd (0.9 thk.) s/steel storage mid-shelf.
- Standard cupboard height 540 mm. Standard cupboard depth 300 mm.
- Rear up stand to roof for sealing against a surface where items may be stored on top. (Roof upstand fixing hole size Ø 7.2mm).
- Full height flush steel back panel.
- Wall mounting hooks supplied.
- Hinged door models feature side hung steel doors (inner/ outer panel type) fitted with chrome D handles.



## ANGLED CORNER WALL CUPBOARD

Model QAWC753H Shown


### HIGH STORAGE CAPACITY:

Increased depth  
of shelving


### Main Features

- Wall mounted commercial s/steel fully enclosed angled corner storage cupboard.
- Outer panels, doors, top & base shelf constructed in 430 gd (0.9 thk.) s/steel.
- Available in a 750mm standard angled corner length.
- Adjustable height 430 gd (0.9 thk.) s/steel storage mid-shelf.
- Standard cupboard height 540 mm. Cupboard shelf depth - up to 690 mm.
- Rear upstand to roof for sealing against a surface when items may be stored on top. (Roof upstand fixing hole Size Ø 7.2mm).
- Full height flush steel back panel.
- Wall mounting hooks supplied.
- Side hung steel doors (inner/ outer panel type) fitted with chrome D handles.


## SLIDING DOOR TYPE 300mm DEEP



### Wall Cupboard - Sliding Door

Model	Description	Height (mm)	Weight (kg)	Price
QWC93S	900(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door)	540	31	£627
QWC103S	1000(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door)	540	33	£659
QWC123S	1200(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door)	540	39	£659
QWC153S	1500(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door)	540	47	£718
QWC183S	1800(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door)	540	55	£797

## HINGED DOOR TYPE 300mm DEEP



### Wall Cupboard - Hinged Door

Model	Description	Height (mm)	Weight (kg)	Price
QWC453HL	450(L) x 540(H) x 300(D) Wall Cupd. (L. Hinged Door)	540	18	£457
QWC453HR	450(L) x 540(H) x 300(D) Wall Cupd. (R. Hinged Door)	540	18	£457
QWC63HL	600(L) x 540(H) x 300(D) Wall Cupd. (L. Hinged Door)	540	21	£537
QWC63HR	600(L) x 540(H) x 300(D) Wall Cupd. (R. Hinged Door)	540	21	£537
QWC753H	750(L) x 540(H) x 300(D) Wall Cupd. (Hinged Door)	540	26	£627
QWC93H	900(L) x 540(H) x 300(D) Wall Cupd. (Hinged Door)	540	30	£627
QWC123H	1200(L) x 540(H) x 300(D) Wall Cupd. (Hinged Door)	540	37	£718

## ANGLED CORNER (DOOR) TYPE 750mm ANGLE CORNER



### Angled Corner Wall Cupboard

Model	Description	Height (mm)	Weight (kg)	Price
QAWC753H	820(W) x 540(H) x 300(D) Angle Cnr. Wall Cupd.(Door) (750mm Opening Angle Corner)	540	39	£773



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)

## QUICK SERVICE LOCKABLE WALL CUPBOARDS

### LOCKABLE WALL CUPBOARD (SLIDING DOORS)

Model QWC123LS Shown

#### IMPROVED DESIGN:

Sliding doors  
stay shut  
every time



#### Main Features

- Wall mounted commercial s/steel fully enclosed lockable storage cupboard
- Outer panels, doors, top & base shelf constructed in 430 gd (0.9 thk.) s/steel.
- Available in 900, 1000, 1200, 1500 & 1800mm standard lengths.
- Adjustable height 430 gd (0.9 thk.) s/steel storage mid-shelf.
- Standard cupboard height 540mm. Standard cupboard depth 300 mm.
- 40mm (H) rear up stand to roof for sealing against a surface where items may be stored on top. (Roof upstand fixing hole size Ø 7.2mm).
- Full height flush steel back panel.
- Wall mounting hooks supplied.
- Models feature lockable top hung sliding steel doors fitted with chrome D handles,
- Fitted with central door channel guides.
- Plunge lock and two suited keys.



### LOCKABLE WALL CUPBOARDS (HINGED DOORS)

Model QWC123LH Shown

#### SECURITY:

Two keys  
always  
supplied



#### Main Features

- Wall mounted commercial s/steel fully enclosed lockable storage cupboard.
- Outer panels, doors, top & base shelf constructed in 430 gd (0.9 thk.) s/steel.
- Available in 450, 600, 750, 900 & 1200mm standard lengths.
- Adjustable height 430 gd (0.9 thk.) s/steel storage mid-shelf.
- Standard cupboard height 540mm. Standard cupboard depth 300 mm.
- Rear up stand to roof for sealing against a surface where items may be stored on top. (Roof upstand fixing hole size Ø 7.2mm).
- Full height flush steel back panel.
- Wall mounting hooks supplied.
- Feature lockable side hung steel doors fitted with chrome D handles.
- Barrel lock and two suited keys.



### LOCKABLE ANGLED CORNER WALL CUPBOARD Model QAWC753LH Shown

#### IMPROVED SECURITY:


Bolted door leaf  
& lock prevents  
opportunistic  
theft



#### Main Features

- Wall mounted commercial s/steel fully enclosed angled corner lockable storage cupboard.
- Outer panels, doors, top & base shelf constructed in 430 gd (0.9 thk.) s/steel.
- Available in a 750mm standard angled corner length.
- Adjustable height 430 gd (0.9 thk.) s/steel storage mid-shelf,
- Standard cupboard height 540mm. Cupboard shelf depth - up to 690 mm.
- Rear up stand to roof for sealing against a surface where items may be stored on top. (Roof upstand fixing hole size Ø 7.2mm).
- Full height flush steel back panel.
- Wall mounting hooks supplied.
- Features side hung steel doors fitted with chrome D handles.
- Barrel lock and two suited keys.


### LOCKABLE SLIDING DOOR TYPE 300mm DEEP



#### Lockable Wall Cupboard - Sliding Door

Model	Description	Height (mm)	Weight (kg)	Price
QWC93LS	900(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door)	540	31	£667
QWC103LS	1000(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door)	540	33	£699
QWC123LS	1200(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door)	540	39	£699
QWC153LS	1500(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door)	540	47	£758
QWC183LS	1800(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door)	540	55	£837

### LOCKABLE HINGED DOOR TYPE 300mm DEEP



#### Lockable Wall Cupboard - Hinged Door

Model	Description	Height (mm)	Weight (kg)	Price
QWC453LHL	450(L) x 540(H) x 300(D) Lock. Wall Cupd. (L. Hinged Door)	540	18	£497
QWC453LHR	450(L) x 540(H) x 300(D) Lock. Wall Cupd. (R. Hinged Door)	540	18	£497
QWC63LHL	600(L) x 540(H) x 300(D) Lock. Wall Cupd. (L. Hinged Door)	540	21	£577
QWC63LHR	600(L) x 540(H) x 300(D) Lock. Wall Cupd. (R. Hinged Door)	540	21	£577
QWC753LH	750(L) x 540(H) x 300(D) Lock. Wall Cupd. (Hinged Door)	540	26	£667
QWC93LH	900(L) x 540(H) x 300(D) Lock. Wall Cupd. (Hinged Door)	540	30	£667
QWC123LH	1200(L) x 540(H) x 300(D) Lock. Wall Cupd. (Hinged Door)	540	37	£758

### ANGLED CORNER (DOOR) TYPE 750mm ANGLE CORNER



#### Lockable Angled Corner Wall Cupboard

Model	Description	Height (mm)	Weight (kg)	Price
QAWC753LH	820(W) x 540(H) x 300(D) Lock. Angle Cnr. Wall Cupd. (Door) (750mm Opening Angle Corner)	540	39	£813



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)



Popular Sizes



Stock Available


Fast Delivery  
2/6 Working Days  
(after order)


## QUICK SERVICE TOURNUS SERVING TROLLEYS

### Main Features

- Mobile stainless steel serving trolley.
- Stainless steel welded construction with Ø 25 mm, 1.2 mm thick tubular frame.
- Available with either 2, 3 or 4 levels of tray storage.
- Each tray storage level features a 10 mm sound-proofed recess to prevent trays sliding off.
- Models to suit tray sizes up to 800 mm (L) x 530 mm (W).
- Models to suit tray sizes up to 1000 mm (L) x 600 mm (W).
- Available with arched pull handles to trolley frame.
- 4 no. 125 mm diameter swivel castors fitted – 2 braked.
- Castors made of non-marking rubber.
- Castors fitted with polyamide covers & annular shock absorbing bumpers.
- Maximum load per storage level is 50 kg.
- Delivered with plastic protective coating on pressed tray storage levels.

### Tournus Serving Trolleys

#### Serving Trolleys (2 Handle).

Model	801 542	801 543	801 552	801 553	801 554
Price	£299	£368	£359	£460	£638
Description	2 Tray	3 Tray	2 Tray	3 Tray	4 Tray
Maximum Tray Size (mm)	800 x 530	800 x 530	1000 x 600	1000 x 600	1000 x 600
O/all Length (mm)	895	895	1095	1095	1095
O/all Width (mm)	625	625	695	695	695
O/all Height (mm)	960	960	960	960	1260
Space Between Trays (mm)	560	260	560	260	260

Serving Trolley 2 Shelves

801 542

**SAFE TRANSPORT:**  
Press-drawn trays 10 mm deep for optimum holding of containers.

**COMFORT:**  
Sound-proofed trays

**STURDINESS:**  
Welded assembly over the whole tray height with flattened edges in lower part

Serving Trolley 3 Shelves

801 543


## QUICK SERVICE TOURNUS (STACKABLE) GASTRONORM CONTAINER TROLLEY

### Main Features

- Stainless steel GN container trolley, available in 1/1 GN container storage size.
- Welded 25 mm x 25 mm Stainless steel frame.
- 30 mm x 20 mm Stainless steel horizontal 'Z shape' support bars, allowing trolleys to be stacked inside each other to reduce storage space.
- Each tier fitted with Stainless steel L shaped tray runners and product stops on each runner.
- 20 storage tiers.
- GN Capacity: 1/1 GN up to 65 mm deep container per tier (100 mm & 150 mm deep will also fit).
- 4 no. Ø 125 mm swivel wheels with annular bumpers & polyamide covers, including 2 braked.
- Maximum load : 20 kg per level. 200 kg per trolley.

### Stackable Gastronorm Container Trolley

Model	804 229
Price	£589
GN Capacity.	1/1 GN
Storage Tiers	20
O/all Unit Height (mm)	1785
O/all Unit Width (mm)	454
O/all Unit Depth (mm)	653
Height Between Tiers (mm)	77



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)


**TOURNUS  
EQUIPEMENT**


Popular Sizes



Stock Available

Fast Delivery  
2/6 Working Days  
(after order)

## QUICK SERVICE TOURNUS FOOD TRAY STORAGE TROLLEYS

### Main Features

- Mobile stainless steel self help used food tray storage trolley with 12 tiers of side by side tray storage, 1 bay wide.
- **TRAY SIZES:**  
**Width ways tray entry:** To suit tray entry width ways for trays between 320 mm – 370 mm wide (Model Code 800 082).  
**Length ways tray entry:** To suit tray entry length ways for trays between 400 mm – 480 mm long and 480 mm – 560 mm long (Model Codes 800 093 and 800 095).
- 25 mm x 25 mm frame with longitudinal reinforcing bars and Ø 4.8 mm Stainless steel vertical wire type tray runner panels.
- Anti-slide tray clips are fitted to each tier.
- Feature annular bumpers & 4 no. Ø 125 mm swivel wheels with polyamide covers, including 2 braked.
- Supplied with optional 2 mm beige laminate side modesty panels (800 082) or as open framed. (Modesty panels clip fixed to wire tray runner panels.
- **CAPACITIES:**  
**Width ways tray entry:** 12 trays (Model Code 800 082).  
**Length ways tray entry:** 24 trays back to back (Model Codes 800 093 and 800 095).
- Space between tiers 125 mm.


**A TIDY  
SOLUTION:**  
Customers can  
stack their own  
used food  
trays

12 Tier Tray Trolley  
(Tray entry width ways)




800 082

12 Tier Tray Trolley  
(Tray entry length ways)



800 093



800 095

### 12 Tier Food Tray Storage Trolleys

#### Tray Entry Width Ways

Model	800 082	800 093	800 095
Price	£699	£623	£626
Trolley Description	1 x 12 Tier	2 x 12 Tiers	2 x 12 Tiers
O/all Length (mm)	510	620	700
O/all Width (mm)	630	790	790
O/all Height (mm)	1790	1790	1790

## QUICK SERVICE TOURNUS GASTRONORM CONTAINER TROLLEYS


### Main Features

- Stainless steel GN container trolley, available in 1/1 GN or 2/1 GN container storage sizes.
- Welded 25 mm x 25 mm Stainless steel frame, with 30 mm x 20 mm Stainless steel horizontal support bars.
- Each tier fitted with Stainless steel L shaped tray runners and product stops on each runner.
- 1/1 GN or 2/1 GN container trolley available with 6, 8, 10, 15, 17 or 20 storage tiers.
- 6 tier 1/1 GN or 2/1 GN trolley supplied with Stainless steel top shelf (760 mm high) (804 201).
- 8 tier 1/1 GN or 2/1 GN trolley supplied with Stainless steel top shelf (900 mm high) (804 203).
- GN Capacity: 1/1 GN or 2/1 GN up to 65 mm deep container per tier (100 mm & 150 mm deep will also fit).
- 4 no. Ø 125 mm swivel wheels with annular bumpers & polyamide covers, including 2 braked.
- Maximum load : 20 kg per level. 250 kg per trolley.

### Welded Tray Runner GN Trolleys



804 237



804 201

**IN BUILT  
STABILITY:**  
Fully welded  
runners

### Gastronorm Container Storage Trolleys

#### Welded Tray Runner GN Trolleys

Model	804 201	804 203	804 204	804 206	804 207	804 209	804 236	804 237	804 239
Price	£317	£334	£322	£340	£349	£368	£386	£396	£402
Description	1/1 GN trolley with top shelf.	1/1 GN trolley with top shelf.	1/1 GN trolley	1/1 GN trolley	1/1 GN trolley	1/1 GN trolley	2/1 GN trolley	2/1 GN trolley	2/1 GN trolley
Storage Tiers	6	8	10	15	17	20	15	17	20
Height between tiers (mm)	81	81	144	81	81	77	81	81	77
O/all Height (mm)	760	900	1650	1490	1650	1785	1490	1650	1785
O/all Width (mm)	457	457	457	457	457	457	659	659	659
O/all Depth (mm)	656	656	656	656	656	656	773	773	773



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)



Popular Sizes



Stock Available


Fast Delivery  
2/6 Working Days  
(after order)


## QUICK SERVICE TOURNUS PLATE STORAGE TROLLEYS

### Main Features

#### PLATE TROLLEY:

- Mobile welded stainless steel self help plate trolley, for volume storage, selection or transport of plates up to Ø 290 mm.
- Available as either 200 or 300 plate capacity.

#### RAISED PLATFORM PLATE TROLLEY:

- Mobile welded stainless steel self help plate trolley, with raised platform for volume storage, selection or transport of plates up to Ø 290 mm
- 200 plate capacity (platform height 460 mm).
- Allows more ergonomic selection by customer.

#### COMMON FEATURES:

- 25 mm x 25 mm steel tube frame with arched handles and Ø 6 mm Stainless steel wire adjustable or fixed separation panels.
- Models with adjustable separation panels complete with a removable cage front wire transporting partition.
- Solid rear back panel & slightly sloping platform, for good stability of stored products.
- Features annular bumpers & 4 no. Ø 125 mm swivel wheels with polyamide covers, including 2 braked.

**PERFECT:**  
For school  
meal time

Plate Trolley



800 541

Raised Platform Plate Trolley



800 575

### Plate Storage Trolleys

#### Welded Plate Trolleys

#### Raised Platform

Model	800 541	800 546	800 542	800 575
Price	£433	£499	£491	£447
Plate Capacity: (max. Ø 290 mm)	200	300	200	200
O/all Length (mm)	1065	1065	1065	1065
Secure Stacking Partitions	Included	Included	N/A	Included
Removable Front Grid & Separation Grids	N/A	N/A	Included	N/A
O/all Width (mm)	450	450	450	450
O/all Height (mm)	810	1000	810	1000

## QUICK SERVICE TOURNUS RACK & TRAY DOLLEYS

### Main Features

- Mobile stainless steel storage trolley, for volume transport of dishwasher baskets between 460 mm & 500 mm square.
- Available with or without bolted steering handle.
- Stainless steel base tray – usable internal dimensions 510 mm (L) x 510 mm (W) x 1.2 mm thick.
- Maximum load 80 kg.
- To suit dishwasher baskets up to 500 mm (L) x 500 mm (W).
- Features 4 no. Ø 100 mm swivel wheels with galvanized steel covers.

General Purpose Basket  
Rack Dolley  
(Fixed Base)


800 101

**MAXIMUM  
LOAD:**  
80 Kg



800 102

### General Purpose basket Rack Dolley (Fixed Base)

Model	800 101	800 102
Price	£119	£167
Description	G.P. Rack Dolley/ Steel Base	G.P. Rack Dolley/ Steel Base/ Handle
Base Size (L) mm x (W) mm.	510 x 510	510 x 510
O/all Length (mm)	515	600
O/all Width (mm)	515	515
O/all Height (mm)	165	850

## QUICK SERVICE TOURNUS DISHWASHER BASKET TROLLEY

### Main Features

- Mobile welded stainless steel storage trolley, for volume storage, selection or transport of dishwasher baskets between 460 mm & 500 mm square.
- 25 mm x 25 mm steel tube frame with basket runners – for horizontal basket storage.
- Horizontal basket storage model – 8 tiers with runners, I shaped with runner stops at each end, space between tiers 189 mm, for basket width/ depth 460 – 500 mm.
- Features annular bumpers & 4 no. Ø 125 mm swivel wheels with polyamide covers, including 2 braked.

### Dishwasher Basket Trolley

Model	804 193
Price	£460
Description.	Dishwasher Basket Trolley (Standard)
Storage Method	Horizontal
No. of Tiers	8
O/all Length (mm)	630
O/all Width (mm)	630
O/all Height (mm)	1785



804 193



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)


**TOURNUS  
EQUIPEMENT**


Popular Sizes



Stock Available

Fast Delivery  
2/6 Working Days  
(after order)

## QUICK SERVICE TOURNUS PLATE DISPENSERS

### Main Features

#### MOBILE PLATE DISPENSERS:

- Mobile stainless steel plate dispensing trolley with removable spring loaded plate dispensers.
- Available as heated, ambient or as a universal rectangular type (See Tournus catalogue).
- Models feature Ø 25 mm steering handle, formed in s/steel tube with polyamide end mounting caps.
- Trolley base tops & panels made in 1 mm s/steel, fitted with moulded corner protection polyethylene bumpers.
- All bases fitted with 4 x Ø 125 mm swivel wheels & poly amide covers, including 2 braked.
- Max. plate stacking height 580 mm per stack.
- Max. allowable plate load : 75 kg per stack.
- Available as single or twin plate stack type.

#### MOBILE HEATED MODELS:

- Feature insulated body
- Side mounted steel rod heating elements,
- Illuminated on/off rocker switch
- Adjustable mechanical thermostat (0 to 90 degrees C)
- Transparent polycarbonate lids.
- Heated models adjustable for plate diameters between 180 – 290 mm.

#### DROP IN PLATE DISPENSERS:

- Ambient or heated plate lowerator - Up to 60 plates, 180-290 mm diameter.

### Mobile Plate Dispensers

#### Mobile Heated Plate Dispensers

Model	808 171 UK	808 172 UK
Price	£1,257	£1,790
Description	Single Plate	Twin Plate
For Plate Diameter (mm)	180-290	180-290
O/all Length (mm)	530	960
O/all Width (mm)	485	485
O/all Height (mm) (Lid + 172 mm)	900	900
Power (kW)	0.8	1.53
Electrical Supply	13A 230V	13A 230V

### Drop in Plate Dispensers

#### Ambient or Heated Plate Dispensers

Model	808 231	808 235
Price	£323	£1122
Description	Ambient single plate stack	Heated single plate stack + Lid
For Plate Diameter (mm)	180-290	180-290
O/all Length (mm)	740	740
O/all Width (mm)	380	380
Power (kW)	-	0.7
Electrical Supply	-	13A 230V

### Mobile Heated Plate Dispensers


**EASY  
SLIDING:**  
Noiseless  
Rollers

### Ambient drop in plate dispenser



808 231

**REMOVABLE:**  
For hygiene

**UP TO 60  
PLATE  
CAPACITY:**  
(180-290mm  
diameter)

### Heated drop in plate dispenser



808 235

**HEAT  
RETENTION:**  
Features  
insulated  
body

Call us for a copy of  
the full Tournus  
catalogue 2019.

Tel: 01254 238 282



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)



Popular Sizes



Stock Available


Fast Delivery  
2/6 Working Days  
(after order)


## QUICK SERVICE 'TS 2000N' TOURNUS (INFRA RED TAP) WASH HAND BASINS

### Main Features

- Wall mounted, hygienic one piece S/steel wash hand basin c/w Infra-red mixer tap.
- Integrated bowl and back splash eliminates potential bacteria growth in corners.
- Steel bowl size : 350 mm x 275 mm x 80 mm deep.
- Supplied with nailbrush and bin, mounted under bowl apron, for disposal of used hand towels.
- Supplied with 2 flexible hoses, 32 mm waste trap & wall fixing support.
- Mixer tap triggered by infra-red detection cell.
- Automatic opening and closing of tap occurs immediately after hands are placed in front of or removed from the cell.
- Mixer tap has non return valves & temperature setting.
- Tap has no 'run on' timer fitted for water saving.
- Tap head fitted with aerator, giving softer stream of water, reduced water consumption to only 6 litres/ minute.
- CR-P2 lithium battery operated tap power source – 6 volt (3 year service life/350,000 presses).
- Integral waste bin includes recessed back for easier installation.
- Preset operating temp. 40 deg. C. – Max. operating temp. 70 deg. C – Allowable pressure 1 – 5 bars.

**AERATED TAP:**  
Reduces water  
consumption  
(3Lt./min)

Wash Hand Basins  
Infra-Red Tap



806 302

806 304

### TS 2000N Wash Hand Basins (Infra Red Tap)

#### Infra-Red Tap/ Battery Operated Tap Types

Model	806 302	806 304
Price	£865	£914
Description.	TS 2000N Wall Mounted W.H.B. + Mixer Tap + 500 ml. <b>Manual</b> Soap Dispenser. (Battery Operated Electronic Tap).	TS 2000N Wall Mounted W.H.B. + Mixer Tap. + 500 ml. <b>Integrated</b> Soap Dispenser. (Battery Operated Electronic Tap).
O/all Unit Height (mm)	755	755
O/all Unit Length (mm)	400	400
O/all Unit Depth (mm)	400	400

## QUICK SERVICE 'TS 2000N' TOURNUS (KNEE OPERATED TAP) WASH HAND BASINS

- Wall mounted, hygienic one piece S/steel Wash Hand Basin c/w knee operated mixer tap.
- Integrated bowl and back splash eliminates potential bacteria growth in corners.
- Steel bowl size : 350 mm x 275 mm x 80 mm deep.
- Supplied with nailbrush and bin, mounted under bowl apron, for disposal of used hand towels.
- Supplied with 2 flexible hoses, 32 mm waste trap & wall fixing support.
- Mixer tap triggered by push button control paddle positioned on the face of the bowl apron.
- Automatic opening and closing of tap occurs when knee operated control paddle is depressed and released.
- Mixer tap has non return valves & temperature setting.
- Mixer tap is WRAS approved.
- Integral waste bin includes recessed back for easier installation.



806 321

**HYGIENIC:**  
Hands free  
operation

**KNEE  
OPERATED:**  
Push button



### TS 2000N Wash Hand Basin (Knee Operated Tap)

#### Knee Operated Tap Type

Model	806 321
Price	£512
Description.	TS 2000N Wall Mounted W.H.B. + Mixer Tap. (Knee Operated Tap)
O/all Unit Height (mm)	755
O/all Unit Length (mm)	400
O/all Unit Depth (mm)	400



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)


**TOURNUS  
EQUIPEMENT**


Popular Sizes



Stock Available

Fast Delivery  
2/6 Working Days  
(after order)

## QUICK SERVICE 'GA' TOURNUS (KNEE OPERATED TAP) WASH HAND BOWLS

### Main Features

- Wall mounted Stainless steel wash hand bowl & shroud c/w knee-operated, Swan neck mixer tap.
- Integrated bowl pressing and worktop eliminates potential bacteria growth at the bowl edges.
- Steel bowl size : Ø 275 mm x 115 mm deep.
- Supplied with plug hole & 32 mm waste trap, swan neck mixer tap, pre-mixer with check valves, flexible hose connector & push button tap control, fitted behind bowl shroud.
- Supplied with wall Ø 4.5 mm fixing screws + wall plugs.
- Water connection to 2 male threaded 1/2" pre-mixer inlets 15 x 21.
- Mixer tap triggered by knee-operated front valance panel (6 second timer).
- Mixer tap has non return valves & temperature setting (knob control).
- Mixer tap is WRAS approved.
- Preset operating temp. 40 deg. C. – Max. operating temp. 70 deg. C – Allowable pressure 1 – 5 bars.
- Flow rate at 3 bars = 6 litres/ minute.

## QUICK SERVICE 'GC' TOURNUS (KNEE OPERATED TAP) WASH HAND BASINS

### Main Features

- Wall mounted S/steel wash hand basin & shroud c/w knee-operated, Swan neck mixer tap.
- Integrated rectangular basin pressing and worktop eliminates potential bacteria growth at the basin edges.
- Steel basin size : 345 mm (L) x 245 mm (D) x 120 mm deep.
- Supplied with plug hole & 32 mm waste trap, swan neck mixer tap, pre-mixer, flexible hose connector & push button tap control, fitted behind bowl shroud.
- Supplied with wall fixing support.
- Water connection to 2 male threaded 1/2" pre-mixer inlets 15 x 21.
- Mixer tap triggered by knee-operated front valance panel.
- Mixer tap has non return valves & temperature setting.
- Mixer tap is WRAS approved.
- Preset operating temp. 40 deg. C. – Max. operating temp. 70 deg. C – Allowable pressure 1 – 5 bars.
- Flow rate at 3 bars = 6 litres/ minute.

**BACTERIA  
RESISTANCE:**  
Integrated basin  
and worktop

### 'GC' Wash Hand Basins (Knee Operated Tap)

Model	806 381	806 382	806 383	806 397	806 385
Price	£226	£266	£315	£460	£384
Description	Wall Mounted 415 mm (L) Wash Hand Basin + Mixer Tap.	Wall Mounted 440 mm (L) Wash Hand Basin + Mixer Tap + 540 mm (H) Upstand.	Wall Mounted 440 mm (L) Wash Hand Basin + Mixer Tap + 540 mm (H) Upstand + Soap Dispenser.	Wall Mounted 440 mm (L) Wash Hand Basin + Mixer Tap + 540 mm (H) Upstand + Soap Dispenser + S/steel Bin	Wall Mounted 440 mm (L) Wash Hand Basin + Mixer Tap + 790 mm (H) Upstand + Soap Dispenser + Paper Towel Dispenser.
Lockable 500ml manual Soap Dispenser	N/A	N/A	Included	Included	Included
Paper Towel Dispenser	N/A	N/A	N/A	N/A	Included
O/all Unit Height (mm)	185	540	540	985 (inc. bin)	790
O/all Unit Length (mm)	415	440	440	440	440
O/all Unit Depth (mm)	310	335	335	335	335

### Knee Operated Control Wash Hand Bowls



### 'GA' Wash Hand Bowls (Knee Operated Tap)

Model	806 331	806 332	806 333
Price	£206	£221	£269
Description	Wall Mounted Ø 275 mm Wash Hand Bowl + Mixer Tap.	Wall Mounted Ø 275 mm Wash Hand Bowl + Mixer Tap + Upstand.	Wall Mounted Ø 275 mm Wash Hand Bowl + Mixer Tap + Upstand + Soap Dispenser.
Lockable 500ml manual Soap Dispenser	N/A	N/A	Included
O/all Unit Height (mm)	170	500	500
O/all Unit Length (mm)	330	350	350
O/all Unit Depth (mm)	330	330	330

### Knee Operated Control Wash Hand Basins





Popular Sizes



Stock Available


Fast Delivery  
2/6 Working Days  
(after order)


## QUICK SERVICE 'GC' TOURNUS (INFRA-RED TAP)WASH HAND BASINS

### Main Features

- Wall mounted Stainless steel wash hand basin & shroud c/w infra-red, hand operated mixer tap.
- Integrated rectangular basin pressing and worktop eliminates potential bacteria growth at the basin edges.
- Steel basin size : 345 mm (L) x 245 mm (D) x 120 mm deep.
- Supplied as basin only (806 351), with rear upstand (806 352), or with both upstand & 500 ml soap dispenser (806 353).
- Supplied with 2 no. 3/8" flexible water connection hoses, 32 mm waste trap & wall fixing support.
- Mixer tap triggered by infra-red detection cell.
- Automatic opening and closing of tap occurs immediately after hands are placed in front of or removed from the cell.
- Mixer tap has non return valves & temperature setting.
- Tap has no 'run on' timer fitted for water saving.
- Automatic flow stop after 30 seconds continuous use (anti-overflow system).
- Tap head fitted with aerator, giving softer stream of water, reduced water consumption to only 6 litres/ minute.
- Mixer tap is WRAS approved.
- CR-P2 lithium battery operated tap power source – 6 volt (3 year service life/350,000 presses).
- Battery low or flat indication LED.
- Preset operating temp. 40 deg. C. – Max. operating temp. 75 deg. C – Allowable pressure 1 – 5 bars.

### GC Wash Hand Basins Infra-Red Tap



### 'GC' Wash Hand Basins Infra-Red Tap

Model	806 351	806 352	806 353
Price	£607	£644	£692
Description.	Wall Mounted 415 mm (L) Wash Hand Basin + Electronic Mixer Tap.	Wall Mounted 440 mm (L) Wash Hand Basin + Electronic Mixer Tap + 540 mm (H) Upstand.	Wall Mounted 440 mm (L) Wash Hand Basin + Electronic Mixer Tap + 540 mm (H) Upstand + Soap Dispenser.
Lockable 500ml manual Soap Dispenser	N/A	N/A	Included
O/all Unit Height (mm)	185	540	540
O/all Unit Length (mm)	415	440	440
O/all Unit Depth (mm)	310	335	335

## QUICK SERVICE TOURNUS MOBILE WASH HAND BASIN

- Mobile hand wash station with foot controlled swan neck tap.
- Supplied with 2 x 13 litre water containers ( one for clear water, one for waste water).
- Features foot operated swivel tap & water pump ( 2 x 6 v batteries supplied).
- Pressed basin : 345 mm x 245 mm x 115 mm deep.
- Produced as a welded, clad, steel frame with 2 no. fixed wheels and transport handle.
- Supplied with lockable 500 ml soap dispenser, paper towel dispenser c/w paper roll & hook-on dustbin.



### Mobile Wash Hand Basin

Model	806 517
Price	£865
Description.	Mobile foot operated WHB
Water pump suction hose (Fits in clean water container).	Included
Sink waste hose (Fits in waste water container).	Included
O/all Unit Height (mm)	415
O/all Unit Length (mm)	345
O/all Unit Depth (mm)	1200



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)


**TOURNUS  
EQUIPEMENT**


Popular Sizes



Stock Available

Fast Delivery  
2/6 Working Days  
(after order)

## QUICK SERVICE TOURNUS JANITOR SINK STATION

### Main Features

- › Wall mounted Stainless steel janitor sink in 600 mm deep version.
- › Made of food quality stainless steel.
- › The sink has a top tier basin and plug, with a lower bowl & removable, recessed perforated bucket stand.
- › Top Tier Basin 430 x 280 x 130 mm deep + Lower Bowl 400 x 400 x 200 mm deep.
- › Features swivel arm mono-bloc pre-mixer tap, for mop rinse or lower tier bucket filling.
- › Welded frame and adjustable leg height with jacks.
- › Supplied with PVC sink pipe, strainer waste overflow tube.
- › Hot/cold ½" mixer tap with check valves & temperature control.
- › Water connection is to 2 flexible hoses with 1/2" (15/21) female-threaded rotating end pieces.
- › Frame legs fitted with adjustable levelling inserts.

## QUICK SERVICE LOCKABLE TOURNUS STERILIZING CABINET

### Main Features

- › Kitchen knife/ utensil sterilizing cabinet made of food quality stainless steel.
- › Feature a UV radiation light with automatic cut-off feature when the transparent acrylic door is opened.
- › 10 knife capacity cabinet.
- › Externally mounted control knob allows period of UV lamp exposure to be adjusted up to 2 hours.
- › Recommended UV lamp exposure operating period for utensils – 1.5 hours.
- › Rounded cabinet edges & sloping tops to prevent dust build up or inappropriate storage.
- › Acrylic magnetic closing door/s features pull handle and steel hinges.
- › Locking door.
- › Electrical supply – 13 A 230 V.

## QUICK SERVICE TOURNUS INSECT KILLERS

### Main Features

- › S/steel insect killer for indoor use as appliance for the control of winged insects.
- › Available as electric control (806 952AS) or with replaceable glue boards to capture insects (806 960AS).
- › Wall mounted.
- › Electric control model features actinic fluorescent tubes whose UV radiation attracts insects, which are then electrocuted on contact with the inner steel wire grids.
- › Electrocuted insects fall into a removable tray in the base, which isolates the unit on removal.
- › Outer protective grid is fitted to both electric or glue board models.
- › All types supplied with standard 1.2 M power cable/plug top and require a 230 V 13 A electrical supply.
- › Glue board model also features long lasting actinic UV light source.
- › Glue board model features a removable inner glue board to capture insects on.
- › Replacement glue boards can be slid in and out from slot in the cabinet side.
- › Electrical supply for all models – 13 A 230 V.



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)

Janitor Sink Station



**SELF  
CONTAINED:**  
Fill / rinse  
operation



### Janitor Sink Station

Model	806 536
Price	£726
Description	Janitor Sink 600mm wide
Length (mm)	500
Depth (mm)	600
Height (mm)	890

Sterilizing Cabinet

816 422AS



**KNIFE  
STORAGE:**  
On  
magnetised  
bar


### Lockable Sterilizing Cabinet

Model	816 422AS
Price	£561
Description	10 Knife Sterilizing Cabinet
Length (mm)	575
Depth (mm)	170
Height (mm)	600

**INSECT  
PROTECTION  
AREA  
PROVIDED:**  
50 m sq.

Insect Killers  
Electronic Control Type

806 952AS

Insect Killers  
Glue Board Control Type

806 960AS

### Insect Killers

	Electronic Control	Glue Board control
Model	806 952AS	806 960AS
Price	£263	£211
Description	Electric Control Insect Killer	Glue Board Control Insect Killer
Protection Area (M sq.)	50	50
Actinic blue UV light/s (Qty/Watts)	1 x 40 watts	1 x 40 watts
O/all Unit Length (mm)	615	615
O/all Unit Depth (mm)	95	142
O/all Unit Height (mm)	240	285




# TOURNUS RACKING SYSTEM

Each combination created has a unique model code, listed on the next 4 pages.

The Tournus hygienic storage racking system can be used in kitchens & cold rooms (-30°C to +60°C).

It's quick and easy to assemble without tools - simply snap into place the parts which stiffen the structure and create straight runs or right-angled racking layouts. The 1750 mm high storage racks are available with either 3, 4 or 5 tiers and either 400, 500 or 560 mm deep.



## TOURNUS EXCLUSIVE:

There is a space at the edge of the shelves to use markers to help manage stock

## OVERHANGING SHELVES:

Cover the rails for an optimal fit



## ATTRACTIVE:

Uprights made of tubular anodised aluminium 32 x 30mm



## LOAD RESISTANCE:

200kg uniformly distributed by level



## HYGIENIC:

Removable shelves, machine washable up to 90°C



## SUSTAINABLE DEVELOPMENT:

The Tournus shelving system is fully recyclable



Popular Sizes



Stock Available



Fast Delivery  
2/6 Working Days  
(after order)



## EASY ASSEMBLY:

By tapered self-locking insertion to strengthen the structure




## STABILITY:

Adjustable feet

## ADJUSTABLE FEET:

With no visible threads



## MODULAR:

In line or corner type assembly

## SIMPLICITY:

2 hooks per level whatever the width



## OPTIMUM ACCESSIBILITY:

With a corner upright, allowing full storage in the corners, plus easier floor cleaning



## TOURNUS RACKING PRODUCT DESIGNER:

You can plan the best combination of shelving here:  
[www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)

# QUICK SERVICE TOURNUS STRAIGHT RACKING SYSTEM

## Main Features

- Hygienic & removable polypropylene perforated shelving, machine washable (up to 90°C).
- Supplied with 'clip-in' horizontal support bars and removable polypropylene shelf.
- Shelving available in 3 different depths (400 mm, 500 mm & 560 mm deep).
- 560 mm deep shelf can accept GN Container in lieu of polypropylene sections.

- Sturdy, locking support bar assemblies ensure high stability.
- Load resistance of 200 kg per level, evenly distributed.
- Shelves hook over the top of the support bars.
- Shelves have turn down edges, with sections on shelf edge where white board erasable marker pens can be used, to note the contents of the shelf.
- Upright end frame components are made from sturdy anodised aluminium (with pre-fitted tie bars) and available for either 3, 4 or 5 tier shelving system or 400 mm, 500 mm or 560 mm deep shelving system.
- Upright end frames supplied with screwed fixing studs per tier, for connecting 'clip-in' horizontal shelf support bars and removable polypropylene shelves.


- End frames are fitted with adjustable feet (c/w hygienic internal thread system to avoid harbouring bacteria).



## Quick Service Tournus 1750 mm (H) Polypropylene Shelf Racking (Straight Run Types).

	400mm Deep Rack			500mm Deep Rack			560 mm Deep Rack (G/N Size).		
Tiers	3	4	5	3	4	5	3	4	5
Rack Length (mm)	Model	Model	Model	Model	Model	Model	Model	Model	Model
690	PLA690 £268	PLB690 £306	PLC690 £349	PLD690 £294	PLE690 £339	PLF690 £385	PLG690 £290	PLH690 £330	PLI690 £374
790	PLA790 £277	PLB790 £319	PLC790 £366	PLD790 £297	PLE790 £343	PLF790 £391	PLG790 £303	PLH790 £347	PLI790 £396
890	PLA890 £297	PLB890 £345	PLC890 £398	PLD890 £306	PLE890 £355	PLF890 £407	PLG890 £322	PLH890 £373	PLI890 £427
992	PLA992 £316	PLB992 £371	PLC992 £430	PLD992 £329	PLE992 £385	PLF992 £445	PLG992 £342	PLH992 £399	PLI992 £459
1092	PLA1092 £322	PLB1092 £379	PLC1092 £440	PLD1092 £336	PLE1092 £394	PLF1092 £455	PLG1092 £354	PLH1092 £416	PLI1092 £481
1192	PLA1192 £332	PLB1192 £392	PLC1192 £456	PLD1192 £345	PLE1192 £407	PLF1192 £472	PLG1192 £365	PLH1192 £428	PLI1192 £497
1292	PLA1292 £342	PLB1292 £405	PLC1292 £473	PLD1292 £351	PLE1292 £416	PLF1292 £482	PLG1292 £374	PLH1292 £441	PLI1292 £513
1394	PLA1394 £361	PLB1394 £431	PLC1394 £505	PLD1394 £374	PLE1394 £446	PLF1394 £519	PLG1394 £397	PLH1394 £472	PLI1394 £551
1494	PLA1494 £368	PLB1494 £439	PLC1494 £515	PLD1494 £380	PLE1494 £454	PLF1494 £530	PLG1494 £406	PLH1494 £484	PLI1494 £567
1594	PLA1594 £377	PLB1594 £452	PLC1594 £531	PLD1594 £390	PLE1594 £467	PLF1594 £546	PLG1594 £416	PLH1594 £497	PLI1594 £583
1694	PLA1694 £386	PLB1694 £465	PLC1694 £547	PLD1694 £400	PLE1694 £480	PLF1694 £562	PLG1694 £428	PLH1694 £514	PLI1694 £605
1728	PLA1728 £511	PLB1728 £606	PLC1728 £706	PLD1728 £527	PLE1728 £623	PLF1728 £723	PLG1728 £556	PLH1728 £655	PLI1728 £761
1796	PLA1796 £406	PLB1796 £490	PLC1796 £580	PLD1796 £422	PLE1796 £510	PLF1796 £599	PLG1796 £448	PLH1796 £540	PLI1796 £637
1830	PLA1830 £530	PLB1830 £631	PLC1830 £739	PLD1830 £550	PLE1830 £653	PLF1830 £760	PLG1830 £575	PLH1830 £681	PLI1830 £794
1932	PLA1932 £550	PLB1932 £657	PLC1932 £770	PLD1932 £572	PLE1932 £684	PLF1932 £798	PLG1932 £594	PLH1932 £707	PLI1932 £826
2032	PLA2032 £556	PLB2032 £665	PLC2032 £781	PLD2032 £579	PLE2032 £692	PLF2032 £809	PLG2032 £608	PLH2032 £724	PLI2032 £848
2132	PLA2132 £562	PLB2132 £674	PLC2132 £792	PLD2132 £585	PLE2132 £700	PLF2132 £820	PLG2132 £620	PLH2132 £742	PLI2132 £868
2232	PLA2232 £575	PLB2232 £691	PLC2232 £813	PLD2232 £594	PLE2232 £714	PLF2232 £835	PLG2232 £626	PLH2232 £750	PLI2232 £880
2334	PLA2334 £594	PLB2334 £717	PLC2334 £846	PLD2334 £617	PLE2334 £744	PLF2334 £873	PLG2334 £649	PLH2334 £780	PLI2334 £917
2432	PLA2432 £591	PLB2432 £713	PLC2432 £839	PLD2432 £611	PLE2432 £734	PLF2432 £862	PLG2432 £649	PLH2432 £780	PLI2432 £917
2532	PLA2532 £600	PLB2532 £725	PLC2532 £856	PLD2532 £617	PLE2532 £744	PLF2532 £873	PLG2532 £659	PLH2532 £793	PLI2532 £933
2634	PLA2634 £620	PLB2634 £751	PLC2634 £888	PLD2634 £640	PLE2634 £774	PLF2634 £911	PLG2634 £681	PLH2634 £823	PLI2634 £970
2736	PLA2736 £640	PLB2736 £777	PLC2736 £920	PLD2736 £662	PLE2736 £803	PLF2736 £948	PLG2736 £703	PLH2736 £853	PLI2736 £1,008
2834	PLA2834 £637	PLB2834 £773	PLC2834 £915	PLD2834 £655	PLE2834 £795	PLF2834 £937	PLG2834 £700	PLH2834 £849	PLI2834 £1,002
2936	PLA2936 £655	PLB2936 £798	PLC2936 £947	PLD2936 £678	PLE2936 £825	PLF2936 £974	PLG2936 £723	PLH2936 £879	PLI2936 £1,040
3036	PLA3036 £662	PLB3036 £806	PLC3036 £958	PLD3036 £685	PLE3036 £833	PLF3036 £986	PLG3036 £732	PLH3036 £891	PLI3036 £1,056
3136	PLA3136 £672	PLB3136 £820	PLC3136 £973	PLD3136 £694	PLE3136 £847	PLF3136 £1001	PLG3136 £743	PLH3136 £904	PLI3136 £1,072
3172	PLA3172 £802	PLB3172 £968	PLC3172 £1,143	PLD3172 £834	PLE3172 £1,007	PLF3172 £1,183	PLG3172 £886	PLH3172 £1,067	PLI3172 £1,257

\*Complete set of components Included\*



\*Typical Straight Run Shown



Popular Sizes



Stock Available



Fast Delivery  
2/6 working Days  
(after order)

### Quick Service Tournus 1750 mm (H) Polypropylene Shelf Racking (Straight Run Types).

	400mm Deep Rack			500mm Deep Rack			560 mm Deep Rack (G/N Size).		
Tiers	3	4	5	3	4	5	3	4	5
Rack Length (mm)	Model	Model	Model	Model	Model	Model	Model	Model	Model
3236	PLA3236 £681	PLB3236 £832	PLC3236 £990	PLD3236 £703	PLE3236 £859	PLF3236 £1,018	PLG3236 £755	PLH3236 £921	PLI3236 £1,094
3272	PLA3272 £815	PLB3272 £986	PLC3272 £1,164	PLD3272 £848	PLE3272 £1,024	PLF3272 £1,205	PLG3272 £892	PLH3272 £1,075	PLI3272 £1,267
3336	PLA3336 £691	PLB3336 £846	PLC3336 £1,006	PLD3336 £714	PLE3336 £872	PLF3336 £1,034	PLG3336 £768	PLH3336 £938	PLI3336 £1,115
3372	PLA3372 £822	PLB3372 £994	PLC3372 £1,175	PLD3372 £854	PLE3372 £1,033	PLF3372 £1,215	PLG3372 £905	PLH3372 £1,093	PLI3372 £1,289
3438	PLA3438 £711	PLB3438 £871	PLC3438 £1,038	PLD3438 £735	PLE3438 £902	PLF3438 £1,071	PLG3438 £787	PLH3438 £964	PLI3438 £1,147
3472	PLA3472 £831	PLB3472 £1,007	PLC3472 £1,191	PLD3472 £860	PLE3472 £1,041	PLF3472 £1,227	PLG3472 £915	PLH3472 £1,105	PLI3472 £1,305
3540	PLA3540 £729	PLB3540 £896	PLC3540 £1,070	PLD3540 £758	PLE3540 £932	PLF3540 £1,108	PLG3540 £806	PLH3540 £990	PLI3540 £1,179
3572	PLA3572 £840	PLB3572 £1,020	PLC3572 £1,207	PLD3572 £869	PLE3572 £1,054	PLF3572 £1,242	PLG3572 £925	PLH3572 £1,119	PLI3572 £1,320
3674	PLA3674 £860	PLB3674 £1,045	PLC3674 £1,239	PLD3674 £892	PLE3674 £1,084	PLF3674 £1,280	PLG3674 £947	PLH3674 £1,148	PLI3674 £1,359
3772	PLA3772 £860	PLB3772 £1,045	PLC3772 £1,239	PLD3772 £883	PLE3772 £1,071	PLF3772 £1,264	PLG3772 £943	PLH3772 £1,144	PLI3772 £1,353
3812	PLA3812 £1017	PLB3812 £1,229	PLC3812 £1,451	PLD3812 £1,059	PLE3812 £1,279	PLF3812 £1,505	PLG3812 £1,100	PLH3812 £1,324	PLI3812 £1,558
3876	PLA3876 £889	PLB3876 £1,084	PLC3876 £1,288	PLD3876 £921	PLE3876 £1,123	PLF3876 £1,329	PLG3876 £980	PLH3876 £1,191	PLI3876 £1,412
3912	PLA3912 £1023	PLB3912 £1,237	PLC3912 £1,463	PLD3912 £1,065	PLE3912 £1,288	PLF3912 £1,516	PLG3912 £1,113	PLH3912 £1,341	PLI3912 £1,580
3976	PLA3976 £899	PLB3976 £1,097	PLC3976 £1,304	PLD3976 £928	PLE3976 £1,131	PLF3976 £1,339	PLG3976 £989	PLH3976 £1,204	PLI3976 £1,428
4078	PLA4078 £918	PLB4078 £1,123	PLC4078 £1,336	PLD4078 £950	PLE4078 £1,161	PLF4078 £1,376	PLG4078 £1,011	PLH4078 £1,234	PLI4078 £1,466
4178	PLA4178 £925	PLB4178 £1,131	PLC4178 £1,346	PLD4178 £957	PLE4178 £1,170	PLF4178 £1,387	PLG4178 £1,021	PLH4178 £1,247	PLI4178 £1,481
4278	PLA4278 £934	PLB4278 £1,144	PLC4278 £1,363	PLD4278 £966	PLE4278 £1,182	PLF4278 £1,403	PLG4278 £1,030	PLH4278 £1,260	PLI4278 £1,498
4378	PLA4378 £937	PLB4378 £1,148	PLC4378 £1,368	PLD4378 £969	PLE4378 £1,187	PLF4378 £1,409	PLG4378 £1,040	PLH4378 £1,273	PLI4378 £1,514
4478	PLA4478 £950	PLB4478 £1,166	PLC4478 £1,389	PLD4478 £983	PLE4478 £1,204	PLF4478 £1,430	PLG4478 £1,050	PLH4478 £1,285	PLI4478 £1,530
4578	PLA4578 £957	PLB4578 £1,174	PLC4578 £1,400	PLD4578 £989	PLE4578 £1,212	PLF4578 £1,441	PLG4578 £1,060	PLH4578 £1,298	PLI4578 £1,546
4612	PLA4612 £1,080	PLB4612 £1,314	PLC4612 £1,558	PLD4612 £1,123	PLE4612 £1,365	PLF4612 £1,612	PLG4612 £1,190	PLH4612 £1,444	PLI4612 £1,709
4678	PLA4678 £969	PLB4678 £1,191	PLC4678 £1,421	PLD4678 £1,001	PLE4678 £1,230	PLF4678 £1,463	PLG4678 £1,075	PLH4678 £1,319	PLI4678 £1,573
4712	PLA4712 £1,091	PLB4712 £1,328	PLC4712 £1,575	PLD4712 £1,129	PLE4712 £1,373	PLF4712 £1,623	PLG4712 £1,200	PLH4712 £1,456	PLI4712 £1,724
4778	PLA4778 £975	PLB4778 £1,200	PLC4778 £1,432	PLD4778 £1,008	PLE4778 £1,238	PLF4778 £1,473	PLG4778 £1,082	PLH4778 £1,329	PLI4778 £1,583
4814	PLA4814 £1,109	PLB4814 £1,353	PLC4814 £1,607	PLD4814 £1,152	PLE4814 £1,403	PLF4814 £1,660	PLG4814 £1,223	PLH4814 £1,487	PLI4814 £1,762
4878	PLA4878 £986	PLB4878 £1,212	PLC4878 £1,448	PLD4878 £1,018	PLE4878 £1,251	PLF4878 £1,489	PLG4878 £1,095	PLH4878 £1,345	PLI4878 £1,605
4914	PLA4914 £1,120	PLB4914 £1,366	PLC4914 £1,623	PLD4914 £1,158	PLE4914 £1,412	PLF4914 £1,671	PLG4914 £1,232	PLH4914 £1,500	PLI4914 £1,778
4978	PLA4978 £995	PLB4978 £1,226	PLC4978 £1,465	PLD4978 £1,027	PLE4978 £1,264	PLF4978 £1,505	PLG4978 £1,107	PLH4978 £1,363	PLI4978 £1,626

\*Complete set of components Included\*




\*Combined Straight &amp; Corner Run Shown

## QUICK SERVICE TOURNUS CORNER RACKING SYSTEM

### Quick Service Tournus 1750 mm (H) Polypropylene Shelf Racking (Corner Run Types).

	400mm Deep Rack			500mm Deep Rack			560 mm Deep Rack (G/N Size).		
Tiers	3	4	5	3	4	5	3	4	5
Rack Length (mm)	Model	Model	Model	Model	Model	Model	Model	Model	Model
649	PCA649 £198	PCB649 £239	PCC649 £282	PCD649 £220	PCE649 £268	PCF649 £316	PCG649 £214	PCH649 £258	PCI649 £302
749	PCA749 £208	PCB749 £251	PCC749 £298	PCD749 £224	PCE749 £272	PCF749 £321	PCG749 £227	PCH749 £274	PCI749 £323
849	PCA849 £227	PCB849 £277	PCC849 £330	PCD849 £234	PCE849 £285	PCF849 £338	PCG849 £246	PCH849 £300	PCI849 £355
951	PCA951 £246	PCB951 £303	PCC951 £363	PCD951 £256	PCE951 £315	PCF951 £375	PCG951 £266	PCH951 £325	PCI951 £387
1051	PCA1051 £252	PCB1051 £312	PCC1051 £373	PCD1051 £263	PCE1051 £323	PCF1051 £385	PCG1051 £278	PCH1051 £343	PCI1051 £409
1151	PCA1151 £263	PCB1151 £324	PCC1151 £389	PCD1151 £272	PCE1151 £337	PCF1151 £402	PCG1151 £288	PCH1151 £355	PCI1151 £425
1251	PCA1251 £272	PCB1251 £338	PCC1251 £405	PCD1251 £278	PCE1251 £345	PCF1251 £412	PCG1251 £298	PCH1251 £369	PCI1251 £441
1353	PCA1353 £291	PCB1353 £364	PCC1353 £437	PCD1353 £301	PCE1353 £375	PCF1353 £450	PCG1353 £320	PCH1353 £399	PCI1353 £479
1453	PCA1453 £298	PCB1453 £372	PCC1453 £448	PCD1453 £307	PCE1453 £383	PCF1453 £460	PCG1453 £330	PCH1453 £411	PCI1453 £494
1553	PCA1553 £307	PCB1553 £384	PCC1553 £464	PCD1553 £317	PCE1553 £397	PCF1553 £477	PCG1553 £340	PCH1553 £424	PCI1553 £511
1653	PCA1653 £317	PCB1653 £398	PCC1653 £480	PCD1653 £327	PCE1653 £409	PCF1653 £492	PCG1653 £352	PCH1653 £441	PCI1653 £533
1687	PCA1687 £441	PCB1687 £538	PCC1687 £639	PCD1687 £454	PCE1687 £553	PCF1687 £653	PCG1687 £480	PCH1687 £583	PCI1687 £690
1755	PCA1755 £337	PCB1755 £423	PCC1755 £512	PCD1755 £349	PCE1755 £439	PCF1755 £530	PCG1755 £372	PCH1755 £467	PCI1755 £564
1789	PCA1789 £460	PCB1789 £563	PCC1789 £671	PCD1789 £477	PCE1789 £583	PCF1789 £691	PCG1789 £500	PCH1789 £609	PCI1789 £722
1891	PCA1891 £480	PCB1891 £589	PCC1891 £702	PCD1891 £500	PCE1891 £613	PCF1891 £728	PCG1891 £518	PCH1891 £634	PCI1891 £754
1991	PCA1991 £486	PCB1991 £597	PCC1991 £714	PCD1991 £506	PCE1991 £621	PCF1991 £740	PCG1991 £531	PCH1991 £651	PCI1991 £776
2091	PCA2091 £492	PCB2091 £607	PCC2091 £724	PCD2091 £512	PCE2091 £630	PCF2091 £750	PCG2091 £544	PCH2091 £668	PCI2091 £797
2191	PCA2191 £506	PCB2191 £623	PCC2191 £746	PCD2191 £521	PCE2191 £643	PCF2191 £766	PCG2191 £551	PCH2191 £677	PCI2191 £808
2293	PCA2293 £525	PCB2293 £649	PCC2293 £778	PCD2293 £544	PCE2293 £673	PCF2293 £803	PCG2293 £573	PCH2293 £707	PCI2293 £846
2391	PCA2391 £521	PCB2391 £645	PCC2391 £773	PCD2391 £538	PCE2391 £664	PCF2391 £793	PCG2391 £573	PCH2391 £707	PCI2391 £846
2491	PCA2491 £531	PCB2491 £658	PCC2491 £788	PCD2491 £544	PCE2491 £673	PCF2491 £803	PCG2491 £583	PCH2491 £720	PCI2491 £861
2593	PCA2593 £551	PCB2593 £684	PCC2593 £821	PCD2593 £567	PCE2593 £702	PCF2593 £840	PCG2593 £606	PCH2593 £750	PCI2593 £899
2695	PCA2695 £570	PCB2695 £709	PCC2695 £853	PCD2695 £589	PCE2695 £732	PCF2695 £879	PCG2695 £627	PCH2695 £780	PCI2695 £936
2793	PCA2793 £567	PCB2793 £705	PCC2793 £848	PCD2793 £583	PCE2793 £724	PCF2793 £867	PCG2793 £624	PCH2793 £776	PCI2793 £931
2895	PCA2895 £586	PCB2895 £730	PCC2895 £880	PCD2895 £606	PCE2895 £754	PCF2895 £905	PCG2895 £647	PCH2895 £805	PCI2895 £968
2995	PCA2995 £592	PCB2995 £740	PCC2995 £890	PCD2995 £612	PCE2995 £762	PCF2995 £916	PCG2995 £657	PCH2995 £819	PCI2995 £985
3095	PCA3095 £602	PCB3095 £752	PCC3095 £906	PCD3095 £621	PCE3095 £776	PCF3095 £932	PCG3095 £666	PCH3095 £831	PCI3095 £1,000
3131	PCA3131 £732	PCB3131 £901	PCC3131 £1,075	PCD3131 £761	PCE3131 £936	PCF3131 £1,114	PCG3131 £810	PCH3131 £994	PCI3131 £1,185

\*Corner Racking Shelf Supports Included\*



\*Typical Corner Run Shown



## Quick Service Tournus 1750 mm (H) Polypropylene Shelf Racking (Corner Run Types).

	400mm Deep Rack			500mm Deep Rack			560 mm Deep Rack (G/N Size).		
Tiers	3	4	5	3	4	5	3	4	5
Rack Length (mm)	Model	Model	Model	Model	Model	Model	Model	Model	Model
3195	PCA3195 £612	PCB3195 £765	PCC3195 £922	PCD3195 £631	PCE3195 £788	PCF3195 £948	PCG3195 £679	PCH3195 £849	PCI3195 £1,022
3231	PCA3231 £746	PCB3231 £918	PCC3231 £1,097	PCD3231 £775	PCE3231 £954	PCF3231 £1,135	PCG3231 £816	PCH3231 £1,002	PCI3231 £1,196
3295	PCA3295 £621	PCB3295 £778	PCC3295 £938	PCD3295 £641	PCE3295 £801	PCF3295 £964	PCG3295 £692	PCH3295 £865	PCI3295 £1,043
3331	PCA3331 £752	PCB3331 £927	PCC3331 £1,107	PCD3331 £781	PCE3331 £962	PCF3331 £1,146	PCG3331 £829	PCH3331 £1,020	PCI3331 £1,216
3397	PCA3397 £641	PCB3397 £803	PCC3397 £970	PCD3397 £663	PCE3397 £831	PCF3397 £1,001	PCG3397 £712	PCH3397 £891	PCI3397 £1,075
3431	PCA3431 £761	PCB3431 £939	PCC3431 £1,124	PCD3431 £787	PCE3431 £970	PCF3431 £1,157	PCG3431 £838	PCH3431 £1,033	PCI3431 £1,233
3499	PCA3499 £660	PCB3499 £829	PCC3499 £1,002	PCD3499 £686	PCE3499 £861	PCF3499 £1,039	PCG3499 £730	PCH3499 £917	PCI3499 £1,107
3531	PCA3531 £771	PCB3531 £953	PCC3531 £1,140	PCD3531 £797	PCE3531 £984	PCF3531 £1,173	PCG3531 £849	PCH3531 £1,045	PCI3531 £1,249
3633	PCA3633 £791	PCB3633 £979	PCC3633 £1,172	PCD3633 £820	PCE3633 £1,014	PCF3633 £1,210	PCG3633 £871	PCH3633 £1,075	PCI3633 £1,286
3731	PCA3731 £791	PCB3731 £979	PCC3731 £1,172	PCD3731 £810	PCE3731 £1,000	PCF3731 £1,195	PCG3731 £867	PCH3731 £1,071	PCI3731 £1,281
3771	PCA3771 £947	PCB3771 £1,161	PCC3771 £1,384	PCD3771 £986	PCE3771 £1,208	PCF3771 £1,436	PCG3771 £1,024	PCH3771 £1,251	PCI3771 £1,487
3835	PCA3835 £820	PCB3835 £1,017	PCC3835 £1,221	PCD3835 £849	PCE3835 £1,052	PCF3835 £1,259	PCG3835 £903	PCH3835 £1,119	PCI3835 £1,340
3871	PCA3871 £954	PCB3871 £1,170	PCC3871 £1,395	PCD3871 £992	PCE3871 £1,216	PCF3871 £1,446	PCG3871 £1,037	PCH3871 £1,268	PCI3871 £1,508
3935	PCA3935 £829	PCB3935 £1,029	PCC3935 £1,236	PCD3935 £855	PCE3935 £1,061	PCF3935 £1,269	PCG3935 £913	PCH3935 £1,131	PCI3935 £1,357
4037	PCA4037 £849	PCB4037 £1,055	PCC4037 £1,268	PCD4037 £878	PCE4037 £1,091	PCF4037 £1,307	PCG4037 £935	PCH4037 £1,161	PCI4037 £1,394
4137	PCA4137 £855	PCB4137 £1,064	PCC4137 £1,279	PCD4137 £884	PCE4137 £1,099	PCF4137 £1,317	PCG4137 £945	PCH4137 £1,174	PCI4137 £1,410
4237	PCA4237 £864	PCB4237 £1,076	PCC4237 £1,295	PCD4237 £893	PCE4237 £1,112	PCF4237 £1,334	PCG4237 £955	PCH4237 £1,187	PCI4237 £1,426
4337	PCA4337 £867	PCB4337 £1,080	PCC4337 £1,301	PCD4337 £896	PCE4337 £1,117	PCF4337 £1,339	PCG4337 £964	PCH4337 £1,200	PCI4337 £1,442
4437	PCA4437 £881	PCB4437 £1,098	PCC4437 £1,321	PCD4437 £909	PCE4437 £1,133	PCF4437 £1,361	PCG4437 £973	PCH4437 £1,212	PCI4437 £1,457
4537	PCA4537 £887	PCB4537 £1,106	PCC4537 £1,333	PCD4537 £916	PCE4537 £1,142	PCF4537 £1,371	PCG4537 £984	PCH4537 £1,226	PCI4537 £1,474
4571	PCA4571 £1,011	PCB4571 £1,247	PCC4571 £1,491	PCD4571 £1,050	PCE4571 £1,294	PCF4571 £1,543	PCG4571 £1,114	PCH4571 £1,371	PCI4571 £1,637
4637	PCA4637 £900	PCB4637 £1,124	PCC4637 £1,354	PCD4637 £929	PCE4637 £1,159	PCF4637 £1,393	PCG4637 £999	PCH4637 £1,247	PCI4637 £1,501
4671	PCA4671 £1,021	PCB4671 £1,260	PCC4671 £1,507	PCD4671 £1,056	PCE4671 £1,303	PCF4671 £1,553	PCG4671 £1,124	PCH4671 £1,384	PCI4671 £1,653
4737	PCA4737 £906	PCB4737 £1,132	PCC4737 £1,365	PCD4737 £935	PCE4737 £1,168	PCF4737 £1,403	PCG4737 £1,006	PCH4737 £1,256	PCI4737 £1,511
4773	PCA4773 £1,040	PCB4773 £1,285	PCC4773 £1,539	PCD4773 £1,078	PCE4773 £1,333	PCF4773 £1,590	PCG4773 £1,146	PCH4773 £1,414	PCI4773 £1,690
4837	PCA4837 £916	PCB4837 £1,145	PCC4837 £1,381	PCD4837 £945	PCE4837 £1,180	PCF4837 £1,419	PCG4837 £1,019	PCH4837 £1,273	PCI4837 £1,533
4873	PCA4873 £1,050	PCB4873 £1,298	PCC4873 £1,555	PCD4873 £1,086	PCE4873 £1,341	PCF4873 £1,602	PCG4873 £1,156	PCH4873 £1,427	PCI4873 £1,707

\*Corner Racking Shelf Supports Included\*



# MAINTENANCE GUIDE

## Stainless Steel : Routine Cleaning.

### Electrical Isolation.



It is good practice to clean equipment immediately after use. All electrical equipment should be switched off and isolated from the main electrical supply before cleaning. Never hose down, wash, submerge or rinse any electrical parts on your equipment, as this can cause irreparable damage or an electrical hazard.

### General Cleaning.



Most substances or dirt can be removed with a warm damp cloth and a mild detergent, drying with a soft cloth to prevent water marks. For more stubborn substances, a non-abrasive multi purpose cream cleaner - without added bleach - may be used e.g. CIF original cream cleaner. This should be applied with a soft damp cloth. Heavy duty dirt and burnt on grease may require the use of a nylon scouring pad in conjunction with the multi purpose cleaner.

### Heavy Soiling Removal.



Oil, grease and fingerprints can generally be removed with a soap/water solution, but a hydrocarbon solvent may be required. Care must be taken to use the proper safety precautions if using solvents - in line with COSHH regulations.

Fingerprints on a cabinet trim and appliances with highly polished surfaces can be eliminated with a glass cleaner.

## Routine Cleaning : Preserving Equipment Finishes.

### Bleach Use - 'The 30 Minute Rule'.



Cleaning agents that contain sodium chlorite (Bleach) should not be left in contact with stainless steel. If bleach is necessary it should be used only in the strength prescribed by the manufacturers instructions & never left in contact with the surface for longer than 30 minutes.

### Preventing Surface Scratching In Stainless Steel.



Harsh abrasives and scouring materials should not be used for cleaning steel, as they leave scratches in the surface and damage the appearance of the equipment. Do not use wire brushes, scrapers or contaminated scouring pads. Any cleaning with a nylon scouring pad should be carried out along the line of the grain and not across it - to avoid scratching the steel.

### Beware 'Wet Surfaces' Left After Cleaning.



After use, always remove wet cleaning aids (such as cloths, pads, containers) from the surface, to avoid formation of water marks and stains. Most domestic dish-washing liquids contain chlorides & if they are left in long term contact with stainless steel, pitting corrosion may occur. Silver dip cutlery cleaners are particularly harmful as they contain strong acids which can very quickly cause discolouration and pitting of the stainless steel.



## Removing Common Stain Types On Stainless Steel Surfaces.

### Tannin/ Tea Stains



Tannin stains can be removed from steel by a hot solution of sodium carbonate (washing soda) and water. The solution can be applied with a soft cloth or sponge. This treatment should be followed by a wipe with a damp clean cloth, to remove any residue. Drying with a soft cloth on completion.

### Oily Deposits



An oily deposit may form inside containers if they are not cleaned regularly. This can be removed by filling the appliance with boiling water and adding sodium bicarbonate (baking powder). After 15 minutes the appliance should be drained, rinsed and dried with a soft cloth. If the oil

deposit is heavy, a mild multi-purpose cream cleaner may also be needed.

### Scratching



Scratching will be most noticeable on highly polished components. In particular the drainer area of sinks - where hard or heavy objects are likely to be placed. These marks are usually superficial and can be removed with a proprietary stainless steel cleaner/ polish. A useful alternative is a car paint restorer such as 'T-Cut'.

### Rust Marks



Under normal usage conditions, it is unlikely that these marks will be caused by the rusting of stainless steel itself, but are more likely to be the result of small particles of ordinary steel, which have become attached to the surface. & subsequently rusted. These brown marks are usually only superficial

and can be removed by using a soft damp cloth and a multi-purpose cream cleaner. • Occasionally it may be necessary to resort to a proprietary stainless steel cleaner, to return the surface to their original condition.

### Heat Discolouration



Heavy oxidation is unlikely to occur during normal usage. If heat discolouration does occur, slight abrasion of the surface will be required. The type of cleaner will depend upon the appliances original finish. A highly polished surface will require the use of proprietary stainless steel polish,

but slight scratching may occur during the polishing treatment. If the finish is directional, as in a ground or brush finish, then a nylon scouring pad/cloth in conjunction with the multi-purpose cream cleaner can be used. Note: do not use a steel or 'wire wool' scouring pad as this will cause highly visible marks and scratches.

# BESPOKE FABRICATION



## 5 STAR HOTELS | MICHELIN STAR RESTAURANTS CONSULTANCY SPECIFICATIONS



Counter build fabrication:  
2mm tops with MDF  
substrate and a stainless  
steel under cladding,  
to achieve that  
'Sandwich Construction'.



Fabricated first fix base  
plinths with back filled  
vermiculite  
for rodent prevention.



On-site welding and  
polishing of joints.



Integral horizontal and  
vertical service risers  
with task lighting and  
MCB boards.



Made-to-measure, cook  
suites, tanked bases, bull  
nose worktop edge details,  
mirror finishing, ceiling  
mounted gantries with  
heated / ambient lighting.

# KITCHEN CLASSICS

*Where only the best will do*



Our skilled workforce brings many valued years of experience in Bespoke Fabrication design and manufacture. This skills collective provides a smooth, professional site assembly and integration of services.



**FULLY  
INTEGRATED**



**PERFORMANCE**



**PRECISION FINISH**



# TASTY

*A flavour of our scope and abilities*

Bespoke counter build  
'Cook Suites' with drop-  
in / integral appliances.  
2mm worktops with  
a 5mm aluminium  
substrate to prevent heat  
distortion



# BESPOKE FABRICATION



5 STAR  
FABRICATION





Head Office  
Lancashire

CED Fabrications Limited  
Units A1-A4, Falcon Court  
Clayton Business Park  
Clayton-le-Moors,  
Hyndburn, Lancashire  
BB5 5JD

T: 01254 238 282  
F: 01254 238 228

T: 0151 545 2840

CED Fabrications Ltd,  
Units 4 & 5,  
Nexus Industrial Estate,  
Randles Road, Knowsley  
Prescot, Merseyside  
L34 9HX



Manufacturing Plant  
Merseyside



Manufacturing Plant  
Kent

CED Fabrications Ltd  
Building 3  
Sandwich Industrial Estate  
Sandwich, Kent  
CT13 9LY

T: 01304 617 377



Certificate Number 7895  
ISO 9001, ISO 14001



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)

**SALES LINE**  
**01254 238 282**

All prices exclude VAT - Free  
delivery applies to all orders over  
£350. All orders under £350 incur  
a £40 charge. Deliveries to UK  
mainland ONLY.

Quick Service range delivery stated as 2/6 full working days after order receipt, some mainland UK locations  
may be extended. Delivery days and times are estimates only, and while CED will take all reasonable actions  
to meet these estimates, these can vary without notice, due to conditions beyond our control.  
Working days are Monday to Thursday inclusive 8.30am to 4.30pm, Fridays 8.30am to 3.30pm.

Distributor stamp

w: [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)  
e: [sales@cedlimited.com](mailto:sales@cedlimited.com)