



## FABRICATION PRICE LIST 2022

OFF-THE-SHELF · TOURNUS EQUIPEMENT · MADE-TO-MEASURE · BESPOKE

# READY TO SERVE

With 3 manufacturing sites to better target our customers needs, CED are one of the most successful UK manufacturers of commercial catering equipment, with over 150 dedicated employees providing an extensive range of kitchen equipment.

At CED we pride ourselves on our innovative, stylish and reliable ranges of bespoke and standard commercial catering equipment.

As we continue to gain market share, our recent merger with Tournus Equipement confirms CED's investment in future business growth.

At the heart of our positive growth lies continued investment in ourselves. Staff training, product development, design software, component sourcing and manufacturing plant & processes.

The Tournus manufacturing partnership has enabled CED to extensively increase our UK product range like never before, introducing many new innovative commercial kitchen products, from plate dispensers to serving trolleys and beyond, all available in our Tournus Equipement Price List.

CED's unequalled capacity to fulfil our customers many diverse requirements, simply increases year on year.

Whether that need is for kitchen fabrication components, the latest in energy efficient drop in displays and patisseries, or the most complex of bespoke servery counters.

With a fleet of delivery vehicles operating from three fully equipped manufacturing and stock holding facilities, we're ready to serve !

Howard Rishton

Managing Director.

## CONTENTS

### In the Kitchen

Our Brands

What's new at CED 4-5

### Designline

#### Made-to-Measure Fabrication

Designline Fabrication 6-7  
Introduction

Wall & Centre Benches 8

Mounted Over Shelves 9

Sink Units 10

Dishwash Inlet/Outlet Tables 11

Roller Tables 12

Storage Racks 13

Pan Storage Shelves

Wall Shelves 14

& Microwave Shelves  
(Heavy & Medium duty)

Bucket Sinks, Wash hand basin, 15  
Combi Stands, Tundish

COSHH Storage Cupboards

Hot Cupboards 16

Heated Gantries 17

Hot Cupboard Bain Maries

Wall Cupboards 18

Base Cupboards

Coshh Cupboards w/ sink 19

Steel Guide 20

### Quick Service

#### Off-the-Shelf Fabrication

Quick Service Fabrication 21-22  
Introduction

QS Wall Benches 23

QS Wall & Centre Benches  
with Voids 24

QS Centre Benches 25

QS Corner & Angled Wall Benches 26

QS Single Bowl Sink Units 27

QS Double Bowl Sink Units 28

& Tap Accessories

QS Heavy Duty Wall Shelving 29

QS Pan Storage Shelving 30

QS Microwave Wall Shelving 31

QS Wall Cupboards 32

QS Lockable Wall Cupboards 33

### Tournus Equipement

#### Commercial Kitchen Equipment

Serving Trolleys 34

Stackable Gastronorm Serving  
Trolleys

Food Tray Storage Trolley 35

Gastronorm Container Trolley

Plate Storage Trolley 36

Rack & Tray Dollys 36

Dishwasher Basket Trolley 36

Plate Dispensers 37

TS 2000N Wash Hand Basins 38

GA & GC Wash Hand Bowls/Basins 39-40

Mobile Wash Hand Basins

Janitorial Sink, Sterilizing Cabinet 41

Insect Killers

Tournus Racking 42-46

Maintenance Guide 47

### Bespoke Fabrication

#### 5 Star Fabrication

Bespoke Fabrication Introduction 48

Bespoke Fabrication Examples 49-51

Site address & contact details 52



# in the Kitchen



Off-the-shelf  
fabrication range



Commercial kitchen  
equipment



Made-to-measure  
fabrication range



**BESPOKE  
FABRICATION**

5 Star bespoke  
fabrication

Our products & brands satisfy a wide range of catering markets and customer requirements.

**Quick Service Off-the-Shelf Range:** Our most popular sizes of commercial fabrication, self-draining single & double bowl sinks, wall, centre & corner benches, hinged, sliding & lockable cupboards, heavy duty shelving, stock available In 2-6 full working days after order.

**Tournus Commercial Kitchen Equipment:** Stocked items, and always available. Includes; trolleys, hand wash basins, plate dispensers, and janitor sinks.

**Designline Made-to-Measure Range:** Our classic catalogue of commercial kitchen fabrication from hot cupboards to sinks, always adapted to suit each made-to-measure environment. A full manufacturing drawing service, short lead time equipment, multiple options, cut-outs, notches, voids, all 304 gd. etc

**5 Star Bespoke Fabrication:** Consultant specified counter constructed fabrication, made to measure – full manufacturing drawings, cook suites, site welding and polishing of joints, tanked bases, integral service spines & race ways, 2mm worktops, bull nose worktop edge details, mirror finishing, ceiling mounted gantries with heated/ ambient task lighting.



Certificate Number 7895  
ISO 9001, ISO 14001



# WHAT'S NEW



PRICE LIST 2022

BAIN MARIE · CERAN · CHILLED WELL · MULTIDECK · PLUS MANY MORE



## NEW GLIDE DINING CARTS RANGE

The Glide Dining Carts range of modular heated, ambient and refrigerated systems creates a versatile, mobile servery counter system. Manufactured in stainless steel, the units feature plastisol front and panels that are aesthetically pleasing yet durable.

The wide array of features means that the carts can be customized to meet the individual needs of your business or institution. The carts can be either free standing / wall sited and combined together to form a fully functional angled or straight servery area. A variety of sizes, gantry options, and wall-sited alternatives ensure that no space is wasted.

## GLIDE PRICE LIST OUT NOW!



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)



## NEW DESIGNLINE ITEMS

We now have new items added to the designline fabrication range, including; coshh cupboards with sinks, tundishes & combi stands.





AVAILABLE  
WITHOUT  
RUNNERS

Combi stand with runners & without shown



## TOURNUS GASTRONORM COMBI GRIDS

Tournus GN combi grids available for very competitive prices, speak to our sales team for more information on this product!



Cossh cupboard with  
sink (open) shown

AVAILABLE  
IN 3 SIZES



Tundish shown

# MADE-TO-MEASURE FABRICATED KITCHENS



## DESIGNLINE



A perfect fit for your perfect kitchen

CED are now, quite simply, one of the UK's largest manufacturers of standard and bespoke steel catering fabrication, producing a wide range of fabrication to meet your every requirement. Automation is the key to our continued success. No other UK fabrication company has the need for robotic sink welding facilities.



# MADE-TO-MEASURE

## ANY SIZE | ANY COMBINATION



Designline is the benchmark of quality in the kitchen


Short lead in time orders are no problem to CED, once the standard/bespoke fabrication drawing has been produced, together with our lead time order acknowledgement, simply sign it off by the date we request and relax.

With a fleet of 13 delivery vehicles at our disposal, fabrication can be delivered to your project or premises, on time every time.



# WALL & CENTRE BENCHES

Wall Bench



Centre Bench



Part of the Made-to-Measure  
Designline Fabrication Range



## Main Features

- **Wall Bench:** Wall sited commercial s/steel solid top wall bench.
- **Centre Bench:** Free standing commercial s/steel solid top centre bench.
- Worktop constructed in 304 gd (1.5 thk.) s/steel supported on 30 x 30 box section 430 gd (1.2 thk.) and fully welded framework.
- Welded low level 430 gd (1.2 thk.) s/steel storage under-shelf.
- Available in 600, 900, 1200, 1500, 1800, 2100, 2400, 2700 & 3000 mm standard lengths.
- Each bench length is also available up to 850mm deep.
- Standard bench height is 900 mm – to suit most kitchen area back counters.
- Steel worktop features 50 mm down stand to each edge.
- **Wall Bench:** 50 mm splashback/wall up stand to rear of worktop.
- **Centre Bench:** Can be used as an island unit.
- **Wall Bench:** Legs inset 100 mm to the rear, to allow for service pipework behind.
- **Centre Bench:** Legs inset 25 mm to the rear & 50 mm at each end of worktop.
- Frame fitted with flanged levelling feet for mechanical fixing to floor surface.

## Wall and Centre Benches

Length	Up to 650mm deep	Up to 700mm deep	Up to 850mm deep
600mm	£330	£353	£374
900mm	£374	£387	£444
1200mm	£421	£441	£497
1500mm	£462	£496	£546
1800mm	£508	£547	£616
2100mm	£571	£617	£685
2400mm	£623	£675	£755
2700mm	£738	£798	£865
3000mm	£790	£855	£926



\*Option: Drop Down Bench Top  
(Fully Welded One Piece) Shown.

## Options - Additional Undershelf

Length	650mm deep	700mm deep	850mm deep
600mm	£61	£73	£73
900mm	£80	£87	£87
1200mm	£95	£108	£108
1500mm	£109	£128	£128
1800mm	£127	£147	£147
2100mm	£139	£162	£162
2400mm	£157	£183	£183
2700mm	£213	£239	£239
3000mm	£226	£256	£256

\* All 304gd - £ P.O.A.

## Options - Wall/Centre Bench Worktop

Product	Price
Cable Management Port	£27
Additional Upstand Left or Right	£37
Partial Upstand	£37
Drop down to bench top end (separate top)	£189
Drop down to bench to centre (separate top)	£283
Drop down bench top (fully welded one top)	£382
Reinforced top (per 300m)	£20
Sound Deadening (per 300mm)	£10
Cut out in top	£37
Notch around column bench top centre	£128
Notch around column bench top end	£108
Welded Joint/ Joint to make L Shape	£283
Bolted Joint	£159
Chamfer 100x100	£82
Angled Top	£119
Additional Cost for All 304 Grade £74 per metre	

## Options - Wall/Centre Bench Bowls


Product	Price
Bowl 610x450x300mm	£472
Bowl 500x400x300mm	£457
Bowl 400x400x300mm	£442
Bowl 760x510x380mm	£922
Bowl cover	£170
Hand wash basin set into top (small)	£320
Hand wash basin set into top (large)	£320
Localised Anti Drip around bowl	£281
Localised Anti Drip around centre bowl	£458

**Taps options - see sink units section  
P.36**

# (WALL/CENTRE BENCH) MOUNTED OVERSHELF



Ambient Triple Tier Overshelf



**Made in the UK**

Part of the Made-to-Measure Designline Fabrication Range



## Options - Wall/ Centre Bench Drawers

Product	Price
400x400 drawer	£163
400x400 drawer (set of two)	£313
400x400 drawer (set of three)	£592
Gn Drawer inc 1/1 container	£210
Gn Drawer inc 1/1 container (set of two)	£387
Gn Drawer inc 1/1 container (set of three)	£675
Lock for drawer	£50

## Options - Wall/Centre Bench Frames

Product	Price
Bank of 3 runners left/right	£199
Bank of 3 runners centre	£265
Bank of 6 gn runners	£322
Part void to centre (with tie bar)	£151
Part void to end (with tie bar)	£84
Straight/ U shape tie bar in lieu of undershelf	£8
Removable tie bar	£48
Angled Underframe	£115
Removable undershelf	£49
Castors (2 braked, 2 unbraked)	£109

## Overshelves - Main Features

- **Single Tier:** 450 mm high overhead steel single tier storage shelf
  - **Double Tier:** 700 mm high overhead steel double tier storage shelf
  - **Triple Tier:** 900 mm high overhead steel triple tier storage shelf
- All versions manufactured from 1.2 mm thick 430 gd. with 30 x 30 steel box section gantry frame in 430 gd 1.2 thk.
- Shelves are mounted directly on to steel worktop.
  - For ambient storage, can be used as local food preparation/ingredient store shelf
  - Available in 600, 900, 1200, 1500, 1800, 2100 or 2400 mm standard lengths.
  - Available in 300, 400 or 500 mm standard depth.
  - Ambient use.



\*Option: Part Void to End (With Tie bar) Shown.

\*\*Option: Additional Undershelf, 1500mm Shown.

## (Wall/Centre Bench) Mounted Overshelf

### Single Tier, Ambient

Length	300mm deep	400mm deep	500mm deep
600mm	£238	£285	£315
900mm	£253	£305	£340
1200mm	£271	£329	£363
1500mm	£265	£344	£384
1800mm	£303	£367	£404
2100mm	£317	£385	£427
2400mm	£335	£404	£447

For cantilevered overshelf add £52 to above prices.  
All 304 gd - £ P.O.A.

### Double Tier, Ambient

Length	300mm deep	400mm deep	500mm deep
600mm	£278	£336	£374
900mm	£303	£382	£425
1200mm	£329	£396	£438
1500mm	£349	£424	£471
1800mm	£374	£453	£502
2100mm	£398	£483	£535
2400mm	£421	£509	£567

For cantilevered overshelf add £52 to above prices.  
All 304 gd - £ P.O.A.

### Triple Tier, Ambient

Length	300mm deep	400mm deep	500mm deep
600mm	£314	£385	£436
900mm	£349	£461	£509
1200mm	£384	£464	£514
1500mm	£414	£502	£556
1800mm	£448	£539	£599
2100mm	£477	£577	£643
2400mm	£509	£617	£685

For cantilevered overshelf add £52 to above prices.  
All 304 gd - £ P.O.A.

# SINK UNITS

Single Bowl

WIPE DOWN  
DRAINERS

**SOLID:**  
1.5 thk.  
worktops in  
rust-free  
stainless steel

**CHOICE  
OF 3 BOWL  
SIZES:**  
from 48 to 80  
litre capacity

Double Bowl

WIPE DOWN  
DRAINERS

**MADE-TO-  
MEASURE:**  
Flexible sizes to  
suit your kitchen  
environment

**ANTI DRIP  
MOULD:**  
Prevents  
water spillage

## Options - Sink Taps



Set - ½"  
basin taps,  
dome head  
£54

Set - ½"  
basin taps,  
lever arm  
£89

Set - ½" high  
neck pillar taps,  
dome head  
£67

Set - ½" high  
neck pillar  
taps, lever arm  
£79

Set - ½" mixer  
tap, dome  
head  
£98

Set - ½" mixer  
tap, lever arm  
£158

Set - ½" mono  
block mixer tap,  
dome head  
£112

Set - ½" mono  
block mixer  
tap, lever arm  
£163

Tournus  
sensor tap  
£517

## Single Bowl Sink Unit

Length	600mm deep	650mm deep	700mm deep	800mm deep
900mm*	£876	£876	£876	£889
1200mm	£927	£927	£927	£961
1500mm	£977	£977	£977	£1,033
1800mm	£1,063	£1,063	£1,063	£1,110
2100mm	£1,122	£1,122	£1,122	£1,187
2400mm	£1,191	£1,191	£1,191	£1,255

## Double Bowl Sink Unit

Length	600mm deep	650mm deep	700mm deep	800mm deep
1500mm	£1,390	£1,390	£1,390	£1,432
1800mm	£1,454	£1,454	£1,454	£1,509
2100mm	£1,520	£1,520	£1,520	£1,580
2400mm	£1,585	£1,585	£1,585	£1,654
2700mm	£1,717	£1,717	£1,717	£1,788
3000mm	£1,780	£1,780	£1,780	£1,870

## Options - Sink Unit Tops

Product	Price
Additional Upstand Left or Right	£37
Partial Upstand	£37
Reinforced top (per 300mm)	£20
Sound Deadening (per 300mm)	£10
Cut out in top	£37
Notch around column bench top centre	£128
Notch around column bench top end	£108
Bolted Joint	£159
Welded Joint/ Joint to make L Shape	£283
Chamfer to sink 100x100mm	£111
Angled Top	£119

Additional Cost for All 304 Grade £64 per metre

## Options - Sink Unit Bowls

Product	Price
Extra for 760x510x380mm deep	£436
Extra for each hand made bowl	£528
Hand wash basin set into top (small)	£320
Hand wash basin set into top (large)	£320
Bowl made ready to accept waste disposal	£68
Bowl cover	£170

## Options - Sink Unit Valences

Product	Price
1200 Valance fully welded 300mm deep	£85
1500 Valance fully welded 300mm deep	£98
1800 Valance fully welded 300mm deep	£105
2100 Valance fully welded 300mm deep	£113
2400 Valance fully welded 300mm deep	£127
2700 Valance fully welded 300mm deep	£137
3000 Valance fully welded 300mm deep	£157

## Main Features

- **Single Bowl Type:** Free standing commercial s/steel single bowl sink unit with left or right hand drainer worktop.
- **Double Bowl Type:** Free standing commercial s/steel double bowl sink unit with left & right hand drainer worktop.
- Worktop constructed in 304 gd (1.5 thk.) s/steel with 304 gd (1.2 thk.) s/steel bowl, supported on 30 x 30 box section 430 gd (1.2 thk.) fully welded framework.
- Welded low level 430 gd (1.2 thk.) s/steel storage under-shelf.
- **Single Bowl Type:** Available in 900, 1200, 1500, 1800, 2100 & 2400mm standard lengths.
- **Double Bowl Type:** Available in 1500, 1800, 2100, 2400, 2700 & 3000 mm standard lengths.
- Option of 3 bowl sizes:
  - 610 long x 450 wide x 300 mm deep (80 Ltr.).
  - 500 long x 400 wide x 300 mm deep (60 Ltr.).
  - 400 long x 400 wide x 300 mm deep (48 Ltr.).
- Each sink unit length also available in 600, 650, 700 & 800 mm depths.
- Standard sink height is 900mm – to suit most kitchen area back counters.
- Drainer worktop features ribbed drainer pattern, enabling less surface contact whilst drying dishes etc.

- Drip mould edging surround to worktop area prevents water spillage.
- 50 mm splashback/wall upstand to rear of worktop.
- **Single Bowl Type:** Supplied with waste fitting and strainer waste for bowl.
- **Double Bowl Type:** Supplied with 2 no. waste fittings and 2 no. strainer wastes for bowls
- Sink unit legs inset 100 mm to the rear, to allow for service pipework behind.
- Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- Taps, waste traps & waste pipes are not supplied.
- **\*Single Bowl Type:** 900 mm long single bowl sink unit available with 400 long x 400 wide x 300 mm deep bowl only, when drainer required.

## Options - Sink Unit Frames

Product	Price
Part void to centre (with tie bar)	£151
Part void to end (with tie bar)	£84
Straight/ U shape tie bar in lieu of undershelf	£8
Removable tie bar	£48
Removable undershelf	£49
Angled Underframe	£115



# DISHWASH INLET/OUTLET TABLES

## Pricing Dishwash Tables (Example) Inc. Undershelf

Price	
Table top 1500 x 685 x 865	£563
610 x 450 x 300 Bowl	£381
700 Splashback	£147
Pre-Rinse Arm	£364
<b>Total (List Price)</b>	<b>£1,455</b>

## Dishwash Inlet/ Outlet Tables

**ANTI DRIP  
MOULD:**  
Prevents  
water spillage

**HYGIENIC:**  
Splash guards  
fitted

## ONE END OF TABLE IS FLAT:

Forming an  
inlet or outlet  
for dishwash  
baskets



WIPE DOWN  
DRAINERS

**EXTENSIVE  
CHOICE:**  
Of options &  
accessories



Part of the  
Made-to-Measure  
Designline Fabrication  
Range



## Purpose made commercial s/steel solid top dishwash inlet/ outlet table – selected from a choice of :

- A) Dishwash Inlet/ Outlet Table Top - General Sizes.
- B) Dishwash Inlet/ Outlet Table - Top Options.
- C) Dishwash Inlet/ Outlet Table - Frame Options.

## A) General Sizes - Dishwash Inlet/ Outlet Table Top. (Inc. Undershelf)

Length	685mm deep	900mm deep
600mm	£515	£558
900mm	£577	£613
1200mm	£643	£683
1500mm	£698	£739
1800mm	£755	£801
2100mm	£811	£879
2400mm	£865	£936

## C) Frame Options - Dishwash Inlet/Outlet Table

Product	Price
Dishwash frame - bank of three s/steel basket runners (580 wide). 520mm between runners	£264
Dishwash frame - additional pair s/steel basket runners (c/w braked castors) no top	£27
Part void to centre (with tie bar)	£151
Part void to end (with tie bar)	£84
Full Length Void (in lieu of undershelf) with Tie Bar	-£54

## Main Features

- > Inlet/ outlet table top constructed in 304 gd (1.5 thk.) s/steel supported on 30 x 30 box section 430 gd. (1.2 thk.) framework.
- > Inlet/ outlet table top has anti drip mould to three sides – rear edge wider to accept optional taps.
- > One end of table top is flat – forming an inlet or outlet for dishwash baskets.
- > Dishwash table top is manufactured at 865 mm standard height – to connect to a commercial pass through dish wash machine. (other heights available)
- > Dishwash inlet/ outlet table tops available in 600, 900, 1200, 1500, 1800, 2100 & 2400 mm standard lengths.
- > Each Dishwash inlet/ outlet table top length also available in 685 & 900 mm standard depths – to suit site position/ size of dish washing machine.
- > S/steel under shelf frame option made in 1.2 thk. 430 gd.



## B) Top Options - Dishwash Inlet/Outlet Table

### Options - Dishwash Bowls

Product	Price
Bowl 610x450x300mm deep	£472
Bowl 500x400x300mm deep	£457
Bowl 400x400x250mm deep	£442
Bowl 760x510x380mm deep	£922
Bowl cover	£170
Hand Wash Basin Welded into top	£320
W.D.U Connection (in bowl base)	£68
Localised Anti Drip Mould to Centre Bowl	£458

### Options - Dishwash Splashguards

Product	Price
Splashguard 700mm	£183
Splashguard 1200mm	£253
Splashguard 1500mm	£289
Splashguard 1800mm	£326
Splashguard 2100mm	£363
Splashguard 2400mm	£400

### Options - Dishwash Tops

Product	Price
Rubber scrapping block inset into top	£160
Manufactured Scrap Chute (200 x 200)	£222
Cut-out for Cutlery Catcher	£37
W.D.U Hopper welded into top	£183
Joint to make L-shaped unit	£283
Pre Rinse Arm	£457

### Options - Dishwash Basket Shelves

Product	Price
Wall mounted basket shelf / metre	£230
Bench mounted overshelf / metre	£251
Bench mounted basket shelf / metre	£285
Additional Cost for All 304 Grade £64 per metre	

# ROLLER TABLES

## Roller Table

### COMPATIBLE TABLE END:

To suit leading dish wash machine manufacturers, (Angelo Po, Hobart Electrolux, etc)

### HYGIENE:

Fully welded deep well basket area

Part of the  
Made-to-Measure  
Designline  
Fabrication Range



A purpose made dish wash basket roller table can be produced by selecting from a choice of:

- A) Roller Table Top – General Sizes.
- B) Roller Table – Top Options.
- C) Roller Table – Frame Options.

## Main Features

- Roller table top constructed in 304 gd (1.5 thk.) s/steel supported on 30 x 30 box section 430 gd. (1.2 thk.) open framework.
- Roller table top has a fully welded deep well area in the steel base – nylon rollers mount to the side walls, to facilitate the smooth passage of dish wash baskets over.
- The roller table can also be used either as an inlet or outlet table, adjacent to dish wash machine.
- Includes an open steel box section support frame under as standard.
- One end of table top is flat – forming an inlet or outlet for dish wash baskets.
- Roller table top is manufactured at 865 mm standard height – to connect to a commercial pass through dish wash machine.
- Roller table tops are available in 900, 1200, 1500 & 1800 mm standard lengths.
- Each roller table top length is also available in either 685 & 900 mm standard depths – to suit site position/size of dish washing machine.
- S/steel under shelf frame option made in 1.2 thk. 430 gd.
- Bespoke table lengths/ heights are available on request.

### A) General Sizes Roller Inlet/Outlet Table Top.

Length	685mm deep
900mm	£1,429
1200mm	£1,665
1500mm	£1,903
1800mm	£2,142

\* Roller tables include leg sets with open frame as standard. (as image shown).

### B) Top Options - Roller Inlet/Outlet Table

Product	Price
S/Steel bowls (Set In Well Area Of Top)	
610 x 450 x 300 mm deep.	£472
500 x 400 x 300 mm deep.	£457
400 x 400 x 300 mm deep.	£442
Rear Steel Splash Guard To Bowl (380mm High)	
700 mm length	£183
1200 mm length	£253
1500 mm length	£289
1800 mm length	£326
Wall Mounted Angled Basket Shelf ( c/w Front Up Stand)	
510mm deep x per metre length	£230
Waste Disposal Unit Connection (To Inlet Bowl Base)	
Hole size to suit W.D.U.	£68
Joint To Form L-Shaped Inlet/Outlet Top	£283
Scrapping Chute – Steel (Welded Into Inlet Side Top)	
200 x 200 x 50 mm deep.	£222
Bench Mounted Basket Shelf	£285

### C) Frame Options Roller Inlet/Outlet Table.

Product	Price
Roller Table Frame – Additional Leg Set	
865 mm high or to suit dishwasher	£68
Roller Table Frame – S/steel Under Shelf (685mm deep)	
900 mm long (add)	£80
1200 mm long (add)	£95
1500 mm long (add)	£109
1800 mm long (add)	£127
Roller Table Frame – Part Void End	£84
Roller Table Frame – Part Void Centre	£151
All 304 gd. construction roller table, (per m)	£78
Bespoke roller table length, depth or height on request	£ P.O.A.



### QUALITY:

Rust proof  
stainless steel  
fastenings

# STORAGE RACKS (SOLID/PERFORATED SHELVING)

Solid



\* Mobile rack option shown

Perforated



**STABILITY:**  
Fully welded  
frame  
construction

**PERFORATED  
SHELVING:**  
Allows air  
circulation



\* Storage rack -  
solid shelving

Part of the Made-to-  
Measure Designline  
Fabrication Range



\* Storage rack -  
perforated shelving



## Main Features

- Commercial s/steel 3 or 4 tiered shelf racking.
- Ideal for many types of kitchen equipment storage - from utensils to containers.
- Solid Shelving:** Solid folded tray shelving constructed in 430 gd 1.2 thk. s/steel.
- Perforated Shelving:** Perforated folded tray shelving constructed in 430 gd 1.2 thk. s/steel.
- Fully welded construction with 430 gd 1.2 thk. 30mm s/steel box framing.
- Frame fitted with adjustable height flanged feet for securing to a finished floor surface
- Available in two heights, 1500 mm & 1800 mm high.
- 1500 mm height racks have 3 tiers of shelving.
- 1800 mm high racks have 4 tiers of shelving.
- Standard rack depth 540 mm.
- Available in 900, 1200, 1500, 1800 & 2100 mm lengths.

## Solid Shelf Racks - 3 & 4 Tier

Length	Depth	Height	No of tiers	Price
900mm	540mm	1500mm	3	£400
1200mm	540mm	1500mm	3	£461
1500mm	540mm	1500mm	3	£517
1800mm	540mm	1500mm	3	£574
2100mm	540mm	1500mm	3	£627
900mm	540mm	1800mm	4	£514
1200mm	540mm	1800mm	4	£589
1500mm	540mm	1800mm	4	£666
1800mm	540mm	1800mm	4	£739
2100mm	540mm	1800mm	4	£816

\* All 304gd. - £ P.O.A.

## Perforated Shelf Racks - 3 & 4 Tier

Length	Depth	Height	No of tiers	Price
900mm	540mm	1500mm	3	£400
1200mm	540mm	1500mm	3	£461
1500mm	540mm	1500mm	3	£517
1800mm	540mm	1500mm	3	£574
2100mm	540mm	1500mm	3	£627
900mm	540mm	1800mm	4	£514
1200mm	540mm	1800mm	4	£589
1500mm	540mm	1800mm	4	£666
1800mm	540mm	1800mm	4	£739
2100mm	540mm	1800mm	4	£816

\* All 304gd. - £ P.O.A.

## Options - Storage Racks

Product	Price
Mobile rack - set of castors (2 no. braked).	£75
Non standard rack sizes available on request.	£ P.O.A.


\* All 304gd. - £ P.O.A.



## Pan Storage Shelf

### Main Features - Pan Storage Shelf

- Commercial s/steel open framed heavy duty pot drainage rack, supported on fully welded cantilever box section brackets.
- Perfect for back of house utensil storage.
- Available in 600, 900, 1200, 1500, 1800, 2100 and 2400 mm lengths x 300 mm deep.
- Each rack length available 300, 400 or 500 mm deep.
- Durable 10 mm diameter integral 304 gd. steel rods form open shelving area.
- Outer rack perimeter frame in fully welded 430 gd 1.2 thk. 30 mm box section.



- Pre-drilled box section support brackets, for fixing insitu. (Fixings not supplied).
- Additional box section support brackets provided, depending on the shelf length selected.

### Options

Non standard sizes available on request.

## Pan Storage Shelf

Length	300mm deep	400mm deep	500mm deep
600mm	£223	£266	£321
900mm	£244	£292	£349
1200mm*	£263	£315	£375
1500mm*	£321	£383	£458
1800mm*	£340	£410	£490
2100mm*	£359	£430	£514
2400mm*	£375	£451	£543

\* All 304gd. - £ P.O.A.



# WALL SHELVES - (HEAVY DUTY)

## Main Features

- Commercial s/steel shelving supported on cantilever folded steel brackets, perfect for back of house utensil/ container & equipment storage.
- Available in 600, 900, 1200, 1500, 1800, 2100 and 2400 mm lengths x 300 mm deep.
- Durable 1.2 mm thick 430 gd. solid steel shelf.
- Steel shelf has a 35 mm deep turn down to 3 faces and a rear wall up stand of 20 mm.
- Each shelf length available 300, 400 or 500 mm deep.
- Supplied with 430 gd 1.2 thk. 30 mm sq box section bracket support framing.
- Pre-drilled L-shaped box section support brackets, for fixing insitu. (Fixings not supplied).
- Additional box section support brackets provided, depending on the shelf length selected.

## Options

Non standard sizes available on request.



Box Section  
Brackets Wall Shelf  
(Heavy Duty)

**REAR  
UPSTAND:**  
Prevents wall  
damage

## Wall Shelves - Box Section Brackets

### Box Section Brackets (Heavy Duty)

Length	Brackets	300mm deep	400mm deep	500mm deep
600mm	2	£101	£113	£138
900mm	2	£109	£126	£152
1200mm	2	£117	£138	£166
1500mm	3	£133	£168	£201
1800mm	3	£148	£181	£214
2100mm	3	£161	£195	£235
2400mm	4	£186	£224	£271

\* All 304gd. - £ P.O.A.

## MICROWAVE SHELF (HEAVY DUTY)



**PRACTICAL:**  
Flexible  
positioning of grills  
and microwave  
ovens



## MICROWAVE SHELF (MEDIUM DUTY)

## Main Features

- Commercial heavy duty s/steel microwave shelf.
- Shelf constructed from 1.2 mm thick 430 gd. s/steel.
- Mounted on cantilever type welded 430 gd. 1.2 thk. 30 mm box section wall brackets.
- Available as 600 mm long x 450 mm deep.
- Available as 600 mm long x 600 mm deep.
- Pre-drilled box section support brackets, for fixing insitu. (Fixings not supplied).
- Shelf strengthened with 32 mm turn down to edges/ rear up stand of 30 mm.
- Electrical cable of microwave can pass behind shelf up stand when insitu

## Options

Non standard sizes available on request.

### Microwave Shelf (Heavy Duty)

Length (mm)	Strength	Depth (mm)	Price
600 max	heavy duty	450	£266
600 max	heavy duty	600	£281

\* All 304gd. - £ P.O.A.

### Microwave Shelf (Medium Duty)

Length (mm)	Strength	Depth (mm)	Price
600	medium duty	450	£180
600	medium duty	600	£196

\* All 304gd. - £ P.O.A.

## Main Features - Microwave Shelf

- Commercial medium duty s/steel microwave shelf.
- Constructed from 1.2 mm thick 430 gd. s/steel
- Available as 600 mm long x 450 mm deep.
- Available as 600 mm long x 600 mm deep.
- 3 sided folded shelf and folded return side cheeks for strengthening.
- Side cheeks pre-drilled for wall fixing. (Fixings not supplied).
- Folded 30 mm front turn down to front edge for strengthening.

## Options

Non standard sizes available on request.

Part of the Made-to-  
Measure Designline  
Fabrication Range



## BUCKET SINK



Bucket Sink

### PRACTICAL:

Locate under a wall tap to fill and rinse your mop buckets

### Bucket Sink

Size (mm)	Price
550 x 520 x 450 (h)	£677

### Main Features

- Commercial free standing s/steel bucket sink, frame and bucket rest insert – 550 mm wide x 520 mm deep x 450 mm high.
- Worktops constructed in 304 gd (1.5 thk.) s/steel with 304 gd (1.2 thk.) s/steel bowl, supported on 30 x 30 box section 430 gd (1.2 thk.) framework.
- Low height floor standing bucket sink/ stand for use with a wall mounted overhead tap & local floor drain.
- Worktop has 50 mm up stand to rear & houses a 300 mm deep s/steel bowl and waste outlet in the bottom, for positioning over a floor gully.
- Supplied with removable sit on perforated steel bucket rest.
- Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- Taps, waste traps & waste pipes are not supplied.

## COSHH/STORAGE CUPBOARDS

### Main Features

- Storage Cupboard:** Free standing commercial s/steel, fully enclosed storage cupboard.
- C.O.S.H.H. Cupboard:** Free standing commercial s/steel, fully enclosed C.O.S.H.H. hazardous materials storage cupboard.
- Four tier storage internally.
- 30 mm deep welded base shelf (1 no.)
- 30 mm deep fixed mid shelf. (1 no.)
- 2 no. Adjustable mid shelves.
- Storage Cupboard:** Outer panels & doors constructed in 430 gd (0.9 thk.) s/steel.
- C.O.S.H.H. Cupboard:** All 304 gd s/steel – outer panels/ locking doors in 304 gd (0.9 thk.) s/steel.
- Storage Cupboard:** Base and mid shelving in 430 gd (1.2 thk.)
- C.O.S.H.H. Cupboard:** Base and mid shelving in 304 gd (0.90/1.2 thk.) s/steel.
- Standard cupboard height 1800 mm.
- Available in 600, 900 or 1200 mm standard lengths.
- Available in 450 or 600 mm deep.
- Fitted with side hung steel doors, mounted on sturdy cabinet hinges with D handles.
- All doors constructed from inner/ outer panel work in s/steel.
- Full height rear back panel to cupboard base.
- Cupboard legs fitted with adjustable height feet, for positioning & fixing to a floor surface on site.
- Standard leg height of cupboard set at 135 mm (door to floor) – to suite with other CED equipment/ adjacent counter kick plinth heights.

### COSHH/Storage Cupboards



Adjustable shelving.

**FLEXIBILITY:**  
2 fixed and  
2 adjustable  
height shelves

## COMBI OVEN STAND



Combi Oven Stand  
(with runners)



Combi Oven Stand  
(without runners)

Option for Castors £141 in lieu of standard feet.

\*Various bespoke sizes available to suit all combi oven manufacturers equipment - £ POA.

### Combi Oven Stand

Length	Depth	Height		Price
916mm	640mm	720mm	40mm x 40mm Box Section Framework with Flanged Feet	£513
916mm	640mm	720mm	40mm x 40mm Box Section Framework with Flanged Feet, two Banks of Seven Gn 1:1 Runners (Portrait)	£1,137

## TUNDISH



### Tundish

Length	Depth	Height	Price
250mm	100mm	140mm	£222

### COSHH/Storage Cupboards

Length	Height	Depth	
		450mm	600mm
430 Grade Stainless Steel (Storage Cupboard)			
600mm	1800mm	£1348	£1393
900mm	1800mm	£1782	£1859
1200mm	1800mm	£2214	£2327
304 Grade Stainless Steel (COSHH Cupboard)			
600mm	1800mm	£1400	£1686
900mm	1800mm	£1972	£2238
1200mm	1800mm	£2691	£2791

### Options - COSHH/Storage Cupboard

Product	Price
Lockable doors (Storage cupboard) – 2 no. suited keys per lock.	£50
Flush steel door handles. (Inset steel handles replace the standard D handle).	£ F.O.C.
Mobile storage cupboard – Set of castors (2 braked – max load 210 Kg).	£111
COSHH/Storage cupboard – Non standard size (Standard material specification applies).	£ P.O.A.

Part of the Made-to-Measure Designline Fabrication Range



# HOT CUPBOARDS

Plain Top Hot Cupboard



**FLEXIBLE:**  
Rolls under  
a kitchen or  
counter top

Roll Under Hot Cupboard

Option - Digital temperature display



**EASY  
CLEAN:**  
Lift Out doors

Pass through option



## Main Features

- **Plain Top:** Freestanding s/steel insulated hot cupboard with plain steel strengthened worktop.
- **Roll Under:** Mobile s/steel insulated hot cupboard with plain steel worktop.
- Constructed in 0.9mm 430gd s/steel panel work with 1.5mm thick 304 gd s/steel worktop.
- **Plain Top:** Available as either 850mm or 900mm worktop height as standard.
- **Roll Under:** Available as 650 mm worktop height as standard, for seamless integration in a servery counter.
- Fitted with set of sliding s/steel doors to operator side of hot cupboard.
- Fully removable s/steel mid shelf with supporting removable box section steel bars.
- Single control panel is mounted to operator right hand side of cupboard.
- Supplied with individual rotary thermostatic temperature control for hot cupboard.
- Illuminating individual On/Off switch for heated section & separate indicator light showing 'heating power on'.
- **Plain Top:** Adjustable height levelling feet for accurate final site positioning.
- **Roll Under:** Mounted on braked castors for accurate final site positioning.
- Fully removable control panel section, for improved service access.
- **Plain Top:** Supplied in a standard depth of 700mm for optimum heated storage space.
- **Roll Under:** Supplied in a standard depth of 650mm for optimum heated storage space within a counter void.
- Supplied with plug top and 2M lead (>3kW).

**PRACTICAL:**  
Dual access for  
restricted working  
spaces

### Plain Top Hot Cupboard

Length	Depth	Height	Power (kw)	Price
900mm	700mm		1.5	£1962
1200mm	700mm		1.5	£2157
1500mm	700mm	850mm	2.0	£2377
1800mm	700mm	or 900mm	2.5	£2611
2100mm	700mm		3.0	£3005
2400mm	700mm		3.0	£3117

\* Control panel to right hand side. If required to left then specify with order: no cost option.

\* All 304 gd. - £ P.O.A.

### Roll Under Hot Cupboard

Length	Depth	Height	Power (kw)	Price
900mm	650mm	650mm	1.0	£2204
1200mm	650mm	650mm	1.5	£2314
1500mm	650mm	650mm	2.0	£2424
1800mm	650mm	650mm	2.5	£2538

\* All 304 gd. - £ P.O.A..

### Options - Hot Cupboards

Product	Price
<b>Plain Top &amp; Roll Under</b>	
Digital temperature display (776)	£102
Fan assisted hot cupboard	£94
Optional heights and depths available	£235
Digital Thermostat	£297
<b>Plain Top Only</b>	
Conversion to mobile (100mm Diam. wheels - 2 locking)	£69
Pass through (Additional doors - all sizes)	£359

## Installation-Roll-Under Hot Cupboard:

A 50mm clearance void is recommended around the hot cupboard within counter void, to circulate warm air created.



**Made in  
the UK**

Part of the Made-to-Measure Designline Fabrication Range





# HEATED GANTRY (TIERED)

## Main Features

- > Heated gantry can be added above plain top, pass-through or bain marie type hot cupboard worktops.
- > Gantry can be independently fitted to other equipment (Serving pass etc).
- > Available in single, double and triple tier heated versions.
- > Ideal for short term heated meal/plate storage etc.
- > Heated solid steel shelf/ pass is supported on sturdy steel box section gantry.
- > Individual 300 w quartz infra red holding lamps sited under the shelf surface, 1 per gastronorm section (350mm centres)
- > Gantry lengths to suit all CED standard hot cupboards.
- > Fitted with dimmer control switches to each heated shelf.

- > (<3kw) Gantry wired integrally to hot cupboard control panel and supplied with 2M single electrical cable & 13 amp plug top.
- > (>3kw) Wired integrally and supplied with 2M cable only, will need to be hard wired or fitted with commando plug.

## Heated Gantry (Tiered)

Tier type	Length	Lamps	Depth	Height	Power (kw)	Price
Single - heated	1200mm	3	300mm	450mm	0.9	£911
	1500mm	3	300mm	450mm	0.9	£961
	1800mm	4	300mm	450mm	1.2	£1028
	2100mm	5	300mm	450mm	1.5	£1063
Double - heated	2400mm	6	300mm	450mm	1.8	£1086
	1200mm	6	300mm	700mm	1.8	£1542
	1500mm	6	300mm	700mm	1.8	£1622
	1800mm	8	300mm	700mm	2.4	£1757
Triple - Heated Gantry	2100mm	10	300mm	700mm	3.0	£1854
	2400mm	12	300mm	700mm	3.6	£1937
	1200mm	9	300mm	900mm	2.7	£2213
	1500mm	9	300mm	900mm	2.7	£2348
Additional Ambient Tier	1800mm	12	300mm	900mm	3.6	£2540
	2100mm	15	300mm	900mm	4.5	£2705
	2400mm	15	300mm	900mm	4.5	£2827
	1200mm	N/A	300mm	N/A	N/A	£205
	1500mm	N/A	300mm	N/A	N/A	£213
	1800mm	N/A	300mm	N/A	N/A	£223
	2100mm	N/A	300mm	N/A	N/A	£254
	2400mm	N/A	300mm	N/A	N/A	£263



Heated Gantry (Single)

**VERSATILE:**  
Up to 3 tiers  
high of heated  
storage



\* Double tiered heated gantry shown.

# HOT CUPBOARD BAIN MARIE (DRY HEAT OR WET WELL)

## Main Features

- > Free standing s/steel combined hot cupboard with either 'Dry Heat' or 'Wet Well' Bain marie top, independently controlled.
- > Bain marie upper section supplied with removable G/N container support bars.
- > Constructed in 0.9mm 430gd s/steel panel work with 1.5mm thick 304 gd s/steel worktop.
- > Available as either 850mm or 900mm worktop height as standard.
- > **Wet Well:** Bain marie is fitted with 3/4" BSP lever valve/handle & 15mm swivel arm drain, for emptying the tank, accessed behind the sliding hot cupboard door.
- > Fitted with set of sliding s/steel doors to operator side of hot cupboard.
- > Fully removable s/steel mid shelf with supporting removable box section steel bars.
- > Dual control panel is mounted to operator right hand side of cupboard
- > Supplied with individual rotary thermostatic temperature controls for hot cupboard & bain marie sections.
- > Illuminating individual On/Off switches for each heated section & separate indicator lights showing 'heating power on'.
- > Adjustable height levelling feet for accurate final site positioning.
- > Fully removable control panel section, for improved service access.
- > Supplied in a standard depth of 700mm for optimum heated hot cupboard storage space.
- > Supplied with plug top and 2M lead (<3kW) or 2M cable for hard wiring by others (>3kW).
- > \*G/N containers not supplied.



**HEATING SYSTEM:**  
Ensures even  
temperature  
distribution

Hot Cupboard Bain Marie

## Hot Cupboard Bain Marie (Dry Heat/Wet Well)

Dry Well					Wet Well	
Length	Depth	Height	Power (kw)	Price	Power (kw)	Price
900mm	700mm	850mm or 900mm	3.0	£3107	4.0	£3107
1200mm	700mm		3.0	£3013	4.0	£3107
1500mm	700mm		4.0	£3297	5.0	£3392
1800mm	700mm		4.5	£3602	6.5	£3709
2100mm	700mm		5.5	£4030	7.0	£4150
2400mm	700mm		6.0	£4218	7.0	£4343

## Options - Hot Cupboard (Bain Marie)

Product	Price
Digital Thermostat	£297
Digital temperature display	£102
Mobile conversion to locking castors	£69
Fan assisted hot cupboard section	£94
Pass through (Additional doors - All sizes)	£359
Bespoke heights and depths 800 deep	£235

\* Control panel to right hand side. If required to left then specify with order: no cost option.

\* All 304 gd. - £ P.O.A.

# WALL CUPBOARDS

**EASIER CLEANING:**  
Reduces surface build up of dust

## Main Features

- > Wall mounted commercial s/steel fully enclosed storage cupboard.
- > Outer panels, doors, top & base shelf constructed in 430 gd (0.9 thk.) s/steel.
- > Available in 600, 900, 1200, 1500 & 1800 mm standard lengths.
- > Adjustable height 430 gd (0.9 thk.) s/steel storage mid-shelf.
- > Standard cupboard height 540 mm. Standard cupboard depth 300 mm.
- > Rear up stand to roof for sealing against a surface where items may be stored on top.
- > Full height flush steel back panel can be fixed through to conceal screw heads.
- > **Hinged Door models:** 600, 900 & 1200 mm models feature side hinged steel doors (inner/outer panel type) fitted with chrome D handles.
- > **Sliding Door models:** 900, 1200, 1500 & 1800 mm models feature top hung sliding steel doors (inner/outer panel type) fitted with chrome D handles.
- > Sliding door models fitted with central door channel guide.

## Wall Cupboards



**CONVENIENCE:**  
Adjustable height storage inside

\* Sloping top option



\* Flush handle option



\* Lockable doors option

## Wall Cupboards

Door type	Length	Width	Height	Price
Sliding doors	900mm	300mm	540mm	£769
	1200mm	300mm	540mm	£807
	1500mm	300mm	540mm	£880
	1800mm	300mm	540mm	£977
Hinged doors	600mm	300mm	540mm	£657
	900mm	300mm	540mm	£769
	1200mm	300mm	540mm	£807

## Options - Wall Cupboards

Product	Price
Lockable doors (Hinged or sliding door cupboard types) – 2 no. suited keys per lock.	£50
Wall cupboard sloping top – Sloping top to the wall cupboard. Reduces surface build up of dust/ debris & makes for easier cleaning.	£105
Wall cupboard (Non standard size) – Available up to 600 mm high and depth of 350 mm. Standard material specification applies.	£176
Flush steel door handles. Inset steel handles replace the standard D handle.	£F.O.C.

\* All 304 gd. - £ P.O.A..

# BASE CUPBOARDS - (WALL SITED OR FREE STANDING)

## Main Features

- > Commercial s/steel fully enclosed storage cupboard and steel work surface.
- > Worktop made from 304 gd (1.5 thk.) s/steel. Outer panels & doors constructed in 430 gd (0.9 thk.) s/steel supported on 30 x 30 box section 430 gd (1.2 thk.) framework. Base shelving in 430 gd (1.2 thk.)
- > Standard base cupboard height is 900 mm to suit most kitchen area back counters.
- > Available in 900, 1200, 1500, 1800, 2100 & 2400 mm standard lengths.
- > All standard lengths also available in 650/ 700 mm depth.
- > Adjustable height, removable full length mid shelf on strengthened lift out support rails.
- > 30mm welded base shelf.
- > **Steel worktop type:** for wall sited cupboard – features 50 mm rear wall up stand. (Wall bench worktop type).
- > **Steel worktop type:** for free standing cupboard – features 50 mm turn down to each edge. (Centre bench worktop type).
- > **Standard base cupboards:** < 1200 mm long – fitted with side hung steel doors, mounted on sturdy cabinet hinges with D handles.
- > **Standard base cupboards:** >1200 mm long fitted with top hung sliding steel doors c/w central door channel guide & D handles.
- > All doors constructed from inner/ outer panel work in s/steel.
- > Full height rear back panel to cupboard base.
- > Cupboard legs fitted with adjustable height flanged feet, for positioning & fixing to a floor surface on site.
- > Standard leg height of cupboard set at 135 mm (door to floor) – to suite with other CED equipment/ adjacent counter kick plinth heights.

## Base Cupboards



Base cupboard with hinged doors shown



Base cupboard with sliding doors shown

**900mm HIGH:**  
Convenient cupboard storage that suites with our wall bench heights

## Base Cupboards

Length	Width	Height	Price
900mm*	650mm	900mm	£1259
1200mm*	650mm	900mm	£1403
1500mm	650mm	900mm	£1581
1800mm	650mm	900mm	£1719
2100mm	650mm	900mm	£1866
2400mm	650mm	900mm	£2076
900mm*	700mm	900mm	£1324
1200mm*	700mm	900mm	£1474
1500mm	700mm	900mm	£1659
1800mm	700mm	900mm	£1798
2100mm	700mm	900mm	£1956
2400mm	700mm	900mm	£2179

\* With hinged doors, all other sizes are sliding doors

## Options - Base Cupboards

Product	Price
Lockable doors (Hinged or sliding door cupboard types) – 2 no. suited keys per lock.	£50
Flush steel door handles. (Inset steel handles replace the standard D handle).	£ F.O.C.
Mobile base cupboard – Set of castors (2 braked – max load 210 Kg).	£109
Base cupboard – Sliding doors ( Replace standard side hung doors on 900/ 1200 mm long models).	£ F.O.C.
Base cupboard Non standard leg height 210 mm – door to floor ( To suite with CED wall/ centre bench base shelf heights).	£ F.O.C.
Base cupboard – Non standard size (Standard material specification applies).	£235
Non standard base cupboard height > 900 (i.e. 850 mm to suit certain kitchen area back counters).	£235


\* All 304 gd. - £ P.O.A..



900mm Model Shown  
(Doors Closed)



900mm Model Shown  
(Doors Open)



**PERFORATED  
ROOF PANEL:**  
Allows fumes to  
disperse

## NEW COSHH CUPBOARD WITH SINK

### Main Features

- > Free standing commercial s/steel, fully enclosed C.O.S.H.H. hazardous materials storage cupboard.
- > Perforated roof panel to allow fumes to disperse.
- > Removable rear access panels.
- > Adjustable feet for levelling.
- > Double skin lockable doors.
- > 2no barrel locks with matching keys.
- > Chrome plated D type door handles.
- > 2no coat hangers to rear of doors.
- > Robust adjustable shelving (x2)
- > Mob hanger and hooks.
- > 3no cabinet hinges per door.
- > Double swivel faucet with lever taps.
- > 400x400x300 sink bowl with hinged grid.
- > Removable drip tray.
- > Available in 600, 900 & 1200 mm standard lengths.
- > All constructed from 304gd steel.

### COSHH Cupboards with Sinks

Length	Depth	Depth	Price
600mm	650mm	1800mm	£3135
900mm	650mm	1800mm	£3548
1200mm	650mm	1800mm	£3958



**SINK BOWL:**  
400x400x300mm  
sink bowl with  
hinged grid



**Made in  
the UK**

Part of the Made-to-  
Measure Designline  
Fabrication Range





# STEEL SPECIFICATIONS & MAINTENANCE GUIDE



## DESIGNLINE MADE-TO-MEASURE RANGE

Product	Bowls	Worktop/Top	Undershelf	Framework - 30x30 Box		Shelves	Panelwork	
	304gd-1.2thk.	304gd-1.5thk.	430gd-1.2thk.	304gd-1.5thk.	430gd-1.2thk.	430gd-1.2thk.	304gd-0.9thk.	430gd-0.9thk.
Benches		•	•		•			
Sinks	•	•	•		•			
Dishwash tables	•	•	•		•			
Shelves					•	•		
Base cupboards		•			•	•		•
Wall cupboards					•	•		•
COSHH cupboards		•		•			•	•
Gantries					•	•		

## QUICK SERVICE OFF-THE-SHELF RANGE

Product	Bowls	Worktop/Top	Undershelf	Framework - 30x30 Box	Shelves	Panelwork
	304gd-1.0thk.	304gd-1.2thk.	430gd-1.2thk.	430gd-1.2thk.	430gd-1.2thk.	430gd-0.9thk.
Benches		•	•	•		
Sinks	•	•	•	•		
Shelves				•	•	
Hot cupboards		•			•	•
Cupboards					•	•







# In the Kitchen with CED

## In stock and ready to go



**Popular Sizes**



**Stock Available**



**Fast Delivery**  
**2/6 Days**  
(after order)



**Quality**  
**Guaranteed**

**W**e've taken our vast experience producing every conceivable kind of made to measure commercial kitchen fabrication, in order to develop the new Quick Service fabrication range.

Quick Service now offers dealers a complete range of CED standard fabrication in the popular sizes you want. With stock available and ready to go, you can configure your kitchen equipment layout and have that kitchen on site in 6 full working days from your order, because in a next day world it's what your customers have come to expect.

There is no compromise on quality with Quick Service fabrication either, otherwise we couldn't offer our 2 year warranty as standard!

There's over 150 of our most popular kitchen equipment products to select from, including single or double bowl sinks, wall & corner cupboards, wall & corner benches, centre benches, heavy duty wall shelving, pan storage & microwave shelving. So download Quick Service specification sheets & drawings at [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk) to plan your Quick Service kitchen solution.

**Quick Service Off-the-Shelf Range:** Our most popular sizes of commercial fabrication, self-draining single & double bowl sinks, wall, centre & corner benches, hinged, sliding & lockable cupboards, heavy duty shelving, stock available in 2-6 full working days after order.

**Tournus Commercial Kitchen Equipment:** Stocked items, and always available. Includes; trolleys, hand wash basins, plate dispensers, and janitor sinks.

**Designline Made-to-Measure Range:** Our classic catalogue of commercial kitchen fabrication from hot cupboards to sinks, always adapted to suit each made-to-measure environment. A full manufacturing drawing service, short lead time equipment, multiple options, cut-outs, notches, voids, all 304 gd. etc

**5 Star Bespoke Fabrication:** Consultant specified counter constructed fabrication, made to measure – full manufacturing drawings, cook suites, site welding and polishing of joints, tanked bases, integral service spines & race ways, 2mm worktops, bull nose worktop edge details, mirror finishing, ceiling mounted gantries with heated/ ambient task lighting.



# OFF-THE-SHELF QUICK SERVICE RANGE

Standard lengths and sizes means all Quick Service products can be easily specified and supplied to your door in just 2-6 full working days after order – guaranteed !

(delivery to some mainland UK locations may be extended)


Heavy duty shelving.  
600mm to  
2400mm  
widths.

Wall  
cupboards.  
Hinged doors  
450mm to  
1200mm  
widths.

Angled  
corner wall  
cupboard.  
Hinged doors  
750mm  
wide.

Wall  
cupboards,  
sliding doors.  
900mm to  
1800mm  
widths.

Microwave  
shelving.  
560mm to  
600mm  
widths.



Single  
and double  
bowl sinks.  
1000mm to  
2400mm  
widths.

Corner  
and angled  
wall benches.  
600mm to  
700mm  
widths.

Centre  
benches with  
& without voids.  
600mm to  
2100mm  
widths.

Wall  
benches.  
600mm to  
2100mm  
widths.

Wall  
benches  
with voids.  
900mm to  
1200mm  
widths.

## QUICK SERVICE WALL BENCH (1 SHELF)



**STORAGE:**  
Steel storage  
under-shelf as  
standard

Model QWB1261U  
Shown

### Main Features

- Fully welded free standing, wall sited commercial s/steel wall bench with worktop.
- Worktop constructed in 304 gd (1.2 thk.) s/steel supported on 30 x 30 box section 430 gd (1.2 thk.) framework.
- Welded low level 430 gd. 1.2 thk. s/steel storage under-shelf.
- Available in 600, 900, 1000, 1200, 1400, 1500, 1800 & 2100 mm popular lengths.
- Available in 600, 650 & 700mm depths.
- Standard wall bench height is 900mm — to suit most kitchen area back counters.
- Steel worktop features 50mm down stand to each edge.
- 50 mm(H) splashback/ wall up stand to rear of worktop.
- Wall bench legs inset 100mm to the rear, to allow for service pipework behind.
- Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- Wall bench height adjustment : - 15/+ 35mm.

### Wall Bench - 1 Under Shelf

#### 600mm Deep

Model	Description	Height (mm)	Weight (kg)	Price
QWB661U	600(L) x 600(D) W. Bench (1 Shelf)	900	14	£324
QWB961U	900(L) x 600(D) W. Bench (1 Shelf)	900	19	£369
QWB1061U	1000(L) x 600(D) W. Bench (1 Shelf)	900	20	£414
QWB1261U	1200(L) x 600(D) W. Bench (1 Shelf)	900	23	£414
QWB1461U	1400(L) x 600(D) W. Bench (1 Shelf)	900	27	£454
QWB1561U	1500(L) x 600(D) W. Bench (1 Shelf)	900	28	£454
QWB1861U	1800(L) x 600(D) W. Bench (1 Shelf)	900	33	£500
QWB2161U	2100(L) x 600(D) W. Bench (1 Shelf)	900	38	£561

#### 650mm Deep

Model	Description	Height (mm)	Weight (kg)	Price
QWB6651U	600(L) x 650(D) W. Bench (1 Shelf)	900	15	£324
QWB9651U	900(L) x 650(D) W. Bench (1 Shelf)	900	20	£369
QWB12651U	1200(L) x 650(D) W. Bench (1 Shelf)	900	25	£414
QWB15651U	1500(L) x 650(D) W. Bench (1 Shelf)	900	30	£454
QWB18651U	1800(L) x 650(D) W. Bench (1 Shelf)	900	35	£500
QWB21651U	2100(L) x 650(D) W. Bench (1 Shelf)	900	40	£561


#### 700mm Deep

Model	Description	Height (mm)	Weight (kg)	Price
QWB671U	600(L) x 700(D) W. Bench (1 Shelf)	900	15	£344
QWB971U	900(L) x 700(D) W. Bench (1 Shelf)	900	21	£381
QWB1071U	1000(L) x 700(D) W. Bench (1 Shelf)	900	22	£431
QWB1271U	1200(L) x 700(D) W. Bench (1 Shelf)	900	26	£431
QWB1571U	1500(L) x 700(D) W. Bench (1 Shelf)	900	32	£486
QWB1871U	1800(L) x 700(D) W. Bench (1 Shelf)	900	37	£537
QWB2171U	2100(L) x 700(D) W. Bench (1 Shelf)	900	43	£605




DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)


#### 600mm DEEP



#### 650mm DEEP



#### 700mm DEEP




Popular Sizes



Stock Available



Fast Delivery  
2/6 Working Days  
(after order)





## QUICK SERVICE WALL BENCH (WITH VOID)



Model QWB126V  
Shown

**DUAL  
FUNCTION:**  
Under-counter  
equipment  
housed under  
work surface



### Main Features

- Fully welded free standing, wall sited commercial s/steel wall bench with worktop/ void under.
- Worktop constructed in 304 gd (1.2 thk.) s/steel supported on 30 x 30 box section 430 gd (1.2 thk.) framework.
- Void underneath replaces s/steel storage under-shelf (to accommodate under-counter equipment).
- U shaped horizontal tie bar fitted @ 250mm (H) between rear legs, within void.
- Available in 900, 1200 & 1800mm popular lengths.
- Available in 600, 650 & 700mm depths.
- Wall bench height is 900mm — to suit most kitchen area back counters.
- Steel worktop features 50mm down stand to each edge.
- 50 mm(H) splashback/ wall up stand to rear of worktop.
- Wall bench legs inset 100mm to the rear, to allow for service pipework behind.
- Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- Wall bench height adjustment - 15/+ 35mm.

## QUICK SERVICE CENTRE BENCH (WITH VOID)



Model QCB126V  
Shown


**EASY  
CLEAN  
SURFACES:**  
No Dirt  
Traps



### Main Features

- Fully welded free standing, wall sited commercial s/steel centre bench with worktop/ void under.
- Worktop constructed in 304 gd (1.2 thk.) s/steel supported on 30 x 30 box section 430 gd (1.2 thk.) framework.
- Void underneath replaces s/steel storage under-shelf (to accommodate under-counter equipment).
- Horizontal tie bar fitted @ 250mm (H) between rear legs, within void.
- Available in 900, 1200 & 1800mm popular lengths.
- Available in 600, 650 & 700mm depths.
- Centre bench height is 900mm — to suit most kitchen area back counters.
- Steel worktop features 50mm down stand to each edge.
- Centre bench legs are inset 25 mm at the front & rear, they are also inboard of the worktop 50mm at each end.
- 600mm(D) models have a 545mm(D) void  
650mm(D) models have a 595mm(D) void  
700mm(D) models have a 645mm(D) void
- Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- Centre bench height adjustment : - 15/+ 35mm.

600mm, 650mm, 700mm DEEP



### Wall Bench - With Void

#### 600mm, 650mm & 700mm Deep

Model	Description	Height (mm)	Weight (kg)	Price
QWB96V	900(L) x 600(D) W. Bench (With Void)	900	16	£374
QWB126V	1200(L) x 600(D) W. Bench (With Void)	900	19	£420
QWB186V	1800(L) x 600(D) W. Bench (With Void)	900	26	£505
QWB1265V	1200(L) x 650(D) W. Bench (With Void)	900	20	£420
QWB127V	1200(L) x 700(D) W. Bench (With Void)	900	21	£438



Popular Sizes




Stock Available



Fast Delivery  
2/6 Working Days  
(after order)

600mm, 650mm, 700mm DEEP



### Centre Bench - With Void

#### 600mm, 650mm & 700mm Deep

Model	Description	Height (mm)	Weight (kg)	Price
QCB96V	900(L) x 600(D) C. Bench (With Void)	900	16	£374
QCB126V	1200(L) x 600(D) C. Bench (With Void)	900	20	£420
QCB186V	1800(L) x 600(D) C. Bench (With Void)	900	27	£505
QCB1265V	1200(L) x 650(D) C. Bench (With Void)	900	21	£420
QCB127V	1200(L) x 700(D) C. Bench (With Void)	900	22	£438



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)



# QUICK SERVICE CENTRE BENCH (1 SHELF)



## FUNCTIONAL:

The island work station utilises dead space in the kitchen area

Model QCB1261U  
Shown

## Main Features

- Fully welded free standing, wall sited commercial s/steel centre bench with worktop.
- Worktop constructed in 304 gd (1.2 thk.) s/steel supported on 30 x 30 box section 430 gd (1.2 thk.) framework.
- Welded low level 430 gd. 1.2 thk. s/steel storage under-shelf.
- Available in 600, 800, 900, 1200, 1500, 1800 & 2100mm popular lengths.
- Available in 600, 650, 700mm & 900mm depths.
- Standard centre bench height is 900mm — to suit most kitchen area back counters.
- Steel worktop features 50mm down stand to each edge.
- Centre bench legs are inset 25mm at the front & rear, they are also inboard of the worktop 50 mm at each end.
- Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- Centre bench height adjustment : - 15/+ 35mm.

## Centre Bench - 1 Under Shelf

### 600mm Deep

Model	Description	Height (mm)	Weight (kg)	Price
QCB661U	600(L) x 600(D) C. Bench (1 Shelf)	900	14	£324
QCB861U	800(L) x 600(D) C. Bench (1 Shelf)	900	18	£369
QCB961U	900(L) x 600(D) C. Bench (1 Shelf)	900	19	£369
QCB1261U	1200(L) x 600(D) C. Bench (1 Shelf)	900	24	£414
QCB1561U	1500(L) x 600(D) C. Bench (1 Shelf)	900	29	£454
QCB1861U	1800(L) x 600(D) C. Bench (1 Shelf)	900	35	£500
QCB2161U	2100(L) x 600(D) C. Bench (1 Shelf)	900	40	£561

### 650mm deep

Model	Description	Height (mm)	Weight (kg)	Price
QCB6651U	600(L) x 650(D) C. Bench (1 Shelf)	900	15	£324
QCB9651U	900(L) x 650(D) C. Bench (1 Shelf)	900	20	£369
QCB12651U	1200(L) x 650(D) C. Bench (1 Shelf)	900	26	£414
QCB15651U	1500(L) x 650(D) C. Bench (1 Shelf)	900	31	£454
QCB18651U	1800(L) x 650(D) C. Bench (1 Shelf)	900	37	£500
QCB21651U	2100(L) x 650(D) C. Bench (1 Shelf)	900	42	£561

### 700mm Deep

Model	Description	Height (mm)	Weight (kg)	Price
QCB671U	600(L) x 700(D) C. Bench (1 Shelf)	900	16	£344
QCB971U	900(L) x 700(D) C. Bench (1 Shelf)	900	22	£381
QCB1271U	1200(L) x 700(D) C. Bench (1 Shelf)	900	27	£431
QCB1571U	1500(L) x 700(D) C. Bench (1 Shelf)	900	33	£486
QCB1871U	1800(L) x 700(D) C. Bench (1 Shelf)	900	39	£537
QCB1971U	1900(L) x 700(D) C. Bench (1 Shelf)	900	40	£605
QCB2171U	2100(L) x 700(D) C. Bench (1 Shelf)	900	44	£605


### 900mm deep

Model	Description	Height (mm)	Weight (kg)	Price
QCB1891U	1800(L) x 900(D) C. Bench (1 Shelf)	900	47	£709




DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)



### 600mm DEEP




### 650mm DEEP



### 700mm & 900mm DEEP



## QUICK SERVICE CORNER WALL BENCH



(Left hand)  
Model QCWB6565LH  
Shown

**PRACTICAL  
DESIGN:**  
Matches our wall  
bench depths

(Right hand)  
Model QCWB6565RH  
Shown

### Main Features

- Fully welded free standing, wall sited commercial s/steel corner wall bench with worktop.
- Worktop constructed in 304 gd (1.2 thk.) s/steel supported on 30 x 30 box section 430 gd (1.2 thk.) framework.
- Welded low level 430 gd. 1.2 thk. s/steel storage under-shelf.
- Left hand & right hand corner versions available.
- Available in 600, 650 & 700mm popular lengths.
- Available in 600, 650 & 700mm depths.
- Standard corner wall bench height is 900mm - to suit most kitchen area back counters.
- Steel worktop features 50mm down stand to each edge.
- 50 mm (H) splashback/ wall up stands to rear & L/H or R/H side of worktop.
- Corner wall bench legs inset 100mm to the rear, to allow for service pipework behind.
- Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- Wall bench height adjustment : - 15/+ 35mm.

## QUICK SERVICE ANGLED CORNER WALL BENCH



Model QACWB6565  
Shown


### PURPOSE:

A one piece  
right angle  
corner section  
gives continuous  
workspace

### Main Features

- Fully welded free standing, wall sited angled corner commercial s/steel wall bench with worktop.
- Worktop constructed in 304 gd (1.2 thk.) s/steel supported on 30 x 30 box section 430 gd (1.2 thk.) framework.
- Welded low level 430 gd. 1.2 thk. s/steel storage under-shelf.
- Available in 600, 650 & 700mm popular depths.
- Standard corner wall bench height is 900mm — to suit most kitchen area back counters.
- Steel worktop features 50 mm down stand to each edge. 50 mm(H) splashback/ wall up stand to rear L/H & R/H side of worktop.
- Corner wall bench legs inset 100mm to the rear, to allow for service pipework behind.
- Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- Wall bench height adjustment : - 15/+ 35mm

600mm, 650mm , 700mm DEEP



### Corner Wall Bench - Left or Right Hand - 1 Under Shelf

600mm, 650mm & 700mm Deep

Model	Description	Height (mm)	Weight (kg)	Price
QCWB66LH	600(L) x 600(D) L.H. C.Wall Bench (1 Shelf)	900	14	£357
QCWB66RH	600(L) x 600(D) R.H. C.Wall Bench (1 Shelf)	900	14	£357
QCWB6565LH	650(L) x 650(D) L.H. C.Wall Bench (1 Shelf)	900	15	£402
QCWB6565RH	650(L) x 650(D) R.H. C.Wall Bench (1 Shelf)	900	15	£402
QCWB77LH	700(L) x 700(D) L.H. C.Wall Bench (1 Shelf)	900	17	£415
QCWB77RH	700(L) x 700(D) R.H. C.Wall Bench (1 Shelf)	900	17	£415

\* (L.H.) denotes left hand, (R.H.) denotes right hand corner model.



Popular Sizes




Stock Available



Fast Delivery  
2/6 Working Days  
(after order)

600mm, 650mm , 700mm DEEP



### Angled Corner Wall Bench - 1 Under Shelf

600mm, 650mm & 700mm Deep

Model	Description	Height (mm)	Weight (kg)	Price
QACWB66	600(L) x 600(D) Angle Corner W. Bench (1 Shelf)	900	29	£806
QACWB6565	650(L) x 650(D) Angle Corner W. Bench (1 Shelf)	900	30	£806
QACWB77	700(L) x 700(D) Angle Corner W. Bench (1 Shelf)	900	30	£806



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)

## QUICK SERVICE SINGLE BOWL SINKS



**COMFORT:**  
Sound  
deadened  
sink bowls

Model QSB5126RS  
Shown

### Main Features

- Commercial s/steel single bowl sink units with left or right hand or double drainer worktop.
- Worktop in 304 gd 1.2 thk. s/steel with 304 gd. s/steel bowl, on 30 x 30 box section 430 gd. 1.2 thk. framework.
- Welded low level 430 gd. 1.2 thk. s/steel storage under-shelf.
- Available in 1000, 1200, 1400, 1500 & 1800mm popular lengths.
- Available in 600, 650 & 700mm depths.
- Standard sink height is 900mm — to suit most kitchen area back counters.
- 3 BOWL SIZES:**
  - (Type R) 45 Lt. (400 long x 400 wide x 290mm deep).
  - (Type S) 59 Lt. (500 long x 400 wide x 300mm deep).
  - (Type U) 79 Lt. (600 long x 450 wide x 300mm deep).
- Sound deadening is fitted to bowl base.
- Pressed drainer worktop features raised drainer pattern, enabling less surface contact whilst drying dishes etc.
- Drip mould edging surround to worktop area prevents water spillage.
- 50 mm high splashback/wall upstand to rear of worktop.
- Supplied with 38mm waste fitting and a 255mm high strainer waste for each bowl.
- Sink unit legs inset 100 mm to the rear, to allow for service pipework behind.
- Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- Sink height adjustment : - 15/+ 35mm
- Taps, 38mm waste traps & waste pipework are not supplied.
- 3 lever arm tap options available, all WRAS approved.

### Single Bowl Sink Models - 1 Under Shelf

#### 600mm deep

Model	Description	Bowl Size (mm)	Bowl Capacity (Ltr.)	Price
QSB5106RS	1000x600 R/H Drain	500x400x300	59	£841
QSB5126LR	1200x600 L/H Drain	400x400x290	45	£891
QSB5126RS	1200x600 R/H Drain	500x400x300	59	£891
QSB5126LS	1200x600 L/H Drain	500x400x300	59	£891
QSB5156DS	1500x600 Dbl. Drain	500x400x300	59	£940

#### 650mm deep

Model	Description	Bowl Size (mm)	Bowl Capacity (Ltr.)	Price
QSB5126LS	1200x650 L/H Drain	500x400x300	59	£891
QSB5126RS	1200x650 R/H Drain	500x400x300	59	£891
QSB51465RU	1400x650 R/H Drain	600x450x300	79	£940
QSB51465LU	1400x650 L/H Drain	600x450x300	79	£940
QSB51865DU	1800x650 Dbl. Drain	600x450x300	79	£1023


#### 700mm deep

Model	Description	Bowl Size (mm)	Bowl Capacity (Ltr.)	Price
QSB5127RS	1200x700 R/H Drain	500x400x300	59	£891
QSB5127LS	1200x700 L/H Drain	500x400x300	59	£891
QSB5147RU	1400x700 R/H Drain	600x450x300	79	£940
QSB5147LU	1400x700 L/H Drain	600x450x300	79	£940

#### 600mm DEEP



#### 650mm DEEP



#### 700mm DEEP



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)




Popular Sizes



Stock Available



Fast Delivery  
2/6 Working Days  
(after order)





# QUICK SERVICE DOUBLE BOWL SINKS



Model QDS186LUU  
Shown



SELF DRAINING  
WORKTOPS

**CHOICE  
OF BOWL  
SIZES:**  
From popular  
sizes listed  
below

## Main Features

- Commercial s/steel double bowl sink unit with left or right hand or double drainer worktop.
- Worktop in 304 gd 1.2 thk. s/steel with 304 gd. s/steel bowls, on 30 x 30 box section 430 gd. 1.2 thk. framework.
- Welded low level 430 gd. 1.2 thk. s/steel storage under-shelf.
- Available in 1500, 1800, & 2400mm popular lengths.
- Available in 600 & 650mm depths.
- Standard sink height is 900mm — to suit most kitchen area back counters.
- 3 BOWL SIZES:**  
(Type R) 45 Lt. (400 long x 400 wide x 290mm deep).  
(Type S) 59 Lt. (500 long x 400 wide x 300mm deep).  
(Type U) 79 Lt. (600 long x 450 wide x 300mm deep).
- Sound deadening is fitted to bowl bases.
- Pressed drainer worktop features raised drainer pattern, enabling less surface contact whilst drying dishes etc.
- Drip mould edging surround to worktop area prevents water spillage.
- 50 mm high splashback/wall upstand to rear of worktop.
- Supplied with 38mm waste fitting and a 255mm high strainer waste for each bowl.
- Sink unit legs inset 100 mm to the rear, to allow for service pipework behind.
- Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- Sink height adjustment : - 15/+ 35mm.
- Taps, 38mm waste traps & waste pipework are not supplied.
- 3 lever arm tap options available, all WRAS approved.

## Double Bowl Sink Models - 1 Under Shelf

### 600mm deep

Model	Description	Bowl Size (mm)	Bowl Capacity (Ltr.)	Price
QDBS156LRS	1500x600 L/H Drain	400x400x290 + 500x400x300	45 + 59	£1335
QDBS156RRS	1500x600 R/H Drain	400 x400x290 + 500x400x300	45 + 59	£1335
QDBS186LUU	1800x600 L/H Drain	600x450x300 + 600x450x300	79 + 79	£1399
QDBS186RUU	1800x600 R/H Drain	600 x450x300 + 600x450x300	79 + 79	£1399
QDBS246DUU	2400x600 Dbl.Drain	600x450x300 + 600x450x300	79 + 79	£1525


### 650mm deep

Model	Description	Bowl Size (mm)	Bowl Capacity (Ltr.)	Price
QDS1865RUU	1800x650 R/H Drain	600x450x300 + 600x450x300	79 + 79	£1399
QDS1865LUU	1800x650 L/H Drain	600x450x300 + 600x450x300	79 + 79	£1399
QDS2465DUU	2400x650 Dbl. Drain	600 x450x300 + 600x450x300	79 + 79	£1399



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)

### 600mm DEEP



### 650mm DEEP



Double Bowl Sink Unit  
With 1 Shelf  
Model QDS2465DUU Shown

# QUICK SERVICE TAP ACCESSORIES

\* 2 Tap sets required for double bowl range.



Set - ½" Lever Arm  
Basin Tap



Set - ½" Lever Arm  
High Neck Pillar Tap



Set - ½" Lever Arm  
Mixer Tap

## Taps

Model	Model	Price
CEDLBT0954	Set - ½" Lever Arm Basin Tap	£89
CEDLPT0953	Set - ½" Lever Arm High Neck Pillar Tap	£79
CEDLMM0955	Set - ½" Lever Arm Mixer Tap	£158






# QUICK SERVICE HEAVY DUTY WALL SHELVING



**WELDED  
SUPPORTS:**  
For maximum  
load bearing



(Box Section Brackets)  
Model QWS123HD2  
Shown


## Main Features

- Commercial s/steel shelving supported on cantilever box section brackets, perfect for back of house equipment storage.
- Available in 600 up to 2400mm lengths (100mm increments) x 300mm deep.
- Available in 600, 900, 1200, 1500, 1800, 2100 and 2400mm lengths x 400 mm deep.
- Durable 1.2 mm thick 430 gd. solid steel shelf (250mm high).
- Steel shelf has a 35 mm deep turn down to 3 faces and a rear wall up stand of 20 mm.
- Pre-drilled box section support brackets (430 gd 1.2 thk. 30mm sq) for fixing shelf insitu — Ø 6mm fixing holes (Fixings Not Supplied).
- Black heat resistant nylon bungs supplied to blank off through - fixing holes on face of brackets (Ø 16mm).
- Double sided tape strips supplied, for attaching shelf to wall brackets.
- Additional support brackets provided, depending on the shelf length selected.
- Plastic bungs fitted to wall bracket ends.

## Solid Steel Wall Shelf (Heavy Duty)

### 300mm deep

Model	Description	Height (mm )	Max. Load (kg)	Price
QWS63HD2	600(L) x 300(D) Solid Wall Shelf (H.Duty)	250	35	£121
QWS73HD2	700(L) x 300(D) Solid Wall Shelf (H.Duty)	250	35	£130
QWS83HD2	800(L) x 300(D) Solid Wall Shelf (H.Duty)	250	35	£130
QWS93HD2	900(L) x 300(D) Solid Wall Shelf (H.Duty)	250	35	£130
QWS103HD2	1000(L) x 300(D) Solid Wall Shelf (H.Duty)	250	35	£140
QWS113HD2	1100(L) x 300(D) Solid Wall Shelf (H.Duty)	250	35	£140
QWS123HD2	1200(L) x 300(D) Solid Wall Shelf (H.Duty)	250	35	£140
QWS133HD2	1300(L) x 300(D) Solid Wall Shelf (H.Duty)	250	35	£159
QWS143HD2	1400(L) x 300(D) Solid Wall Shelf (H.Duty)	250	35	£159
QWS153HD3	1500(L) x 300(D) Solid Wall Shelf (H.Duty)	250	65	£159
QWS163HD3	1600(L) x 300(D) Solid Wall Shelf (H.Duty)	250	65	£176
QWS173HD3	1700(L) x 300(D) Solid Wall Shelf (H.Duty)	250	65	£176
QWS183HD3	1800(L) x 300(D) Solid Wall Shelf (H.Duty)	250	65	£176
QWS193HD3	1900(L) x 300(D) Solid Wall Shelf (H.Duty)	250	65	£192
QWS203HD3	2000(L) x 300(D) Solid Wall Shelf (H.Duty)	250	65	£192
QWS213HD3	2100(L) x 300(D) Solid Wall Shelf (H.Duty)	250	65	£192
QWS223HD3	2200(L) x 300(D) Solid Wall Shelf (H.Duty)	250	65	£222
QWS233HD3	2300(L) x 300(D) Solid Wall Shelf (H.Duty)	250	65	£222
QWS243HD4	2400(L) x 300(D) Solid Wall Shelf (H.Duty)	250	100	£222






(Box Section Brackets)  
Model QWS124HD2 Shown


### 400mm Deep

Model	Description	Height (mm )	Max. Load (kg)	Price
QWS64HD2	600(L) x 400(D) Solid Wall Shelf (H.Duty)	250	35	£134
QWS94HD2	900(L) x 400(D) Solid Wall Shelf (H.Duty)	250	35	£150
QWS124HD2	1200(L) x 400(D) Solid Wall Shelf (H.Duty)	250	35	£164
QWS154HD3	1500(L) x 400 (D) Solid Wall Shelf (H.Duty)	250	65	£201
QWS184HD3	1800(L) x 400(D) Solid Wall Shelf (H.Duty)	250	65	£216
QWS214HD3	2100(L) x 400(D) Solid Wall Shelf (H.Duty)	250	65	£233
QWS244HD4	2400(L) x 400(D) Solid Wall Shelf (H.Duty)	250	100	£268

## HEAVY DUTY SOLID SHELF 300mm DEEP



## HEAVY DUTY SOLID SHELF 400mm DEEP



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)

# QUICK SERVICE PAN STORAGE SHELVING




**OPEN  
SHELVING  
AREA:**  
Allows air  
circulation to  
pans

Model QRWS123HD2 Shown

## Main Features - Pan Storage Shelf

- > Commercial s/steel open frame heavy duty pan storage shelf, with fully welded cantilever box section brackets.
- > Available in 1200 and 1500mm lengths x 300mm deep.
- > Durable 10 mm diameter integral 304 gd. steel rods form open shelving area.
- > Outer frame in fully welded 430 gd 1.2 thk. 30mm box section.
- > Pre-drilled box section support brackets (430 gd 1.2 thk. 30mm sq) for fixing shelf insitu — Ø 6mm fixing holes (Fixings Not Supplied).
- > Black heat resistant nylon bungs supplied to blank off through - fixing holes on face of brackets ( Ø 16mm).
- > Welded bracket ends (in lieu of blanking plugs) to allow pan shelf to be sited over hot cooking areas.
- > Additional support brackets provided, depending on the shelf length selected.

## PAN STORAGE SHELF 300mm DEEP



## Pan Storage Shelf

### 300mm Deep

Model	Description	Height (mm )	Max. Load (kg)	Price
QRWS123HD2	1200(L) x 300(D) Pan Storage Shelf (H.Duty)	300	35	£258
QRWS153HD3	1500(L) x 300(D) Pan Storage Shelf (H.Duty)	300	35	£314



Popular Sizes



Stock Available




Fast Delivery  
2/6 Working Days  
(after order)



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)



In stock and ready to go



Popular Sizes



Stock Available



Fast Delivery  
2/6 Days  
(after order)



Quality  
Guaranteed

## QUICK SERVICE MICROWAVE WALL SHELVING MEDIUM DUTY



**FOLDED  
FRAME:**  
For strength



Model QMS5646MD  
Shown

### Main Features - Medium Duty

- Commercial medium duty s/steel microwave shelf.
- Constructed from 1.2 mm thick 430 gd. s/steel
- Available as 560 mm long x 460 mm deep.  
Available as 600 mm long x 450 mm deep.  
Available as 600 mm long x 600 mm deep.
- 3 sided folded shelf and folded return side cheeks for strengthening.
- Side cheeks pre-drilled for wall fixings (Ø 7.2mm hole) (Fixings Not Supplied).
- Folded 30 mm front turn down to front edge for strengthening.
- Max. load 20 kg.

## QUICK SERVICE MICROWAVE WALL SHELVING HEAVY DUTY



**CHOICE OF  
SHELF SIZES:**  
To suit most  
common  
microwave  
ovens



Model QMS5645HD  
Shown


### Main Features - Heavy Duty

- Commercial heavy duty s/steel microwave shelf.
- Shelf constructed from 1.2 mm thick 430 gd. s/steel.
- Mounted on cantilever type welded 430 gd. 1.2 thk. 30 mm box section wall brackets.
- Available as 560 mm long x 560 mm deep.  
Available as 600 mm long x 450 mm deep.  
Available as 600 mm long x 600 mm deep.
- Pre-drilled box section support brackets (430 gd 1.2 thk. 30 mm sq) for fixing shelf insitu - Ø 6mm fixing holes (Fixings Not Supplied).
- Black heat resistant nylon bungs supplied to blank off through fixing holes on face of brackets (Ø 16mm).
- Double sided tape strips supplied, for attaching shelf to wall brackets.
- Shelf strengthened with 32 mm turn down to edges/ rear up stand of 30 mm.
- Electrical cable of microwave can pass behind shelf up stand insitu.
- Max. load 35kg.



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)

### MEDIUM DUTY 450mm, 460mm, 600mm DEEP




### Microwave Shelf (Medium Duty)

#### 450mm, 460mm & 600mm Deep

Model	Description	Height (mm)	Max Load (kg)	Price
QMS5646MD	560(L) x 460(D) MD Microwave Wall Shelf	325	20	£171
QMS645MD	600(L) x 450(D) MD Microwave Wall Shelf	325	20	£176
QMS66MD	600(L) x 600(D) MD Microwave Wall Shelf	325	20	£193

### HEAVY DUTY 450mm, 560mm, 600mm DEEP



### Microwave Shelf (Heavy Duty)

#### 450mm, 560mm & 600mm Deep

Model	Description	Height (mm)	Max Load (kg)	Price
QMS5656HD	560(L) x 560(D) HD Microwave Wall Shelf	400	35	£275
QMS645HD	600(L) x 450(D) HD Microwave Wall Shelf	400	35	£262
QMS66HD	600(L) x 600(D) HD Microwave Wall Shelf	400	35	£275



Popular Sizes



Stock Available



Fast Delivery  
2/6 Working Days  
(after order)

# QUICK SERVICE WALL CUPBOARDS

## WALL CUPBOARD

(SLIDING DOORS)

Model QWC123S Shown



### HYGIENE:

Lift out  
doors

### Main Features

- Wall mounted commercial s/steel fully enclosed storage cupboard.
- Panels, doors, top & base shelf constructed in 430 gd (0.9 thk.) s/steel.
- Available in 900, 1000, 1200, 1500 & 1800mm standard lengths.
- Adjustable height 430 gd (0.9 thk.) s/steel storage mid-shelf.
- Standard cupboard height 540 mm.
- Standard cupboard depth 300 mm.
- Rear up stand to roof for sealing against a surface where items may be stored on top.
- Roof upstand fixing holes size Ø 7.2mm. Full height flush steel back panel.
- Wall mounting hooks supplied.
- Sliding door models feature top hung sliding steel doors (inner/ outer panel type) fitted with chrome D handles.
- Sliding door models fitted with central door channel guides.



## WALL CUPBOARD

(HINGED DOORS)

Model QWC123H Shown



### FUNCTION:

Adjustable  
height  
shelving

### Main Features

- Wall mounted commercial s/steel fully enclosed storage cupboard.
- Outer panels, doors, top & base shelf constructed in 430 gd (0.9 thk.) s/steel.
- Available in 450, 600, 750, 900 & 1200 mm standard lengths.
- Adjustable height 430 gd (0.9 thk.) s/steel storage mid-shelf.
- Standard cupboard height 540 mm. Standard cupboard depth 300 mm.
- Rear up stand to roof for sealing against a surface where items may be stored on top. (Roof upstand fixing hole size Ø 7.2mm).
- Full height flush steel back panel.
- Wall mounting hooks supplied.
- Hinged door models feature side hung steel doors (inner/ outer panel type) fitted with chrome D handles.



## ANGLED CORNER WALL CUPBOARD

Model QAWC753H Shown



### HIGH STORAGE CAPACITY:

Increased depth  
of shelving

### Main Features

- Wall mounted commercial s/steel fully enclosed angled corner storage cupboard.
- Outer panels, doors, top & base shelf constructed in 430 gd (0.9 thk.) s/steel.
- Available in a 750mm standard angled corner length.
- Adjustable height 430 gd (0.9 thk.) s/steel storage mid-shelf.
- Standard cupboard height 540 mm. Cupboard shelf depth - up to 690 mm.
- Rear upstand to roof for sealing against a surface when items may be stored on top. (Roof upstand fixing hole Size Ø 7.2mm).
- Full height flush steel back panel.
- Wall mounting hooks supplied.
- Side hung steel doors (inner/ outer panel type) fitted with chrome D handles.


## SLIDING DOOR TYPE 300mm DEEP



### Wall Cupboard - Sliding Door

Model	Description	Height (mm)	Weight (kg)	Price
QWC93S	900(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door)	540	31	£755
QWC103S	1000(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door)	540	33	£793
QWC123S	1200(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door)	540	39	£793
QWC153S	1500(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door)	540	47	£862
QWC183S	1800(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door)	540	55	£958

## HINGED DOOR TYPE 300mm DEEP



### Wall Cupboard - Hinged Door

Model	Description	Height (mm)	Weight (kg)	Price
QWC453HL	450(L) x 540(H) x 300(D) Wall Cupd. (L. Hinged Door)	540	18	£551
QWC453HR	450(L) x 540(H) x 300(D) Wall Cupd. (R. Hinged Door)	540	18	£551
QWC63HL	600(L) x 540(H) x 300(D) Wall Cupd. (L. Hinged Door)	540	21	£646
QWC63HR	600(L) x 540(H) x 300(D) Wall Cupd. (R. Hinged Door)	540	21	£646
QWC753H	750(L) x 540(H) x 300(D) Wall Cupd. (Hinged Door)	540	26	£755
QWC93H	900(L) x 540(H) x 300(D) Wall Cupd. (Hinged Door)	540	30	£755
QWC123H	1200(L) x 540(H) x 300(D) Wall Cupd. (Hinged Door)	540	37	£862

## ANGLED CORNER (DOOR) TYPE 750mm ANGLE CORNER



### Angled Corner Wall Cupboard

Model	Description	Height (mm)	Weight (kg)	Price
QAWC753H	820(W) x 540(H) x 300(D) Angle Cnr. Wall Cupd.(Door) (750mm Opening Angle Corner)	540	39	£929



DOWNLOAD ALL  
 TECHNICAL DRAWINGS  
 from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)



## QUICK SERVICE LOCKABLE WALL CUPBOARDS

### LOCKABLE WALL CUPBOARD (SLIDING DOORS)

Model QWC123LS Shown

**IMPROVED  
DESIGN:**  
Sliding doors  
stay shut  
every time



#### Main Features

- Wall mounted commercial s/steel fully enclosed lockable storage cupboard
- Outer panels, doors, top & base shelf constructed in 430 gd (0.9 thk.) s/steel.
- Available in 900, 1000, 1200, 1500 & 1800mm standard lengths.
- Adjustable height 430 gd (0.9 thk.) s/steel storage mid-shelf.
- Standard cupboard height 540mm. Standard cupboard depth 300 mm.
- 40mm (H) rear up stand to roof for sealing against a surface where items may be stored on top. (Roof upstand fixing hole size Ø 7.2mm).
- Full height flush steel back panel.
- Wall mounting hooks supplied.
- Models feature lockable top hung sliding steel doors fitted with chrome D handles,
- Fitted with central door channel guides.
- Plunge lock and two suited keys.



### LOCKABLE WALL CUPBOARDS (HINGED DOORS)

Model QWC123LH Shown

**SECURITY:**  
Two keys  
always  
supplied



#### Main Features

- Wall mounted commercial s/steel fully enclosed lockable storage cupboard.
- Outer panels, doors, top & base shelf constructed in 430 gd (0.9 thk.) s/steel.
- Available in 450, 600, 750, 900 & 1200mm standard lengths.
- Adjustable height 430 gd (0.9 thk.) s/steel storage mid-shelf.
- Standard cupboard height 540mm. Standard cupboard depth 300 mm.
- Rear up stand to roof for sealing against a surface where items may be stored on top. (Roof upstand fixing hole size Ø 7.2mm).
- Full height flush steel back panel.
- Wall mounting hooks supplied.
- Feature lockable side hung steel doors fitted with chrome D handles.
- Barrel lock and two suited keys.



### LOCKABLE ANGLED CORNER WALL CUPBOARD Model QAWC753LH Shown


**IMPROVED  
SECURITY:**  
Bolted door leaf  
& lock prevents  
opportunistic  
theft



#### Main Features

- Wall mounted commercial s/steel fully enclosed angled corner lockable storage cupboard.
- Outer panels, doors, top & base shelf constructed in 430 gd (0.9 thk.) s/steel.
- Available in a 750mm standard angled corner length.
- Adjustable height 430 gd (0.9 thk.) s/steel storage mid-shelf,
- Standard cupboard height 540mm. Cupboard shelf depth - up to 690 mm.
- Rear up stand to roof for sealing against a surface where items may be stored on top. (Roof upstand fixing hole size Ø 7.2mm).
- Full height flush steel back panel.
- Wall mounting hooks supplied.
- Features side hung steel doors fitted with chrome D handles.
- Barrel lock and two suited keys.


### LOCKABLE SLIDING DOOR TYPE 300mm DEEP



#### Lockable Wall Cupboard - Sliding Door

Model	Description	Height (mm)	Weight (kg)	Price
QWC93LS	900(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door)	540	31	£801
QWC103LS	1000(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door)	540	33	£840
QWC123LS	1200(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door)	540	39	£840
QWC153LS	1500(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door)	540	47	£911
QWC183LS	1800(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door)	540	55	£1,006

### LOCKABLE HINGED DOOR TYPE 300mm DEEP



#### Lockable Wall Cupboard - Hinged Door

Model	Description	Height (mm)	Weight (kg)	Price
QWC453LHL	450(L) x 540(H) x 300(D) Lock. Wall Cupd. (L. Hinged Door)	540	18	£597
QWC453LHR	450(L) x 540(H) x 300(D) Lock. Wall Cupd. (R. Hinged Door)	540	18	£597
QWC63LHL	600(L) x 540(H) x 300(D) Lock. Wall Cupd. (L. Hinged Door)	540	21	£695
QWC63LHR	600(L) x 540(H) x 300(D) Lock. Wall Cupd. (R. Hinged Door)	540	21	£695
QWC753LH	750(L) x 540(H) x 300(D) Lock. Wall Cupd. (Hinged Door)	540	26	£801
QWC93LH	900(L) x 540(H) x 300(D) Lock. Wall Cupd. (Hinged Door)	540	30	£801
QWC123LH	1200(L) x 540(H) x 300(D) Lock. Wall Cupd. (Hinged Door)	540	37	£1,006

### ANGLED CORNER (DOOR) TYPE 750mm ANGLE CORNER



#### Lockable Angled Corner Wall Cupboard

Model	Description	Height (mm)	Weight (kg)	Price
QAWC753LH	820(W) x 540(H) x 300(D) Lock. Angle Cnr. Wall Cupd. (Door) (750mm Opening Angle Corner)	540	39	£977



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)



Popular Sizes



Stock Available


Fast Delivery  
2/6 Working Days  
(after order)


## QUICK SERVICE TOURNUS SERVING TROLLEYS

### Main Features

- Mobile stainless steel serving trolley.
- Stainless steel welded construction with Ø 25 mm, 1.2 mm thick tubular frame.
- Available with either 2, 3 or 4 levels of tray storage.
- Each tray storage level features a 10 mm sound-proofed recess to prevent trays sliding off.
- Models to suit tray sizes up to 800 mm (L) x 530 mm (W).
- Models to suit tray sizes up to 1000 mm (L) x 600 mm (W).
- Available with arched pull handles to trolley frame.
- 4 no. 125 mm diameter swivel castors fitted – 2 braked.
- Castors made of non-marking rubber.
- Castors fitted with polyamide covers & annular shock absorbing bumpers.
- Maximum load per storage level is 50 kg.
- Delivered with plastic protective coating on pressed tray storage levels.

### Tournus Serving Trolleys

#### Serving Trolleys (2 Handle).

Model	801 542	801 543	801 552	801 553	801 554
Price	£347	£461	£448	£576	£797
Description	2 Tray	3 Tray	2 Tray	3 Tray	4 Tray
Maximum Tray Size (mm)	800 x 530	800 x 530	1000 x 600	1000 x 600	1000 x 600
O/all Length (mm)	895	895	1095	1095	1095
O/all Width (mm)	625	625	695	695	695
O/all Height (mm)	960	960	960	960	1260
Space Between Trays (mm)	560	260	560	260	260

801 542

**Serving Trolley 2 Shelves**

**SAFE TRANSPORT:**  
Press-drawn trays 10 mm deep for optimum holding of containers.

**COMFORT:**  
Sound-proofed trays

**STURDINESS:**  
Welded assembly over the whole tray height with flattened edges in lower part

801 543

**Serving Trolley 3 Shelves**


## QUICK SERVICE TOURNUS (STACKABLE) GASTRONORM CONTAINER TROLLEY

### Main Features

- Stainless steel GN container trolley, available in 1/1 GN container storage size.
- Welded 25 mm x 25 mm Stainless steel frame.
- 30 mm x 20 mm Stainless steel horizontal 'Z shape' support bars, allowing trolleys to be stacked inside each other to reduce storage space.
- Each tier fitted with Stainless steel L shaped tray runners and product stops on each runner.
- 20 storage tiers.
- GN Capacity: 1/1 GN up to 65 mm deep container per tier (100 mm & 150 mm deep will also fit).
- 4 no. Ø 125 mm swivel wheels with annular bumpers & polyamide covers, including 2 braked.
- Maximum load : 20 kg per level. 200 kg per trolley.

### Stackable Gastronorm Container Trolley

Model	804 229
Price	£683
GN Capacity.	1/1 GN
Storage Tiers	20
O/all Unit Height (mm)	1785
O/all Unit Width (mm)	454
O/all Unit Depth (mm)	653
Height Between Tiers (mm)	77



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)


**TOURNUS  
EQUIPEMENT**


Popular Sizes



Stock Available

Fast Delivery  
2/6 Working Days  
(after order)

## QUICK SERVICE TOURNUS FOOD TRAY STORAGE TROLLEYS

### Main Features

- Mobile stainless steel self help used food tray storage trolley with 12 tiers of side by side tray storage, 1 bay wide.
- **TRAY SIZES:**  
**Width ways tray entry:** To suit tray entry width ways for trays between 320 mm – 370 mm wide (Model Code 800 082).  
**Length ways tray entry:** To suit tray entry length ways for trays between 400 mm – 480 mm long and 480 mm – 560 mm long (Model Codes 800 093 and 800 095).
- 25 mm x 25 mm frame with longitudinal reinforcing bars and Ø 4.8 mm Stainless steel vertical wire type tray runner panels.
- Anti-slide tray clips are fitted to each tier.
- Feature annular bumpers & 4 no. Ø 125 mm swivel wheels with polyamide covers, including 2 braked.
- Supplied with optional 2 mm beige laminate side modesty panels (800 082) or as open framed. (Modesty panels clip fixed to wire tray runner panels.
- **CAPACITIES:**  
**Width ways tray entry:** 12 trays (Model Code 800 082).  
**Length ways tray entry:** 24 trays back to back (Model Codes 800 093 and 800 095).
- Space between tiers 125 mm.


**A TIDY  
SOLUTION:**  
Customers can  
stack their own  
used food  
trays

12 Tier Tray Trolley  
(Tray entry width ways)




800 082

12 Tier Tray Trolley  
(Tray entry length ways)



800 093



800 095

### 12 Tier Food Tray Storage Trolleys

#### Tray Entry Width Ways

Model	800 082	800 093	800 095
Price	£811	£722	£726
Trolley Description	1 x 12 Tier	2 x 12 Tiers	2 x 12 Tiers
O/all Length (mm)	510	620	700
O/all Width (mm)	630	790	790
O/all Height (mm)	1790	1790	1790

## QUICK SERVICE TOURNUS GASTRONORM CONTAINER TROLLEYS

### Main Features

- Stainless steel GN container trolley, available in 1/1 GN or 2/1 GN container storage sizes.
- Welded 25 mm x 25 mm Stainless steel frame, with 30 mm x 20 mm Stainless steel horizontal support bars.
- Each tier fitted with Stainless steel L shaped tray runners and product stops on each runner.
- 1/1 GN or 2/1 GN container trolley available with 6, 8, 10, 15, 17 or 20 storage tiers.
- 6 tier 1/1 GN or 2/1 GN trolley supplied with Stainless steel top shelf (760 mm high) (804 201).
- 8 tier 1/1 GN or 2/1 GN trolley supplied with Stainless steel top shelf (900 mm high) (804 203).
- GN Capacity: 1/1 GN or 2/1 GN up to 65 mm deep container per tier (100 mm & 150 mm deep will also fit).
- 4 no. Ø 125 mm swivel wheels with annular bumpers & polyamide covers, including 2 braked.
- Maximum load : 20 kg per level. 250 kg per trolley.

### Welded Tray Runner GN Trolleys



804 237



804 201

**IN BUILT  
STABILITY:**  
Fully welded  
runners

### Gastronorm Container Storage Trolleys

#### Welded Tray Runner GN Trolleys

Model	804 201	804 203	804 204	804 206	804 207	804 209	804 236	804 237	804 239
Price	£369	£388	£374	£395	£405	£427	£448	£459	£467
Description	1/1 GN trolley with top shelf.	1/1 GN trolley with top shelf.	1/1 GN trolley	1/1 GN trolley	1/1 GN trolley	1/1 GN trolley	2/1 GN trolley	2/1 GN trolley	2/1 GN trolley
Storage Tiers	6	8	10	15	17	20	15	17	20
Height between tiers (mm)	81	81	144	81	81	77	81	81	77
O/all Height (mm)	760	900	1650	1490	1650	1785	1490	1650	1785
O/all Width (mm)	457	457	457	457	457	457	659	659	659
O/all Depth (mm)	656	656	656	656	656	656	773	773	773



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)





Popular Sizes



Stock Available


Fast Delivery  
2/6 Working Days  
(after order)


## QUICK SERVICE TOURNUS PLATE STORAGE TROLLEYS

### Main Features

#### PLATE TROLLEY:

- Mobile welded stainless steel self help plate trolley, for volume storage, selection or transport of plates up to Ø 290 mm.
- Available as either 200 or 300 plate capacity.

#### RAISED PLATFORM PLATE TROLLEY:

- Mobile welded stainless steel self help plate trolley, with raised platform for volume storage, selection or transport of plates up to Ø 290 mm
- 200 plate capacity (platform height 460 mm).
- Allows more ergonomic selection by customer.

#### COMMON FEATURES:

- 25 mm x 25 mm steel tube frame with arched handles and Ø 6 mm Stainless steel wire adjustable or fixed separation panels.
- Models with adjustable separation panels complete with a removable cage front wire transporting partition.
- Solid rear back panel & slightly sloping platform, for good stability of stored products.
- Features annular bumpers & 4 no. Ø 125 mm swivel wheels with polyamide covers, including 2 braked.

**PERFECT:**  
For school  
meal time

Plate Trolley



800 541

Raised Platform Plate Trolley



800 575

### Plate Storage Trolleys

#### Welded Plate Trolleys

#### Raised Platform

Model	800 541	800 546	800 542	800 575
Price	£503	£578	£570	£518
Plate Capacity: (max. Ø 290 mm)	200	300	200	200
O/all Length (mm)	1065	1065	1065	1065
Secure Stacking Partitions	Included	Included	N/A	Included
Removable Front Grid & Separation Grids	N/A	N/A	Included	N/A
O/all Width (mm)	450	450	450	450
O/all Height (mm)	810	1000	810	1000

## QUICK SERVICE TOURNUS RACK & TRAY DOLLEYS

### Main Features

- Mobile stainless steel storage trolley, for volume transport of dishwasher baskets between 460 mm & 500 mm square.
- Available with or without bolted steering handle.
- Stainless steel base tray – usable internal dimensions 510 mm (L) x 510 mm (W) x 1.2 mm thick.
- Maximum load 80 kg.
- To suit dishwasher baskets up to 500 mm (L) x 500 mm (W).
- Features 4 no. Ø 100 mm swivel wheels with galvanized steel covers.

General Purpose Basket  
Rack Dolley  
(Fixed Base)


800 101

**MAXIMUM  
LOAD:**  
80 Kg



800 102

### General Purpose basket Rack Dolley (Fixed Base)

Model	800 101	800 102
Price	£138	£194
Description	G.P. Rack Dolley/ Steel Base	G.P. Rack Dolley/ Steel Base/ Handle
Base Size (L) mm x (W) mm.	510 x 510	510 x 510
O/all Length (mm)	515	600
O/all Width (mm)	515	515
O/all Height (mm)	165	850

## QUICK SERVICE TOURNUS DISHWASHER BASKET TROLLEY

### Main Features

- Mobile welded stainless steel storage trolley, for volume storage, selection or transport of dishwasher baskets between 460 mm & 500 mm square.
- 25 mm x 25 mm steel tube frame with basket runners – for horizontal basket storage.
- Horizontal basket storage model – 8 tiers with runners, I shaped with runner stops at each end, space between tiers 189 mm, for basket width/ depth 460 – 500 mm.
- Features annular bumpers & 4 no. Ø 125 mm swivel wheels with polyamide covers, including 2 braked.

### Dishwasher Basket Trolley

Model	804 193
Price	£535
Description.	Dishwasher Basket Trolley (Standard)
Storage Method	Horizontal
No. of Tiers	8
O/all Length (mm)	630
O/all Width (mm)	630
O/all Height (mm)	1785



804 193



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)




**TOURNUS  
EQUIPEMENT**


Popular Sizes



Stock Available

Fast Delivery  
2/6 Working Days  
(after order)

## QUICK SERVICE TOURNUS PLATE DISPENSERS

### Main Features

#### MOBILE PLATE DISPENSERS:

- › Mobile stainless steel plate dispensing trolley with removable spring loaded plate dispensers.
- › Available as heated, ambient or as a universal rectangular type (See Tournus catalogue).
- › Models feature Ø 25 mm steering handle, formed in s/steel tube with polyamide end mounting caps.
- › Trolley base tops & panels made in 1 mm s/steel, fitted with moulded corner protection polyethylene bumpers.
- › All bases fitted with 4 x Ø 125 mm swivel wheels & poly amide covers, including 2 braked.
- › Max. plate stacking height 580 mm per stack.
- › Max. allowable plate load : 75 kg per stack.
- › Available as single or twin plate stack type.

#### MOBILE HEATED MODELS:

- › Feature insulated body
- › Side mounted steel rod heating elements,
- › Illuminated on/off rocker switch
- › Adjustable mechanical thermostat (0 to 90 degrees C)
- › Transparent polycarbonate lids.
- › Heated models adjustable for plate diameters between 180 – 290 mm.

#### DROP IN PLATE DISPENSERS:

- › Ambient or heated plate lowerator - Up to 60 plates, 180-290 mm diameter.
- › Heated lowerator provided with lid & remote control mounting switch.

### Mobile Plate Dispensers

#### Mobile Heated Plate Dispensers

Model	808 171 UK	808 172 UK
Price	£1,457	£2,073
Description	Single Plate	Twin Plate
For Plate Diameter (mm)	180-290	180-290
O/all Length (mm)	530	960
O/all Width (mm)	485	485
O/all Height (mm) (Lid + 172 mm)	900	900
Power (kW)	0.8	1.53
Electrical Supply	13A 230V	13A 230V

### Drop in Plate Dispensers

#### Ambient or Heated Plate Dispensers

Model	808 231	808 235
Price	£375	£1,300
Description	Ambient single plate stack	Heated single plate stack + Lid
For Plate Diameter (mm)	180-290	180-290
O/all Length (mm)	740	740
O/all Width (mm)	380	380
Power (kW)	-	0.7
Electrical Supply	-	13A 230V

### Mobile Heated Plate Dispensers



**EASY  
SLIDING:**  
Noiseless  
Rollers

### Ambient drop in plate dispenser



808 231

### Heated drop in plate dispenser



808 235

**REMOVABLE:**  
For hygiene

**UP TO 60  
PLATE  
CAPACITY:**  
(180-290mm  
diameter)

**HEAT  
RETENTION:**  
Features  
insulated  
body

Call us for a copy of  
the full Tournus  
catalogue 2019.

Tel: 01254 238 282



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)



Popular Sizes



Stock Available


Fast Delivery  
2/6 Working Days  
(after order)


## QUICK SERVICE 'TS 2000N' TOURNUS (INFRA RED TAP) WASH HAND BASINS

### Main Features

- Wall mounted, hygienic one piece S/steel wash hand basin c/w Infra-red mixer tap.
- Integrated bowl and back splash eliminates potential bacteria growth in corners.
- Steel bowl size : 350 mm x 275 mm x 80 mm deep.
- Supplied with nailbrush and bin, mounted under bowl apron, for disposal of used hand towels.
- Supplied with 2 flexible hoses, 32 mm waste trap & wall fixing support.
- Mixer tap triggered by infra-red detection cell.
- Automatic opening and closing of tap occurs immediately after hands are placed in front of or removed from the cell.
- Mixer tap has non return valves & temperature setting.
- Tap has no 'run on' timer fitted for water saving.
- Tap head fitted with aerator, giving softer stream of water, reduced water consumption to only 6 litres/ minute.
- CR-P2 lithium battery operated tap power source – 6 volt (3 year service life/350,000 presses).
- Integral waste bin includes recessed back for easier installation.
- Preset operating temp. 40 deg. C. – Max. operating temp. 70 deg. C – Allowable pressure 1 – 5 bars.

**AERATED TAP:**  
Reduces water  
consumption  
(3Lt./min)

Wash Hand Basins  
Infra-Red Tap



806 302

806 304

### TS 2000N Wash Hand Basins (Infra Red Tap)

#### Infra-Red Tap/ Battery Operated Tap Types

Model	806 302	806 304
Price	£1003	£1060
Description.	TS 2000N Wall Mounted W.H.B. + Mixer Tap + 500 ml. <b>Manual</b> Soap Dispenser. (Battery Operated Electronic Tap).	TS 2000N Wall Mounted W.H.B. + Mixer Tap. + 500 ml. <b>Integrated</b> Soap Dispenser. (Battery Operated Electronic Tap).
O/all Unit Height (mm)	755	755
O/all Unit Length (mm)	400	400
O/all Unit Depth (mm)	400	400

## QUICK SERVICE 'TS 2000N' TOURNUS (KNEE OPERATED TAP) WASH HAND BASINS

- Wall mounted, hygienic one piece S/steel Wash Hand Basin c/w knee operated mixer tap.
- Integrated bowl and back splash eliminates potential bacteria growth in corners.
- Steel bowl size : 350 mm x 275 mm x 80 mm deep.
- Supplied with nailbrush and bin, mounted under bowl apron, for disposal of used hand towels.
- Supplied with 2 flexible hoses, 32 mm waste trap & wall fixing support.
- Mixer tap triggered by push button control paddle positioned on the face of the bowl apron.
- Automatic opening and closing of tap occurs when knee operated control paddle is depressed and released.
- Mixer tap has non return valves & temperature setting.
- Mixer tap is WRAS approved.
- Integral waste bin includes recessed back for easier installation.



806 321

**HYGIENIC:**  
Hands free  
operation

**KNEE  
OPERATED:**  
Push button



### TS 2000N Wash Hand Basin (Knee Operated Tap)

#### Knee Operated Tap Type

Model	806 321
Price	£594
Description.	TS 2000N Wall Mounted W.H.B. + Mixer Tap. (Knee Operated Tap)
O/all Unit Height (mm)	755
O/all Unit Length (mm)	400
O/all Unit Depth (mm)	400



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)


**TOURNUS  
EQUIPEMENT**


Popular Sizes



Stock Available

Fast Delivery  
2/6 Working Days  
(after order)

## QUICK SERVICE 'GA' TOURNUS (KNEE OPERATED TAP) WASH HAND BOWLS

### Main Features

- Wall mounted Stainless steel wash hand bowl & shroud c/w knee-operated, Swan neck mixer tap.
- Integrated bowl pressing and worktop eliminates potential bacteria growth at the bowl edges.
- Steel bowl size : Ø 275 mm x 115 mm deep.
- Supplied with plug hole & 32 mm waste trap, swan neck mixer tap, pre-mixer with check valves, flexible hose connector & push button tap control, fitted behind bowl shroud.
- Supplied with wall Ø 4.5 mm fixing screws + wall plugs.
- Water connection to 2 male threaded 1/2" pre-mixer inlets 15 x 21.
- Mixer tap triggered by knee-operated front valance panel (6 second timer).
- Mixer tap has non return valves & temperature setting (knob control).
- Mixer tap is WRAS approved.
- Preset operating temp. 40 deg. C. – Max. operating temp. 70 deg. C – Allowable pressure 1 – 5 bars.
- Flow rate at 3 bars = 6 litres/ minute.

## QUICK SERVICE 'GC' TOURNUS (KNEE OPERATED TAP) WASH HAND BASINS

### Main Features

- Wall mounted S/steel wash hand basin & shroud c/w knee-operated, Swan neck mixer tap.
- Integrated rectangular basin pressing and worktop eliminates potential bacteria growth at the basin edges.
- Steel basin size : 345 mm (L) x 245 mm (D) x 120 mm deep.
- Supplied with plug hole & 32 mm waste trap, swan neck mixer tap, pre-mixer, flexible hose connector & push button tap control, fitted behind bowl shroud.
- Supplied with wall fixing support.
- Water connection to 2 male threaded 1/2" pre-mixer inlets 15 x 21.
- Mixer tap triggered by knee-operated front valance panel.
- Mixer tap has non return valves & temperature setting.
- Mixer tap is WRAS approved.
- Preset operating temp. 40 deg. C. – Max. operating temp. 70 deg. C – Allowable pressure 1 – 5 bars.
- Flow rate at 3 bars = 6 litres/ minute.

### 'GC' Wash Hand Basins (Knee Operated Tap)

Model	806 381	806 382	806 383	806 397	806 385
Price	£264	£309	£356	£535	£446
Description	Wall Mounted 415 mm (L) Wash Hand Basin + Mixer Tap.	Wall Mounted 440 mm (L) Wash Hand Basin + Mixer Tap + 540 mm (H) Upstand.	Wall Mounted 440 mm (L) Wash Hand Basin + Mixer Tap + 540 mm (H) Upstand + Soap Dispenser.	Wall Mounted 440 mm (L) Wash Hand Basin + Mixer Tap + 540 mm (H) Upstand + Soap Dispenser + S/steel Bin	Wall Mounted 440 mm (L) Wash Hand Basin + Mixer Tap + 790 mm (H) Upstand + Soap Dispenser + Paper Towel Dispenser.
Lockable 500ml manual Soap Dispenser	N/A	N/A	Included	Included	Included
Paper Towel Dispenser	N/A	N/A	N/A	N/A	Included
O/all Unit Height (mm)	185	540	540	985 (inc. bin)	790
O/all Unit Length (mm)	415	440	440	440	440
O/all Unit Depth (mm)	310	335	335	335	335

### Knee Operated Control Wash Hand Bowls



### 'GA' Wash Hand Bowls (Knee Operated Tap)

Model	806 331	806 332	806 333
Price	£240	£258	£313
Description	Wall Mounted Ø 275 mm Wash Hand Bowl + Mixer Tap.	Wall Mounted Ø 275 mm Wash Hand Bowl + Mixer Tap + Upstand.	Wall Mounted Ø 275 mm Wash Hand Bowl + Mixer Tap + Upstand + Soap Dispenser.
Lockable 500ml manual Soap Dispenser	N/A	N/A	Included
O/all Unit Height (mm)	170	500	500
O/all Unit Length (mm)	330	350	350
O/all Unit Depth (mm)	330	330	330

### Knee Operated Control Wash Hand Basins





Popular Sizes



Stock Available


Fast Delivery  
2/6 Working Days  
(after order)


## QUICK SERVICE 'GC' TOURNUS (INFRA-RED TAP)WASH HAND BASINS

### Main Features

- Wall mounted Stainless steel wash hand basin & shroud c/w infra-red, hand operated mixer tap.
- Integrated rectangular basin pressing and worktop eliminates potential bacteria growth at the basin edges.
- Steel basin size : 345 mm (L) x 245 mm (D) x 120 mm deep.
- Supplied as basin only (806 351), with rear upstand (806 352), or with both upstand & 500 ml soap dispenser (806 353).
- Supplied with 2 no. 3/8" flexible water connection hoses, 32 mm waste trap & wall fixing support.
- Mixer tap triggered by infra-red detection cell.
- Automatic opening and closing of tap occurs immediately after hands are placed in front of or removed from the cell.
- Mixer tap has non return valves & temperature setting.
- Tap has no 'run on' timer fitted for water saving.
- Automatic flow stop after 30 seconds continuous use (anti-overflow system).
- Tap head fitted with aerator, giving softer stream of water, reduced water consumption to only 6 litres/ minute.
- Mixer tap is WRAS approved.
- CR-P2 lithium battery operated tap power source – 6 volt (3 year service life/350,000 presses).
- Battery low or flat indication LED.
- Preset operating temp. 40 deg. C. – Max. operating temp. 75 deg. C – Allowable pressure 1 – 5 bars.

### GC Wash Hand Basins Infra-Red Tap



### 'GC' Wash Hand Basins Infra-Red Tap

Model	806 351	806 352	806 353
Price	£705	£746	£802
Description.	Wall Mounted 415 mm (L) Wash Hand Basin + Electronic Mixer Tap.	Wall Mounted 440 mm (L) Wash Hand Basin + Electronic Mixer Tap + 540 mm (H) Upstand.	Wall Mounted 440 mm (L) Wash Hand Basin + Electronic Mixer Tap + 540 mm (H) Upstand + Soap Dispenser.
Lockable 500ml manual Soap Dispenser	N/A	N/A	Included
O/all Unit Height (mm)	185	540	540
O/all Unit Length (mm)	415	440	440
O/all Unit Depth (mm)	310	335	335

## QUICK SERVICE TOURNUS MOBILE WASH HAND BASIN

- Mobile hand wash station with foot controlled swan neck tap.
- Supplied with 2 x 13 litre water containers ( one for clear water, one for waste water).
- Features foot operated swivel tap & water pump ( 2 x 6 v batteries supplied).
- Pressed basin : 345 mm x 245 mm x 115 mm deep.
- Produced as a welded, clad, steel frame with 2 no. fixed wheels and transport handle.
- Supplied with lockable 500 ml soap dispenser, paper towel dispenser c/w paper roll & hook-on dustbin.



### Mobile Wash Hand Basin

Model	806 517
Price	£1003
Description.	Mobile foot operated WHB
Water pump suction hose (Fits in clean water container).	Included
Sink waste hose (Fits in waste water container).	Included
O/all Unit Height (mm)	415
O/all Unit Length (mm)	345
O/all Unit Depth (mm)	1200



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)




**TOURNUS  
EQUIPEMENT**


Popular Sizes



Stock Available

Fast Delivery  
2/6 Working Days  
(after order)

## QUICK SERVICE TOURNUS JANITOR SINK STATION

### Main Features

- › Wall mounted Stainless steel janitor sink in 600 mm deep version.
- › Made of food quality stainless steel.
- › The sink has a top tier basin and plug, with a lower bowl & removable, recessed perforated bucket stand.
- › Top Tier Basin 430 x 280 x 130 mm deep + Lower Bowl 400 x 400 x 200 mm deep.
- › Features swivel arm mono-bloc pre-mixer tap, for mop rinse or lower tier bucket filling.
- › Welded frame and adjustable leg height with jacks.
- › Supplied with PVC sink pipe, strainer waste overflow tube.
- › Hot/cold ½" mixer tap with check valves & temperature control.
- › Water connection is to 2 flexible hoses with 1/2" (15/21) female-threaded rotating end pieces.
- › Frame legs fitted with adjustable levelling inserts.

## QUICK SERVICE LOCKABLE TOURNUS STERILIZING CABINET

### Main Features

- › Kitchen knife/ utensil sterilizing cabinet made of food quality stainless steel.
- › Feature a UV radiation light with automatic cut-off feature when the transparent acrylic door is opened.
- › 10 knife capacity cabinet.
- › Externally mounted control knob allows period of UV lamp exposure to be adjusted up to 2 hours.
- › Recommended UV lamp exposure operating period for utensils – 1.5 hours.
- › Rounded cabinet edges & sloping tops to prevent dust build up or inappropriate storage.
- › Acrylic magnetic closing door/s features pull handle and steel hinges.
- › Locking door.
- › Electrical supply – 13 A 230 V.

## QUICK SERVICE TOURNUS INSECT KILLERS

### Main Features

- › S/steel insect killer for indoor use as appliance for the control of winged insects.
- › Available as electric control (806 952AS) or with replaceable glue boards to capture insects (806 960AS).
- › Wall mounted.
- › Electric control model features actinic fluorescent tubes whose UV radiation attracts insects, which are then electrocuted on contact with the inner steel wire grids.
- › Electrocuted insects fall into a removable tray in the base, which isolates the unit on removal.
- › Outer protective grid is fitted to both electric or glue board models.
- › All types supplied with standard 1.2 M power cable/plug top and require a 230 V 13 A electrical supply.
- › Glue board model also features long lasting actinic UV light source.
- › Glue board model features a removable inner glue board to capture insects on.
- › Replacement glue boards can be slid in and out from slot in the cabinet side.
- › Electrical supply for all models – 13 A 230 V.



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)

Janitor Sink Station



**SELF  
CONTAINED:**  
Fill / rinse  
operation



### Janitor Sink Station

Model	806 536
Price	£843
Description	Janitor Sink 600mm wide
Length (mm)	500
Depth (mm)	600
Height (mm)	890

Sterilizing Cabinet

816 422AS



**KNIFE  
STORAGE:**  
On  
magnetised  
bar


### Lockable Sterilizing Cabinet

Model	816 422AS
Price	£651
Description	10 Knife Sterilizing Cabinet
Length (mm)	575
Depth (mm)	170
Height (mm)	600

**INSECT  
PROTECTION  
AREA  
PROVIDED:**  
50 m sq.

Insect Killers  
Electronic Control Type

806 952AS

Insect Killers  
Glue Board Control Type

806 960AS

### Insect Killers

	Electronic Control	Glue Board control
Model	806 952AS	806 960AS
Price	£317	£245
Description	Electric Control Insect Killer	Glue Board Control Insect Killer
Protection Area (M sq.)	50	50
Actinic blue UV light/s (Qty/Watts)	1 x 40 watts	1 x 40 watts
O/all Unit Length (mm)	615	615
O/all Unit Depth (mm)	95	142
O/all Unit Height (mm)	240	285




# TOURNUS RACKING SYSTEM

Each combination created has a unique model code, listed on the next 4 pages.

The Tournus hygienic storage racking system can be used in kitchens & cold rooms (-30°C to +60°C).

It's quick and easy to assemble without tools - simply snap into place the parts which stiffen the structure and create straight runs or right-angled racking layouts. The 1750 mm high storage racks are available with either 3, 4 or 5 tiers and either 400, 500 or 560 mm deep.



## TOURNUS EXCLUSIVE:

There is a space at the edge of the shelves to use markers to help manage stock

## OVERHANGING SHELVES:

Cover the rails for an optimal fit



## ATTRACTIVE:

Uprights made of tubular anodised aluminium 32 x 30mm



## LOAD RESISTANCE:

200kg uniformly distributed by level



## HYGIENIC:

Removable shelves, machine washable up to 90°C



## SUSTAINABLE DEVELOPMENT:

The Tournus shelving system is fully recyclable



Popular Sizes



Stock Available



Fast Delivery  
2/6 Working Days  
(after order)



## EASY ASSEMBLY:

By tapered self-locking insertion to strengthen the structure




## STABILITY:

Adjustable feet

## ADJUSTABLE FEET:

With no visible threads




## MODULAR:

In line or corner type assembly

## SIMPLICITY:

2 hooks per level whatever the width



## OPTIMUM ACCESSIBILITY:

With a corner upright, allowing full storage in the corners, plus easier floor cleaning



## TOURNUS RACKING PRODUCT DESIGNER:

You can plan the best combination of shelving here:  
[www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)

# QUICK SERVICE TOURNUS STRAIGHT RACKING SYSTEM

## Main Features

- Hygienic & removable polypropylene perforated shelving, machine washable (up to 90°C).
- Supplied with 'clip-in' horizontal support bars and removable polypropylene shelf.
- Shelving available in 3 different depths (400 mm, 500 mm & 560 mm deep).
- 560 mm deep shelf can accept GN Container in lieu of polypropylene sections.

- Sturdy, locking support bar assemblies ensure high stability.
- Load resistance of 200 kg per level, evenly distributed.
- Shelves hook over the top of the support bars.
- Shelves have turn down edges, with sections on shelf edge where white board erasable marker pens can be used, to note the contents of the shelf.
- Upright end frame components are made from sturdy anodised aluminium (with pre-fitted tie bars) and available for either 3, 4 or 5 tier shelving system or 400 mm, 500 mm or 560 mm deep shelving system.
- Upright end frames supplied with screwed fixing studs per tier, for connecting 'clip-in' horizontal shelf support bars and removable polypropylene shelves.

- End frames are fitted with adjustable feet (c/w hygienic internal thread system to avoid harbouring bacteria).



## Quick Service Tournus 1750 mm (H) Polypropylene Shelf Racking (Straight Run Types).

	400mm Deep Rack			500mm Deep Rack			560 mm Deep Rack (G/N Size).		
Tiers	3	4	5	3	4	5	3	4	5
Rack Length (mm)	Model	Model	Model	Model	Model	Model	Model	Model	Model
690	PLA690 £312	PLB690 £355	PLC690 £405	PLD690 £341	PLE690 £393	PLF690 £447	PLG690 £337	PLH690 £384	PLI690 £434
790	PLA790 £322	PLB790 £371	PLC790 £425	PLD790 £344	PLE790 £398	PLF790 £453	PLG790 £352	PLH790 £403	PLI790 £459
890	PLA890 £344	PLB890 £400	PLC890 £461	PLD890 £355	PLE890 £412	PLF890 £472	PLG890 £374	PLH890 £433	PLI890 £496
992	PLA992 £368	PLB992 £431	PLC992 £500	PLD992 £382	PLE992 £447	PLF992 £516	PLG992 £397	PLH992 £462	PLI992 £534
1092	PLA1092 £374	PLB1092 £441	PLC1092 £511	PLD1092 £390	PLE1092 £457	PLF1092 £527	PLG1092 £411	PLH1092 £483	PLI1092 £558
1192	PLA1192 £386	PLB1192 £454	PLC1192 £530	PLD1192 £400	PLE1192 £472	PLF1192 £548	PLG1192 £424	PLH1192 £497	PLI1192 £576
1292	PLA1292 £397	PLB1292 £470	PLC1292 £549	PLD1292 £408	PLE1292 £483	PLF1292 £559	PLG1292 £434	PLH1292 £512	PLI1292 £595
1394	PLA1394 £420	PLB1394 £501	PLC1394 £587	PLD1394 £434	PLE1394 £517	PLF1394 £603	PLG1394 £460	PLH1394 £548	PLI1394 £640
1494	PLA1494 £427	PLB1494 £509	PLC1494 £597	PLD1494 £442	PLE1494 £526	PLF1494 £615	PLG1494 £471	PLH1494 £561	PLI1494 £658
1594	PLA1594 £439	PLB1594 £524	PLC1594 £616	PLD1594 £452	PLE1594 £542	PLF1594 £632	PLG1594 £483	PLH1594 £576	PLI1594 £677
1694	PLA1694 £448	PLB1694 £540	PLC1694 £633	PLD1694 £464	PLE1694 £557	PLF1694 £652	PLG1694 £497	PLH1694 £596	PLI1694 £702
1728	PLA1728 593	PLB1728 £703	PLC1728 £819	PLD1728 £612	PLE1728 £722	PLF1728 £838	PLG1728 £646	PLH1728 £760	PLI1728 £883
1796	PLA1796 £471	PLB1796 £569	PLC1796 £673	PLD1796 £489	PLE1796 £592	PLF1796 £694	PLG1796 £519	PLH1796 £626	PLI1796 £739
1830	PLA1830 £615	PLB1830 £732	PLC1830 £857	PLD1830 £637	PLE1830 £758	PLF1830 £882	PLG1830 £666	PLH1830 £790	PLI1830 £921
1932	PLA1932 £637	PLB1932 £762	PLC1932 £893	PLD1932 £663	PLE1932 £793	PLF1932 £925	PLG1932 £688	PLH1932 £821	PLI1932 £958
2032	PLA2032 £646	PLB2032 £771	PLC2032 £905	PLD2032 £672	PLE2032 £802	PLF2032 £938	PLG2032 £706	PLH2032 £839	PLI2032 £983
2132	PLA2132 £652	PLB2132 £781	PLC2132 £918	PLD2132 £679	PLE2132 £812	PLF2132 £951	PLG2132 £719	PLH2132 £860	PLI2132 £1006
2232	PLA2232 £666	PLB2232 £800	PLC2232 £942	PLD2232 £688	PLE2232 £828	PLF2232 £968	PLG2232 £726	PLH2232 £869	PLI2232 £1021
2334	PLA2334 £688	PLB2334 £831	PLC2334 £981	PLD2334 £716	PLE2334 £862	PLF2334 £1011	PLG2334 £753	PLH2334 £904	PLI2334 £1063
2432	PLA2432 £685	PLB2432 £827	PLC2432 £972	PLD2432 £709	PLE2432 £851	PLF2432 £999	PLG2432 £753	PLH2432 £904	PLI2432 £1063
2532	PLA2532 £695	PLB2532 £840	PLC2532 £993	PLD2532 £716	PLE2532 £862	PLF2532 £1011	PLG2532 £764	PLH2532 £920	PLI2532 £1082
2634	PLA2634 £719	PLB2634 £871	PLC2634 £1029	PLD2634 £742	PLE2634 £897	PLF2634 £1057	PLG2634 £790	PLH2634 £954	PLI2634 £1124
2736	PLA2736 £742	PLB2736 £901	PLC2736 £1066	PLD2736 £768	PLE2736 £932	PLF2736 £1099	PLG2736 £816	PLH2736 £990	PLI2736 £1169
2834	PLA2834 £739	PLB2834 £896	PLC2834 £1061	PLD2834 £760	PLE2834 £922	PLF2834 £1087	PLG2834 £812	PLH2834 £985	PLI2834 £1162
2936	PLA2936 £760	PLB2936 £925	PLC2936 £1099	PLD2936 £787	PLE2936 £956	PLF2936 £1128	PLG2936 £838	PLH2936 £1019	PLI2936 £1206
3036	PLA3036 £768	PLB3036 £935	PLC3036 £1111	PLD3036 £794	PLE3036 £966	PLF3036 £1143	PLG3036 £849	PLH3036 £1033	PLI3036 £1225
3136	PLA3136 £779	PLB3136 £951	PLC3136 £1127	PLD3136 £804	PLE3136 £982	PLF3136 £1161	PLG3136 £861	PLH3136 £1049	PLI3136 £1242
3172	PLA3172 £931	PLB3172 £1122	PLC3172 £1325	PLD3172 £967	PLE3172 £1168	PLF3172 £1372	PLG3172 £1027	PLH3172 £1236	PLI3172 £1457

\*Complete set of components Included\*



Popular Sizes



Stock Available


Fast Delivery  
2/6 working Days  
(after order)

### Quick Service Tournus 1750 mm (H) Polypropylene Shelf Racking (Straight Run Types).

	400mm Deep Rack			500mm Deep Rack			560 mm Deep Rack (G/N Size).		
Tiers	3	4	5	3	4	5	3	4	5
Rack Length (mm)	Model	Model	Model	Model	Model	Model	Model	Model	Model
3236	PLA3236 £790	PLB3236 £964	PLC3236 £1148	PLD3236 £816	PLE3236 £996	PLF3236 £1179	PLG3236 £877	PLH3236 £1067	PLI3236 £1268
3272	PLA3272 £945	PLB3272 £1143	PLC3272 £1350	PLD3272 £983	PLE3272 £1187	PLF3272 £1397	PLG3272 £1034	PLH3272 £1245	PLI3272 £1468
3336	PLA3336 £800	PLB3336 £981	PLC3336 £1167	PLD3336 £828	PLE3336 £1010	PLF3336 £1199	PLG3336 £890	PLH3336 £1088	PLI3336 £1292
3372	PLA3372 £953	PLB3372 £1153	PLC3372 £1361	PLD3372 £991	PLE3372 £1199	PLF3372 £1408	PLG3372 £1050	PLH3372 £1267	PLI3372 £1495
3438	PLA3438 £825	PLB3438 £1009	PLC3438 £1205	PLD3438 £852	PLE3438 £1046	PLF3438 £1241	PLG3438 £913	PLH3438 £1118	PLI3438 £1330
3472	PLA3472 £963	PLB3472 £1168	PLC3472 £1380	PLD3472 £997	PLE3472 £1207	PLF3472 £1423	PLG3472 £1061	PLH3472 £1281	PLI3472 £1513
3540	PLA3540 £846	PLB3540 £1039	PLC3540 £1240	PLD3540 £880	PLE3540 £1080	PLF3540 £1284	PLG3540 £935	PLH3540 £1148	PLI3540 £1368
3572	PLA3572 £973	PLB3572 £1181	PLC3572 £1399	PLD3572 £1007	PLE3572 £1223	PLF3572 £1440	PLG3572 £1071	PLH3572 £1297	PLI3572 £1529
3674	PLA3674 £997	PLB3674 £1211	PLC3674 £1436	PLD3674 £1034	PLE3674 £1258	PLF3674 £1484	PLG3674 £1099	PLH3674 £1331	PLI3674 £1575
3772	PLA3772 £997	PLB3772 £1211	PLC3772 £1436	PLD3772 £1024	PLE3772 £1241	PLF3772 £1465	PLG3772 £1094	PLH3772 £1326	PLI3772 £1569
3812	PLA3812 £1178	PLB3812 £1426	PLC3812 £1682	PLD3812 £1228	PLE3812 £1483	PLF3812 £1744	PLG3812 £1275	PLH3812 £1535	PLI3812 £1806
3876	PLA3876 £1031	PLB3876 £1258	PLC3876 £1494	PLD3876 £1067	PLE3876 £1301	PLF3876 £1541	PLG3876 £1136	PLH3876 £1380	PLI3876 £1636
3912	PLA3912 £1186	PLB3912 £1434	PLC3912 £1695	PLD3912 £1234	PLE3912 £1494	PLF3912 £1757	PLG3912 £1290	PLH3912 £1554	PLI3912 £1831
3976	PLA3976 £1042	PLB3976 £1271	PLC3976 £1512	PLD3976 £1076	PLE3976 £1312	PLF3976 £1552	PLG3976 £1146	PLH3976 £1396	PLI3976 £1655
4078	PLA4078 £1064	PLB4078 £1301	PLC4078 £1549	PLD4078 £1101	PLE4078 £1345	PLF4078 £1595	PLG4078 £1172	PLH4078 £1431	PLI4078 £1700
4178	PLA4178 £1071	PLB4178 £1312	PLC4178 £1559	PLD4178 £1109	PLE4178 £1355	PLF4178 £1608	PLG4178 £1182	PLH4178 £1445	PLI4178 £1717
4278	PLA4278 £1083	PLB4278 £1326	PLC4278 £1579	PLD4278 £1120	PLE4278 £1371	PLF4278 £1626	PLG4278 £1194	PLH4278 £1461	PLI4278 £1736
4378	PLA4378 £1087	PLB4378 £1331	PLC4378 £1585	PLD4378 £1123	PLE4378 £1376	PLF4378 £1633	PLG4378 £1206	PLH4378 £1474	PLI4378 £1755
4478	PLA4478 £1101	PLB4478 £1351	PLC4478 £1601	PLD4478 £1140	PLE4478 £1396	PLF4478 £1658	PLG4478 £1216	PLH4478 £1489	PLI4478 £1774
4578	PLA4578 £1109	PLB4578 £1360	PLC4578 £1622	PLD4578 £1146	PLE4578 £1405	PLF4578 £1670	PLG4578 £1229	PLH4578 £1504	PLI4578 £1791
4612	PLA4612 £1251	PLB4612 £1522	PLC4612 £1806	PLD4612 £1301	PLE4612 £1581	PLF4612 £1868	PLG4612 £1379	PLH4612 £1673	PLI4612 £1981
4678	PLA4678 £1123	PLB4678 £1380	PLC4678 £1647	PLD4678 £1161	PLE4678 £1427	PLF4678 £1695	PLG4678 £1245	PLH4678 £1528	PLI4678 £1823
4712	PLA4712 £1265	PLB4712 £1540	PLC4712 £1825	PLD4712 £1309	PLE4712 £1591	PLF4712 £1881	PLG4712 £1391	PLH4712 £1687	PLI4712 £1997
4778	PLA4778 £1130	PLB4778 £1391	PLC4778 £1660	PLD4778 £1169	PLE4778 £1435	PLF4778 £1707	PLG4778 £1255	PLH4778 £1541	PLI4778 £1834
4814	PLA4814 £1285	PLB4814 £1569	PLC4814 £1862	PLD4814 £1336	PLE4814 £1626	PLF4814 £1924	PLG4814 £1416	PLH4814 £1723	PLI4814 £2042
4878	PLA4878 £1143	PLB4878 £1405	PLC4878 £1678	PLD4878 £1179	PLE4878 £1450	PLF4878 £1725	PLG4878 £1269	PLH4878 £1558	PLI4878 £1860
4914	PLA4914 £1298	PLB4914 £1582	PLC4914 £1881	PLD4914 £1342	PLE4914 £1636	PLF4914 £1936	PLG4914 £1429	PLH4914 £1738	PLI4914 £2061
4978	PLA4978 £1154	PLB4978 £1422	PLC4978 £1697	PLD4978 £1191	PLE4978 £1465	PLF4978 £1744	PLG4978 £1283	PLH4978 £1579	PLI4978 £1885

\*Complete set of components Included\*





\*Combined Straight &amp; Corner Run Shown

### Quick Service Tournus 1750 mm (H) Polypropylene Shelf Racking (Corner Run Types).

	400mm Deep Rack			500mm Deep Rack			560 mm Deep Rack (G/N Size).		
Tiers	3	4	5	3	4	5	3	4	5
Rack Length (mm)	Model	Model	Model	Model	Model	Model	Model	Model	Model
649	PCA649 £230	PCB649 £278	PCC649 £328	PCD649 £256	PCE649 £312	PCF649 £368	PCG649 £248	PCH649 £300	PCI649 £351
749	PCA749 £242	PCB749 £293	PCC749 £345	PCD749 £261	PCE749 £316	PCF749 £373	PCG749 £265	PCH749 £318	PCI749 £375
849	PCA849 £265	PCB849 £322	PCC849 £384	PCD849 £272	PCE849 £332	PCF849 £392	PCG849 £285	PCH849 £348	PCI849 £412
951	PCA951 £285	PCB951 £352	PCC951 £422	PCD951 £298	PCE951 £367	PCF951 £435	PCG951 £309	PCH951 £377	PCI951 £450
1051	PCA1051 £294	PCB1051 £363	PCC1051 £433	PCD1051 £305	PCE1051 £375	PCF1051 £447	PCG1051 £323	PCH1051 £398	PCI1051 £476
1151	PCA1151 £305	PCB1151 £376	PCC1151 £451	PCD1151 £316	PCE1151 £391	PCF1151 £467	PCG1151 £335	PCH1151 £412	PCI1151 £493
1251	PCA1251 £316	PCB1251 £392	PCC1251 £470	PCD1251 £323	PCE1251 £400	PCF1251 £479	PCG1251 £345	PCH1251 £428	PCI1251 £512
1353	PCA1353 £338	PCB1353 £423	PCC1353 £507	PCD1353 £350	PCE1353 £435	PCF1353 £521	PCG1353 £372	PCH1353 £462	PCI1353 £556
1453	PCA1453 £345	PCB1453 £432	PCC1453 £519	PCD1453 £356	PCE1453 £445	PCF1453 £535	PCG1453 £384	PCH1453 £478	PCI1453 £573
1553	PCA1553 £356	PCB1553 £446	PCC1553 £539	PCD1553 £369	PCE1553 £460	PCF1553 £554	PCG1553 £395	PCH1553 £491	PCI1553 £593
1653	PCA1653 £369	PCB1653 £461	PCC1653 £557	PCD1653 £380	PCE1653 £476	PCF1653 £571	PCG1653 £409	PCH1653 £512	PCI1653 £618
1687	PCA1687 £512	PCB1687 £624	PCC1687 £741	PCD1687 £526	PCE1687 £643	PCF1687 £758	PCG1687 £557	PCH1687 £677	PCI1687 £799
1755	PCA1755 £391	PCB1755 £490	PCC1755 £594	PCD1755 £405	PCE1755 £509	PCF1755 £615	PCG1755 £432	PCH1755 £542	PCI1755 £654
1789	PCA1789 £535	PCB1789 £653	PCC1789 £778	PCD1789 £554	PCE1789 £677	PCF1789 £800	PCG1789 £579	PCH1789 £707	PCI1789 £836
1891	PCA1891 £557	PCB1891 £683	PCC1891 £815	PCD1891 £579	PCE1891 £712	PCF1891 £845	PCG1891 £600	PCH1891 £735	PCI1891 £876
1991	PCA1991 £563	PCB1991 £691	PCC1991 £828	PCD1991 £588	PCE1991 £720	PCF1991 £858	PCG1991 £616	PCH1991 £756	PCI1991 £900
2091	PCA2091 £571	PCB2091 £705	PCC2091 £839	PCD2091 £594	PCE2091 £731	PCF2091 £869	PCG2091 £630	PCH2091 £775	PCI2091 £924
2191	PCA2191 £588	PCB2191 £722	PCC2191 £865	PCD2191 £605	PCE2191 £745	PCF2191 £888	PCG2191 £640	PCH2191 £786	PCI2191 £937
2293	PCA2293 £609	PCB2293 £753	PCC2293 £902	PCD2293 £630	PCE2293 £780	PCF2293 £932	PCG2293 £664	PCH2293 £821	PCI2293 £981
2391	PCA2391 £605	PCB2391 £748	PCC2391 £896	PCD2391 £624	PCE2391 £770	PCF2391 £920	PCG2391 £664	PCH2391 £821	PCI2391 £981
2491	PCA2491 £616	PCB2491 £763	PCC2491 £914	PCD2491 £630	PCE2491 £780	PCF2491 £932	PCG2491 £677	PCH2491 £834	PCI2491 £998
2593	PCA2593 £640	PCB2593 £793	PCC2593 £952	PCD2593 £658	PCE2593 £815	PCF2593 £973	PCG2593 £703	PCH2593 £869	PCI2593 £1042
2695	PCA2695 £661	PCB2695 £823	PCC2695 £990	PCD2695 £683	PCE2695 £849	PCF2695 £1019	PCG2695 £727	PCH2695 £904	PCI2695 £1085
2793	PCA2793 £658	PCB2793 £818	PCC2793 £983	PCD2793 £677	PCE2793 £839	PCF2793 £1005	PCG2793 £723	PCH2793 £900	PCI2793 £1079
2895	PCA2895 £680	PCB2895 £847	PCC2895 £1021	PCD2895 £703	PCE2895 £876	PCF2895 £1050	PCG2895 £750	PCH2895 £934	PCI2895 £1122
2995	PCA2995 £686	PCB2995 £858	PCC2995 £1032	PCD2995 £710	PCE2995 £884	PCF2995 £1062	PCG2995 £762	PCH2995 £950	PCI2995 £1142
3095	PCA3095 £699	PCB3095 £872	PCC3095 £1051	PCD3095 £720	PCE3095 £900	PCF3095 £1080	PCG3095 £773	PCH3095 £963	PCI3095 £1159
3131	PCA3131 £849	PCB3131 £1045	PCC3131 £1245	PCD3131 £883	PCE3131 £1085	PCF3131 £1291	PCG3131 £939	PCH3131 £1153	PCI3131 £1374

\*Corner Racking Shelf Supports Included\*



### Quick Service Tournus 1750 mm (H) Polypropylene Shelf Racking (Corner Run Types).

	400mm Deep Rack			500mm Deep Rack			560 mm Deep Rack (G/N Size).		
Tiers	3	4	5	3	4	5	3	4	5
Rack Length (mm)	Model	Model	Model	Model	Model	Model	Model	Model	Model
3195	PCA3195 £710	PCB3195 £887	PCC3195 £1068	PCD3195 £732	PCE3195 £914	PCF3195 £1099	PCG3195 £788	PCH3195 £985	PCI3195 £1185
3231	PCA3231 £865	PCB3231 £1064	PCC3231 £1271	PCD3231 £898	PCE3231 £1106	PCF3231 £1316	PCG3231 £946	PCH3231 £1162	PCI3231 £1386
3295	PCA3295 £720	PCB3295 £902	PCC3295 £1088	PCD3295 £743	PCE3295 £930	PCF3295 £1118	PCG3295 £802	PCH3295 £1003	PCI3295 £1209
3331	PCA3331 £872	PCB3331 £1075	PCC3331 £1283	PCD3331 £905	PCE3331 £1115	PCF3331 £1328	PCG3331 £961	PCH3331 £1181	PCI3331 £1409
3397	PCA3397 £743	PCB3397 £932	PCC3397 £1124	PCD3397 £769	PCE3397 £963	PCF3397 £1161	PCG3397 £826	PCH3397 £1033	PCI3397 £1245
3431	PCA3431 £883	PCB3431 £1089	PCC3431 £1302	PCD3431 £913	PCE3431 £1124	PCF3431 £1341	PCG3431 £971	PCH3431 £1198	PCI3431 £1430
3499	PCA3499 £766	PCB3499 £961	PCC3499 £1162	PCD3499 £795	PCE3499 £998	PCF3499 £1205	PCG3499 £847	PCH3499 £1063	PCI3499 £1283
3531	PCA3531 £894	PCB3531 £1105	PCC3531 £1322	PCD3531 £924	PCE3531 £1140	PCF3531 £1359	PCG3531 £985	PCH3531 £1211	PCI3531 £1447
3633	PCA3633 £917	PCB3633 £1135	PCC3633 £1358	PCD3633 £951	PCE3633 £1175	PCF3633 £1403	PCG3633 £1009	PCH3633 £1245	PCI3633 £1490
3731	PCA3731 £917	PCB3731 £1135	PCC3731 £1358	PCD3731 £939	PCE3731 £1159	PCF3731 £1385	PCG3731 £1005	PCH3731 £1241	PCI3731 £1485
3771	PCA3771 £1098	PCB3771 £1345	PCC3771 £1605	PCD3771 £1143	PCE3771 £1400	PCF3771 £1664	PCG3771 £1187	PCH3771 £1450	PCI3771 £1723
3835	PCA3835 £951	PCB3835 £1178	PCC3835 £1414	PCD3835 £985	PCE3835 £1221	PCF3835 £1460	PCG3835 £1048	PCH3835 £1297	PCI3835 £1553
3871	PCA3871 £1106	PCB3871 £1355	PCC3871 £1616	PCD3871 £1151	PCE3871 £1409	PCF3871 £1676	PCG3871 £1203	PCH3871 £1469	PCI3871 £1747
3935	PCA3935 £961	PCB3935 £1193	PCC3935 £1433	PCD3935 £992	PCE3935 £1230	PCF3935 £1470	PCG3935 £1059	PCH3935 £1312	PCI3935 £1573
4037	PCA4037 £985	PCB4037 £1224	PCC4037 £1469	PCD4037 £1018	PCE4037 £1265	PCF4037 £1515	PCG4037 £1084	PCH4037 £1345	PCI4037 £1615
4137	PCA4137 £992	PCB4137 £1233	PCC4137 £1483	PCD4137 £1025	PCE4137 £1273	PCF4137 £1525	PCG4137 £1096	PCH4137 £1360	PCI4137 £1634
4237	PCA4237 £1002	PCB4237 £1247	PCC4237 £1501	PCD4237 £1035	PCE4237 £1289	PCF4237 £1546	PCG4237 £1108	PCH4237 £1376	PCI4237 £1653
4337	PCA4337 £1005	PCB4337 £1251	PCC4337 £1508	PCD4337 £1039	PCE4337 £1295	PCF4337 £1552	PCG4337 £1118	PCH4337 £1391	PCI4337 £1671
4437	PCA4437 £1022	PCB4437 £1272	PCC4437 £1531	PCD4437 £1054	PCE4437 £1314	PCF4437 £1577	PCG4437 £1127	PCH4437 £1405	PCI4437 £1688
4537	PCA4537 £1028	PCB4537 £1282	PCC4537 £1545	PCD4537 £1062	PCE4537 £1324	PCF4537 £1589	PCG4537 £1140	PCH4537 £1422	PCI4537 £1708
4571	PCA4571 £1172	PCB4571 £1445	PCC4571 £1727	PCD4571 £1216	PCE4571 £1500	PCF4571 £1788	PCG4571 £1291	PCH4571 £1589	PCI4571 £1897
4637	PCA4637 £1043	PCB4637 £1302	PCC4637 £1570	PCD4637 £1077	PCE4637 £1343	PCF4637 £1614	PCG4637 £1158	PCH4637 £1445	PCI4637 £1740
4671	PCA4671 £1182	PCB4671 £1461	PCC4671 £1746	PCD4671 £1225	PCE4671 £1510	PCF4671 £1799	PCG4671 £1302	PCH4671 £1605	PCI4671 £1916
4737	PCA4737 £1051	PCB4737 £1313	PCC4737 £1581	PCD4737 £1084	PCE4737 £1353	PCF4737 £1626	PCG4737 £1167	PCH4737 £1455	PCI4737 £1751
4773	PCA4773 £1206	PCB4773 £1489	PCC4773 £1783	PCD4773 £1249	PCE4773 £1545	PCF4773 £1843	PCG4773 £1328	PCH4773 £1638	PCI4773 £1958
4837	PCA4837 £1062	PCB4837 £1327	PCC4837 £1601	PCD4837 £1060	PCE4837 £1369	PCF4837 £1645	PCG4837 £1180	PCH4837 £1474	PCI4837 £1777
4873	PCA4873 £1216	PCB4873 £1504	PCC4873 £1801	PCD4873 £1260	PCE4873 £1554	PCF4873 £1856	PCG4873 £1340	PCH4873 £1654	PCI4873 £1979

\*Corner Racking Shelf Supports Included\*



# MAINTENANCE GUIDE

## Stainless Steel : Routine Cleaning.

### Electrical Isolation.



It is good practice to clean equipment immediately after use. All electrical equipment should be switched off and isolated from the main electrical supply before cleaning. Never hose down, wash, submerge or rinse any electrical parts on your equipment, as this can cause irreparable damage or an electrical hazard.

### General Cleaning.



Most substances or dirt can be removed with a warm damp cloth and a mild detergent, drying with a soft cloth to prevent water marks. For more stubborn substances, a non-abrasive multi purpose cream cleaner - without added bleach - may be used e.g.CIF original cream cleaner. This should be applied with a soft damp cloth. Heavy duty dirt and burnt on grease may require the use of a nylon scouring pad in conjunction with the multi purpose cleaner.

### Heavy Soiling Removal.



Oil, grease and fingerprints can generally be removed with a soap/water solution, but a hydrocarbon solvent may be required. Care must be taken to use the proper safety precautions if using solvents - in line with COSHH regulations.

Fingerprints on a cabinet trim and appliances with highly polished surfaces can be eliminated with a glass cleaner.

## Routine Cleaning : Preserving Equipment Finishes.

### Bleach Use - 'The 30 Minute Rule'.



Cleaning agents that contain sodium chlorite (Bleach) should not be left in contact with stainless steel. If bleach is necessary it should be used only in the strength prescribed by the manufacturers instructions & never left in contact with the surface for longer than 30 minutes.

### Preventing Surface Scratching In Stainless Steel.



Harsh abrasives and scouring materials should not be used for cleaning steel, as they leave scratches in the surface and damage the appearance of the equipment. Do not use wire brushes, scrapers or contaminated scouring pads. Any cleaning with a nylon scouring pad should be carried out along the line of the grain and not across it - to avoid scratching the steel.

### Beware 'Wet Surfaces' Left After Cleaning.



After use, always remove wet cleaning aids (such as cloths, pads, containers) from the surface, to avoid formation of water marks and stains. Most domestic dish-washing liquids contain chlorides & if they are left in long term contact with stainless steel, pitting corrosion may occur. Silver dip cutlery cleaners are particularly harmful as they contain strong acids which can very quickly cause discolouration and pitting of the stainless steel.



## Removing Common Stain Types On Stainless Steel Surfaces.

### Tannin/ Tea Stains



Tannin stains can be removed from steel by a hot solution of sodium carbonate (washing soda) and water. The solution can be applied with a soft cloth or sponge. This treatment should be followed by a wipe with a damp clean cloth, to remove any residue. Drying with a soft cloth on completion.

### Oily Deposits



An oily deposit may form inside containers if they are not cleaned regularly. This can be removed by filling the appliance with boiling water and adding sodium bicarbonate (baking powder). After 15 minutes the appliance should be drained, rinsed and dried with a soft cloth. If the oil

deposit is heavy, a mild multi - purpose cream cleaner may also be needed.

### Scratching



Scratching will be most noticeable on highly polished components. In particular the drainer area of sinks - where hard or heavy objects are likely to be placed. These marks are usually superficial and can be removed with a proprietary stainless steel cleaner/ polish. A useful alternative is a car paint restorer such as 'T-Cut'.

### Rust Marks



Under normal useage conditions, it is unlikely that these marks will be caused by the rusting of stainless steel itself, but are more likely to be the result of small particles of ordinary steel, which have become attached to the surface. & subsequently rusted. These brown marks are usually only superficial

and can be removed by using a soft damp cloth and a multi-purpose cream cleaner. • Occasionally it may be necessary to resort to a proprietary stainless steel cleaner, to return the surface to their original condition.

### Heat Discolouration



Heavy oxidation is unlikely to occur during normal usage. If heat discolouration does occur, slight abrasion of the surface will be required. The type of cleaner will depend upon the appliances original finish. A highly polished surface will require the use of proprietary stainless steel polish,

but slight scratching may occur during the polishing treatment. If the finish is directional, as in a ground or brush finish, then a nylon scouring pad/cloth in conjunction with the multi-purpose cream cleaner can be used. Note: do not use a steel or 'wire wool' scouring pad as this will cause highly visible marks and scratches.



# BESPOKE FABRICATION



## 5 STAR HOTELS | MICHELIN STAR RESTAURANTS CONSULTANCY SPECIFICATIONS



Counter build fabrication:  
2mm tops with MDF  
substrate and a stainless  
steel under cladding,  
to achieve that  
'Sandwich Construction'.



Fabricated first fix base  
plinths with back filled  
vermiculite  
for rodent prevention.



On-site welding and  
polishing of joints.



Integral horizontal and  
vertical service risers  
with task lighting and  
MCB boards.



Made-to-measure, cook  
suites, tanked bases, bull  
nose worktop edge details,  
mirror finishing, ceiling  
mounted gantries with  
heated / ambient lighting.



# KITCHEN CLASSICS

*Where only the best will do*



Our skilled workforce brings many valued years of experience in Bespoke Fabrication design and manufacture. This skills collective provides a smooth, professional site assembly and integration of services.



**FULLY  
INTEGRATED**



**PERFORMANCE**



**PRECISION FINISH**





# TASTY

*A flavour of our scope and abilities*

Bespoke counter build  
'Cook Suites' with drop-  
in / integral appliances.  
2mm worktops with  
a 5mm aluminium  
substrate to prevent heat  
distortion





# BESPOKE FABRICATION



5 STAR  
FABRICATION







Head Office  
Lancashire

CED Fabrications Limited  
Units A1-A4, Falcon Court  
Clayton Business Park  
Clayton-le-Moors,  
Hyndburn, Lancashire  
BB5 5JD

T: 01254 238 282  
F: 01254 238 228

T: 0151 545 2840

CED Fabrications Ltd,  
Units 4 & 5,  
Nexus Industrial Estate,  
Randles Road, Knowsley  
Prescot, Merseyside  
L34 9HX



Manufacturing Plant  
Merseyside



Manufacturing Plant  
Kent

CED Fabrications Ltd  
Building 3  
Sandwich Industrial Estate  
Sandwich, Kent  
CT13 9LY

T: 01304 617 377



Certificate Number 7895  
ISO 9001, ISO 14001



DOWNLOAD ALL  
TECHNICAL DRAWINGS  
from [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)

**SALES LINE**  
**01254 238 282**

All prices exclude VAT - Free  
delivery applies to all orders over  
£350. All orders under £350 incur  
a £40 charge. Deliveries to UK  
mainland ONLY.

Quick Service range delivery stated as 2/6 full working days after order receipt, some mainland UK locations  
may be extended. Delivery days and times are estimates only, and while CED will take all reasonable actions  
to meet these estimates, these can vary without notice, due to conditions beyond our control.  
Working days are Monday to Thursday inclusive 8.30am to 4.30pm, Fridays 8.30am to 3.30pm.

Distributor stamp

w: [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)  
e: [sales@cedlimited.com](mailto:sales@cedlimited.com)