

DR

in the Restaurant



PRICE LIST 2022

MERCHANDISERS · DROP INS · PATISSERIES · BACK BAR · BESPOKE COUNTERS



READY TO SERVE

With multiple manufacturing sites to better target our customers needs, CED are one of the most successful UK manufacturers of commercial catering equipment, with over 150 dedicated employees providing an extensive range of kitchen equipment.

At CED we pride ourselves on our innovative, stylish and reliable ranges of bespoke and standard commercial catering equipment.

As we continue to gain market share, our recent merger with Tournus Equipement confirms CED's investment in future business growth.

At the heart of our positive growth lies continued investment in ourselves. Staff training, product development, design software, component sourcing and manufacturing plant & processes.

The Tournus manufacturing partnership has enabled CED to extensively increase our UK product range like never before, introducing many new innovative commercial kitchen products, from plate dispensers to serving trolleys and beyond, all available in our Tournus Equipement Price List.

CED's unequalled capacity to fulfil our customers many diverse requirements, simply increases year on year.

Whether that need is for kitchen fabrication components, the latest in energy efficient drop in displays and patisseries, or the most complex of bespoke servery counters.

With a fleet of delivery vehicles operating from three fully equipped manufacturing and stock holding facilities, we're ready to serve !

Howard Rishton
Managing Director.

CONTENTS

In the Restaurant

Our Brands	3
What's New at CED	4-5

Merchandisers

Moneymaker

Merchandisers - Introduction	6-7
Chilled Merchandisers	8-9
Heated Merchandisers	10-11
Merchandise Options	12-13
Merchandise Colour Options	14
Merchandise Installation &	15
Merchandise Disposal	

Drop in Displays

Kubus & Designline Styles

Drop in Displays - Introduction	16-17
Heated Drop in Displays	18-25
Chilled Hydrocarbon	26
What's it all about?	
Chilled Drop in Displays	27 -35
Contact Cool Wells & Frost Tops	36-37
Ambient Drop in Displays	38-43
Display Options & Accessories	44-45

Patisseries

Kubus & Designline Styles

Patisseries - Introduction	46-47
Chilled Patisseries	48
Heated Patisseries	49
Ambient Patisseries	50
Patisserie Options & Accessories	51-52
Kitchen Fabrication Products	53

Back Bar

Modular Bar Systems

Backbar Introduction	54-55
Backbar Shelving Units,	56-57
Sink Units, Ice Chests	
Backbar Handwash Basin, Blender Station, Top Bridge Drainer	58
Backbar Storage Units	59
Backbar Basket Shelving Unit, Bin Unit and Beer Station	60
Back Bar Accessories	61-62
Back Bar Features	63

Bespoke Counters

The Theatre of Dining

Introduction	64-65
Education Sector	66-67
Restaurants & Bars Sectors	68
Hotel Sector	69
Business & Industry Sector	70
Leisure Sector	71
Healthcare	72
Retail Sector	73
Completed project	74-75
Site Addresses & Contact Details	76

R in the Restaurant



Modern Rectilinear
Drop-ins



Classic Curved
Drop-ins



Grab & Go
Merchandisers



Bar CED



Bespoke
Counters

Our products & brands satisfy a wide range of catering markets and customer requirements.

Money Maker Grab 'n' Go Merchandisers: CED's 'Money Maker' range of free standing chilled and heated high capacity merchandisers, are the environmentally friendly answer to volume refrigerated and heated grab n' go retail sales. Offered with either night blinds, roller shutters or front sliding doors, you can further customise the models with rear doors, impulse baskets, panoramic side glass, glass shelves or powder coated finishes.

We'll even deliver, position the unit and dispose of your redundant chiller while we're there!

Drop-ins - Kubus & Designline: CED's range of exclusive heated, chilled and ambient drop-in displays are the perfect food merchandising solution. Both the modern rectilinear Kubus profiles or the elegantly classic curves of our Designline displays can be integrated within our bespoke counters or your own shop-fitted projects.

Patisseries - Kubus & Designline: Styled to blend seamlessly with our drop-ins, these popular freestanding heated, chilled and ambient serve over displays also work well as self-help grab 'n' go units. You'll find CED's unique food merchandising patisseries integrated in countless bespoke counters too, from cafe's to colleges to food halls.

Backbar: A versatile, pre-engineered interconnecting modular bar system, in durable 430 gd. steel panel work, with 304 gd. worktops. The bases can be incorporated behind bespoke bar frontages to provide the essential elements for a fully functioning bar serving area.

Bespoke Counters: Our skilled workforce brings many valued years of experience in the design and manufacture of commercial bespoke serving counter, bar & consultant led fabrication. This skills collective provides a smooth, professional site assembly process and a delighted client, time and again.



Certificate Number 7895
ISO 9001, ISO 14001



WHAT'S NEW



PRICE LIST 2022

BAIN MARIE · CERAN · CHILLED WELL · MULTIDECK · PLUS MANY MORE



NEW GLIDE DINING CARTS RANGE

The Glide Dining Carts range of modular heated, ambient and refrigerated systems creates a versatile, mobile servery counter system. Manufactured in stainless steel, the units feature plastisol front and panels that are aesthetically pleasing yet durable.

The wide array of features means that the carts can be customized to meet the individual needs of your business or institution. The carts can be either free standing / wall sited and combined together to form a fully functional angled or straight servery area. A variety of sizes, gantry options, and wall-sited alternatives ensure that no space is wasted.

GLIDE PRICE LIST OUT NOW!



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

HEATED MERCHANDISERS.

CED's new range of 'Money Maker' heated food merchandisers are just right for those volume grab n' go retail sales. With an eye-catching food display area - thanks to the vertical and horizontal LED lighting design - these free standing, energy efficient merchandisers come with lots of options and opportunity to personalise them too.



FROST TOPS.

Take your servery design to another level with CED's new frost tops now available on request. All our frost tops are bespoke and designed to suit your new counter. Add that wow factor to your projects.

Enquire now and see how we can help.





Made in
the UK



CHILLED MERCHANDISERS



CED's 'Money Maker' range of free standing chilled high capacity merchandisers, are the environmentally friendly answer to volume refrigerated grab n' go retail sales.

Gently chilled by hydrocarbon (HT) refrigerant, these self help units are available in a choice of 5 standard widths, 2 depths & fitted with either 3 or 4 adjustable steel shelves. Internal display space is maximized & traditional bottle well storage is provided on a deck below the display tiers. A stainless steel interior with bright polished back and inner side panels offer a truly inviting merchandising space, where food display is enhanced by horizontal & vertical diffused LED lighting (4000 k).



HEATED MERCHANDISERS



CED's 'Money Maker' range of heated merchandisers, are designed to complement our environmentally friendly refrigerated grab n' go models. These free standing, hot holding merchandisers are ideal for the display of pre-heated cooked food, packaged, cartoned or unwrapped heated products.

Food core holding temperature in the cabinet (70-75 degrees C) is achieved by a combination of both static, fan blown and convected hot air. Each of the four display tier heated zones can be independently set by digital displays mounted behind the front panel. On/ off & lighting switches are located in the canopy, the cabinet can also be used with lighting only as an ambient merchandiser.



3 TIER SLIM CHILLED MERCHANDISER (HT)

Main Features

- Compact mobile chilled merchandiser in a range of sizes, for retail locations where space is a premium.
- Self help (fixed back) application. (Rear door option available).
- Available in 600, 900, 1200, 1500 & 1800 mm wide.
- Slimline unit depth 635 mm (+50), unit height 1725 mm.
- 3 tier steel adjustable height shelving, for increased product display area.
- Cold deck area, typically used as bottle storage.
- Product Illumination is from horizontal & vertical diffused LED lighting (4000 Kelvin).
- 24-hour operation.
- Superstructure in bright polished (internal) and satin (external) steel.
- Bright polished steel rear back panel for typical use in wall sited situation.
- **Night blind models** - Fitted with energy saving retractable insulated night blind.
- **Lockable roller shutter models** - Overhead type, twin locking, insulated aluminum lath, silver finish. (unit height 1725 mm).
- **Double glazed front door models** - Fitted with dual sliding double glazed doors that considerably improve energy saving.
- 40 mm tall 'point of sale' display/ ticket strips are fitted as standard.
- Removable steel front fascia panel, for ease of cleaning/ service maintenance.
- Modular removable deck plate system for easier cleaning and maintenance.
- Stand off brackets for wall siting included, to ensure adequate unit ventilation.
- Adjustable final positioning/levelling feet.
- Supplied with 2m lead, cord wrap & parking socket, for connection to a single 13 Amp socket (13A 230V 50 Hz).

Additional Features

- Features high-level digital temperature display and control panel (customer side).
- Features 'tamper proof' temperature control facility.
- Features integral energy efficient chilled R290 hydrocarbon refrigeration (HT).
- Integral automatic condensate water evaporation eliminates the need for site drainage.
- Can achieve temperatures of 0°C to 5°C (max 27°C ambient 55% relative humidity).

Food Display Types

Drinks:

Still & carbonated, bottled, canned or carton, water, dairy, lemonade, wine, beer, lager, fruit juice & health drinks. Shelving typically accepts 1/2 litre 240 mm (h) cola bottles/ sandwich packs etc.

Food:

Wrapped sandwiches, baguettes, rolls & barm cakes, salad, pasta, cheese snacks, cream cakes & pastries, cakes, yoghurt, cereals, fruit in juice & fruit.



Available with night blind, roller shutter or sliding doors.

Chilled 3 Tier Slim Merchandiser



Model MM900SHT shown (Night Blind)



Model MM900SRHT shown (Roller Shutter)

HIGH SECURITY:
Twin locking shutter system

HIGH ILLUMINATED DISPLAY AREA:
Vertical & horizontal lights

ENERGY SAVING:
By design



DOWNLOAD ALL TECHNICAL DRAWINGS from www.cedfabsltd.co.uk



Model MM900SDHT shown (Sliding Doors)



Chilled 3 Tier Slim Merchandiser (HT)

3 Tier Night Blind Model					
Price	MM600SHT	MM900SHT	MM1200SHT	MM1500SHT	MM1800SHT
	£5,472	£6,863	£7,418	£8,347	£9,182
3 Tier Roller Shutter Model					
Price	MM600SRHT	MM900SRHT	MM1200SRHT	MM1500SRHT	MM1800SRHT
	£5,843	£7,234	£7,976	£8,902	£9,735
3 Tier Front Sliding Doors Model					
Price	-	MM900SDHT	MM1200SDHT	MM1500SDHT	-
	-	£8,225	£8,811	£9,645	-
Capacity (Litres)	160	240	330	420	510
Length (mm)	600	900	1200	1500	1800
Depth (mm)	635(+50)	635(+50)	635(+50)	635(+50)	635(+50)
Height (mm)	1725	1725	1725	1725	1725
3 Tiers + Deck	Included	Included	Included	Included	Included
Shelf Depth (mm) (4 x 1/2 litre cola bottles)	291	291	291	291	291
Well Depth (mm) (6 x 1/2 litre cola bottles)	400	400	400	400	400
Weight (uncrated) (kg)	Night Blind >	157	187	217	275
	Roller Shutter >	167	197	227	288
	Sliding Doors >	167	197	227	288
Refrigerant Type	R290	R290	R290	R290	R290
Power (kW)	1.31	1.48	1.66	1.69	1.72
Total Heat Rejection @ 25°C Ambient (watts)	1508	2004	2235	2235	2454
Electrical supply	13A 230V	13A 230V	13A 230V	13A 230V	13A 230V

4 TIER LARGE CHILLED MERCHANDISER (HT)

Main Features

- Large mobile chilled merchandiser in a range of sizes, for retail locations where maximum merchandising capacity is a premium.
- Self help (fixed back) application. (Rear door option available).
- Available in 600, 900, 1200, 1500 & 1800 mm wide.
- Large unit depth 795 mm (+50), unit height 1965 mm.
- 4 tier steel adjustable height shelving, for increased product display area.
- Cold deck area, typically used as bottle storage.
- Product illumination is from horizontal & vertical diffused LED lighting (4000 Kelvin).
- 24-hour operation.
- Superstructure in bright polished (internal) and satin (external) steel.
- Bright polished steel rear back panel for typical use in wall sited situation.
- **Night blind models** - Fitted with energy saving retractable insulated night blind.
- **Lockable roller shutter models** - Overhead type, twin locking, insulated aluminum lath, silver finish. (unit height 1725 mm).
- **Double glazed front door models** - Fitted with dual sliding double glazed doors that considerably improve energy saving.
- 40 mm tall 'point of sale' display/ ticket strips are fitted as standard.
- Removable steel front fascia panel, for ease of cleaning/ service maintenance.
- Modular removable deck plate system for easier cleaning and maintenance.
- Stand off brackets for wall siting included, to ensure adequate unit ventilation.
- Adjustable final positioning/levelling feet.
- Supplied with 2m lead, cord wrap & parking socket, for connection to a single 13 Amp socket (13A 230V 50 Hz).

Additional Features

- Features high-level digital temperature display and control panel (customer side).
- Features 'tamper proof' temperature control facility.
- Features integral energy efficient chilled R290 hydrocarbon refrigeration (HT).
- Integral automatic condensate water evaporation eliminates the need for site drainage.
- Can achieve temperatures of 0°C to 5°C (max 27°C ambient 55% relative humidity).

Food Display Types

Drinks:

Still & carbonated, bottled, canned or carton, water, dairy, lemonade, wine, beer, lager, fruit juice & health drinks. Shelving typically accepts 1/2 litre 240 mm (h) cola bottles/ sandwich packs etc.

Food:

Wrapped sandwiches, baguettes, rolls & barm cakes, salad, pasta, cheese snacks, cream cakes & pastries, cakes, yoghurt, cereals, fruit in juice & fruit.



Available with night blind, roller shutter or sliding doors.

Chilled 4 Tier Large Merchandiser



Model MM900LHT shown (Night Blind)

24 HOUR OPERATION:
As standard



Model MM900LRHT shown (Roller Shutter)

LARGE CAPACITY:
397 Lt.

DRAUGHT RESISTANT:
Sliding Doors



DOWNLOAD ALL TECHNICAL DRAWINGS from www.cedfabsltd.co.uk



Model MM1200LDHT shown (Sliding Doors)



Chilled 4 Tier Large Merchandiser (HT)

4 Tier Night Blind Model	MM600LHT	MM900LHT	MM1200LHT	MM1500LHT	MM1800LHT
Price	£7,259	£7,642	£8,503	£9,841	£11,367
4 Tier Roller Shutter Model	MM600LRHT	MM900LRHT	MM1200LRHT	MM1500LRHT	MM1800LRHT
Price	£7,642	£8,119	£8,980	£10,316	£11,846
4 Tier Front Sliding Doors Model	-	MM900LDHT	MM1200LDHT	MM1500LDHT	-
Price	-	£9,001	£9,769	£10,882	-
Capacity (Litres)	260	397	552	700	862
Length (mm)	600	900	1200	1500	1800
Depth (mm)	795(+50)	795(+50)	795(+50)	795(+50)	795(+50)
Height (mm)	1965	1965	1965	1965	1965
4 Tiers + Deck	Included	Included	Included	Included	Included
Shelf Depth (mm) (6 x 1/2 litre cola bottles)	391	391	391	391	391
Well Depth (mm) (8 x 1/2 litre cola bottles)	560	560	560	560	560
Weight (uncrated) (kg)	Night Blind >	192	231	311	349
	Roller Shutter >	202	241	321	359
	Sliding Doors >	202	241	321	359
Refrigerant Type	R290	R290	R290	R290	R290
Power (kW)	1.31	1.48	1.67	1.70	1.72
Total Heat Rejection @ 25°C Ambient (watts)	1508	2004	2235	2235	2454
Electrical supply	13A 230V	13A 230V	13A 230V	13A 230V	13A 230V

3 TIER SLIM HEATED MERCHANDISER

Main Features

- Mobile hot holding merchandiser in a range of sizes, for retail locations where space is a premium.
- Ideal for the display of pre-heated cooked food, packaged & cartoned heated produce, whether for snack, breakfast or lunch offers.
- Heated by both static heat and fan blown heated air.
- Self help (fixed back) application.
- 3 tier food display levels comprising 3 steel/ coated aluminum shelves and hot deck display area.
- Shelving is adjustable in both height/angle with removable steel wire food display grids on all display levels.
- Vertical & horizontal covered fluorescent lighting to display area (4000 Kelvin) – to match chilled merchandiser models.
- Fitted with an energy saving retractable insulated night blind.
- Available in 600, 900 & 1200mm wide.
- Slim unit depth 635mm, unit height 1725 mm.
- 24-hour operation.
- Superstructure in bright polished (internal) and satin (external) steel.
- Bright polished steel rear back panel for typical use in wall sited situation.
- Cabinet can also be used with lighting only as an ambient merchandiser.
- 40 mm tall 'point of sale' display/ ticket strips are fitted as standard.
- Supplied with 2m lead, cord wrap & parking socket, for connection to a single 13 Amp socket (13A 230V 50 Hz) – 1200mm wide models supplied with 32A commando plug.
- Removable steel front fascia panel, for ease of cleaning/ service maintenance.
- Modular removable shelving system for easier cleaning and maintenance.
- Adjustable final positioning/ levelling feet.

Additional Features

- The temperature of each of the 4 display tier heated zones can be independently set, using digital displays mounted behind the front panel.
- Features 'tamper proof' temperature control facility.
- Product temperature maintained at 70- 75 deg. C in +18 deg. C ambient.
- User friendly 'On/ Off' and lighting switches discreetly mounted in canopy.

Food Display Types

Food:

Pre-heated cooked food, packaged & cartoned heated product. Hot wrapped burritos, sandwiches, rolls, breads & baguettes, hot savouries, pies, pastries & sausage rolls, chicken, pizza, cartoned soup and oats.



Available with night blind.

Heated 3 Tier Slim Merchandiser



Model MMH900S shown (Night Blind)



Model MMH900S + DGPS shown (Glazed Side Panels)

MATCHING:
Both heated & chilled

ENERGY SAVING:
By design

ACCESSIBLE:
Access from both sides



DOWNLOAD ALL TECHNICAL DRAWINGS from www.cedfabsltd.co.uk



Model MMH900S + MMHDR9S shown (Rear Doors)

Heated 3 Tier Slim Merchandiser

3 Tier Night Blind Model	MMH600S	MMH900S	MMH1200S
Price	£6,740	£7,685	£8,659
Capacity (Litres)	134	207	281
Length (mm)	600	900	1200
Depth (mm)	635	635	635
Height (mm)	1725	1725	1725
3 Tiers + Deck	Included	Included	Included
Shelf Depth (mm)	336	336	336
Deck Depth (mm)	428	428	428
Night Blind	Included	Included	Included
Weight (uncrated) (kg)	112	151	190
Power (kW)	2.57	2.57	4.10
Electrical supply	13A 230V	13A 230V	32A 230V

3 TIER LARGE HEATED MERCHANDISER

Main Features

- Mobile hot holding merchandiser in a range of sizes, for retail locations where maximum merchandising capacity is premium.
- Ideal for the display of pre-heated cooked food, packaged & cartoned heated produce, whether for snack, breakfast or lunch offers.
- Heated by both static heat and fan blown heated air.
- Self help (fixed back) application.
- 3 tier food display levels comprising 3 steel/ coated aluminum shelves and hot deck display area.
- Shelving is adjustable in both height/angle with removable steel wire food display grids on all display levels.
- Vertical & horizontal covered fluorescent lighting to display area (4000 Kelvin) – to match chilled models.
- Fitted with an energy saving retractable insulated night blind.
- Available in 600, 900 & 1200mm wide.
- Large unit depth 795mm, unit height 1965 mm.
- 24-hour operation.
- Superstructure in bright polished (internal) and satin (external) steel.
- Bright polished steel rear back panel for typical use in wall sited situation
- Cabinet can also be used with lighting only as an ambient merchandiser.
- 40 mm tall 'point of sale' display/ ticket strips are fitted as standard.
- Supplied with 2m lead, cord wrap & parking socket, for connection to a single 13 Amp socket (13A 230V 50 Hz) – 1200mm wide models supplied with 32A commando plug.
- Removable steel front fascia panel, for ease of cleaning/ service maintenance.
- Modular removable shelving system for easier cleaning and maintenance.
- Adjustable final positioning/ levelling feet.

Additional Features

- Features 4 'tamper proof' digital control panels – concealed in lift off front fascia panel – which allow variable temperature holding to each tier.
- Features 'tamper proof' temperature control facility.
- Product temperature maintained at 70- 75 deg. C in +18 deg. C ambient.
- User friendly 'On/ Off' and lighting switches discreetly mounted in canopy.

Food Display Types

Food:

Pre-heated cooked food, packaged & cartoned heated product. Hot wrapped burritos, sandwiches, rolls, breads & baguettes, hot savouries, pies, pastries & sausage rolls, chicken, pizza, cartoned soup and oats.



Available with night blind.

Heated 3 Tier Large Merchandiser



Model MM900LHT shown (Night Blind)



Model MMH900L + DGPS shown (Glazed Side Panels)

MULTIPLE SIZES:

3 sizes available to suit & grab & go area

LARGE CAPACITY:

Lots of space for multiple products



DOWNLOAD ALL TECHNICAL DRAWINGS from www.cedfabsltd.co.uk



Model MMH900L + MMHDR9L shown (Rear Doors)



Heated 3 Tier Large Merchandiser

3 Tier Night Blind Model	MMH600L	MMH900L	MMH1200L
Price	£6,816	£7,760	£8,734
Capacity (Litres)	228	353	478
Length (mm)	600	900	1200
Depth (mm)	795	795	795
Height (mm)	1965	1965	1965
4 Tiers + Deck	Included	Included	Included
Shelf Depth (mm) (6 x 1/2 litre cola bottles)	391	391	391
DE Depth (mm) (8 x 1/2 litre cola bottles)	560	560	560
Night Blind	Included	Included	Included
Weight (uncrated)(kg)	152	191	230
Power (kW)	2.57	2.87	4.10
Electrical supply	13A 230V	13A 230V	32A 230V



HEAVY DUTY CASTOR OPTION

Main Features

Set of heavy duty castors - 2 braked to customer side (200 kg load/ castor).*1765 mm Unit Height (3 tier slim), 2005 mm Unit height (4 tier large)*



DOUBLE GLAZED REAR DOOR SET OPTION

(NIGHT BLIND & FRONT DOOR MODELS ONLY)

Main Features

Set of rear s/steel hinged door/s with double glazed window, allows re-stocking of the cabinet from operator side, when the unit is not wall sited.



PANORAMIC GLAZED SIDE PANELS OPTION

Main Features

Partially double glazed end panels provide a more panoramic view of displayed merchandise, whilst also adding more natural light to the cabinet. Vertical LED lighting is retained to the display area.



Model MM900SHT
+ HDC9 shown



Made in the UK



SAME CODES FOR HEATED VERSION!

Ø100mm Heavy Duty Castors

Model	HDC6	HDC9	HDC12	HDC15	HDC18
Option Price	£F.O.C.	£F.O.C.	£F.O.C.	£F.O.C.	£F.O.C.
Model Length (mm)	600	900	1200	1500	1800
Revised Height (mm)	3 Tier - Slim Units > 1765	1765	1765	1765	1765
	4 Tier - Large Units > 2005	2005	2005	2005	2005



MMDR6S



MMDR9S



MMDR12S



MMDR15S



MMDR18S

EASY RESTOCKING:
Rear loading double glazed doors

Double Glazed Rear Door Set

3 Tier - Slim Units Set Model	MMDR6S	MMDR9S	MMDR12S	MMDR15S	MMDR18S	MMHDR6S	MMHDR9S	MMHDR12S
Option Price	£770	£1,391	£1,529	£1,637	£2,913	£770	£1,391	£1,529
4 Tier - Large Units Set Model	MMDR6L	MMDR9L	MMDR12L	MMDR15L	MMDR18L	MMHDR6L	MMHDR9L	MMHDR12L
Option Price	£884	£1,571	£1,851	£1,911	£3,115	£884	£1,571	£1,851
Model Length (mm)	600	900	1200	1500	1800	600	900	1200
Quantity Doors per Model	One	Two	Two	Two	Four	One	Two	Two



Model MM900SHT
+ DGPS shown



Model MM900LHT
+ DGPL shown

IMPROVED MERCHANDISING:
Adds natural light to display



SAME CODES FOR HEATED VERSION!

Panoramic Glazed Side Panels

For Standard Models	DGPS	DGPL
Option Price	£382	£472
For Model with Front Doors	DGPSD	DGPLD
Option Price	£382	£472



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

WIRE IMPULSE BASKET OPTION

Main Features

Factory fitted hook in chrome wire basket, continuous open frame type, for local display of ambient product (crisps etc.) to merchandiser front. Ideal for maximizing impulse sales, meal deal offers. Basket depth accepts 6 x standard 32.5g crisp packets.



Model MMIB9 shown (full)

Model MMIB9 shown (empty)

**IMPROVED
IMPULSE
SALES:**
With removable
baskets



SAME CODES FOR
HEATED VERSION!

Wire Impulse Basket

Hook In Impulse Basket	MMIB6	MMIB9	MMIB12	MMIB15	MMIB18
Option Price	£203	£238	£271	£306	£338
Model Length (mm)	600	900	1200	1500	1800
Basket Size L x H x D (mm)	540 x 99 x 210	840 x 99 x 210	1140 x 99 x 210	1440 x 99 x 210	1740 x 99 x 210

MOBILE IMPULSE TIMBER BASKET OPTION

Main Features

Freestanding mobile timber impulse basket, with open slat redwood frame in clear satin varnish finish, steel support straps & lockable castors, for local display of ambient product (crisps etc.) to merchandiser front. Ideal for maximizing impulse sales, meal deal offers. Timber Basket (storage area) depth accepts 10 x standard 32.5g crisp packets.

Model MITB9
shown (in-situ)Model MITB9
shown (moved)

**IDEAL
SOLUTION:**
For meal
deal offers



SAME CODES FOR
HEATED VERSION!

Mobile Impulse Timber Basket

For Standard Models	MITB6	MITB9	MITB12	MITB15	MITB18
For Models with Front Doors	-	MITB9D	MITB12D	MITB15D	-
Option Price	£1241	£1330	£1421	£1637	£1745
Model Length (mm)	600	900	1200	1500	1800
Basket Size L x H x D (mm)	600 x 660 x 300	900 x 660 x 300	1200 x 660 x 300	1500 x 660 x 300	1800 x 660 x 300
Storage Area L x H x D (mm)	570 x 270 x 147	870 x 270 x 147	1170 x 270 x 147	1470 x 270 x 147	1770 x 270 x 147

COLOUR STAIN TO MOBILE IMPULSE TIMBER BASKET OPTION

Main Features

Blanchon wood stain in Oak, Wenge or Ash Grey applied prior to varnish finish.



Standard

Distressed
Oak

Wenge

Ash
Grey

**THEMED
FINISHES:**
Choose the most
appropriate
to suit your
environment



SAME CODES FOR
HEATED VERSION!

Colour Stain to Mobile Impulse Timber basket

Wood Stain (Oak/Wenge/Ash Grey)	MITB6S	MITB9S	MITB12S	MITB15S	MITB18S
Option Price	£76	£91	£96	£110	£122
Model Length (mm)	600	900	1200	1500	1800



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk



GLASS SHELVING (SET) OPTION

Main Features

Set of 10 mm thick toughened glass shelves, for enhanced product display.



Glass Shelving (Set)

3 Tier - Slim Units Set	GSSETMM6S	GSSETMM9S	GSSETMM12S	GSSETMM15S	GSSETMM18S
Option Price	£496	£508	£520	£789	£825
4 Tier - Large Units Set	GSSETMM6L	GSSETMM9L	GSSETMM12L	GSSETMM15L	GSSETMM18L
Option Price	£526	£549	£562	£1,003	£1,039
Model Length (mm)	600	900	1200	1500	1800
Shelf Length Divided into 2 Parts (For ease of adjustment).	N/A	N/A	N/A	Yes	Yes

ADDITIONAL GLASS SHELF OPTION

Main Features

Converts the 3 tier glass shelving option into 4 tiers of chilled glass shelf storage (for slim models), or 4 tier glass shelving option into 5 tiers of chilled glass shelf storage (for large models).

Ideal where product displayed is not predominantly bottle storage.



ADDITIONAL STEEL SHELF OPTION

Main Features

Converts the 3 tier model into 4 tiers of chilled steel shelf storage (for slim models), or the 4 tier model into 5 tiers of chilled steel shelf storage (for large models). Ideal where product displayed is predominantly bottle storage.



Additional Glass Shelf

Slim Units (Converts 3 Tier to 4 Tier Shelving)	AGSMM6S	AGSMM9S	AGSMM12S	AGSMM15S	AGSMM18S
Option Price	£245	£288	£323	£539	£568
Large Units (Converts 4 Tier to 5 Tier Shelving)	AGSMM6L	AGSMM9L	AGSMM12L	AGSMM15L	AGSMM18L
Option Price	£264	£305	£335	£585	£616
Model Length (mm)	600	900	1200	1500	1800
Additional Storage Area L x D (mm)	Slim 3 Tier to 4 Tier >	528 x 291	828 x 291	1128 x 291	1412 x 291
	Large 4 Tier to 5 Tier >	528 x 391	828 x 391	1128 x 391	1412 x 391
Shelf length divided into 2 parts (For ease of adjustment)	N/A	N/A	N/A	Yes	Yes



Additional Steel Shelf

Slim Units (Converts 3 Tier to 4 Tier Shelving)	ASSMM6S	ASSMM9S	ASSMM12S	ASSMM15S	ASSMM18S
Option Price	£106	£161	£182	£303	£325
Large Units (Converts 4 Tier to 5 Tier Shelving)	ASSMM6L	ASSMM9L	ASSMM12L	ASSMM15L	ASSMM18L
Option Price	£148	£182	£206	£320	£366
Model Length (mm)	600	900	1200	1500	1800
Additional Storage Area L x D (mm)	Slim 3 Tier to 4 Tier >	528 x 291	828 x 291	1128 x 291	1412 x 291
	Large 4 Tier to 5 Tier >	528 x 391	828 x 391	1128 x 391	1412 x 391
Shelf length divided into 2 parts (For ease of adjustment)	N/A	N/A	N/A	Yes	Yes



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

COLOURED SURFACE FINISH OPTION

Main Features

A tough, durable powder coated colour finish can be applied to the external body of the merchandiser, to match many standard RAL colour references.



Coloured Surface Finish

Coloured Surface Finish (All Units)	MMPCO
Option Price	£603

*Please state selected RAL Reference at point of order



INSTALLATION SERVICE OF MERCHANDISER

Main Features

The new merchandiser can be delivered direct to site/ positioned, de-papared, switched on and left operational for customers. (Standard terms of installation i.e. ground floor location, or access to goods lift, within UK Mainland, normal working hours).

WEEE Disposal OF REDUNDANT MERCHANDISER

Main Features

Collection and WEEE disposal of the redundant cabinet can also take place on delivery of any new CED Money Maker Merchandiser. (Standard terms of collection i.e. ground floor location, or access to goods lift, within UK Mainland, normal working hours).



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

RAL 1015 Sulphur Yellow	RAL 4010 Telemagenta	RAL 3033 Ruby Red	RAL 4008 Signal Violet
RAL 5022 Midnight Blue	RAL 9010 Pure White	RAL 9001 Cream	RAL 1015 Light Ivory
RAL 7032 Pebble Grey	RAL 7030 Agate Grey	RAL 7004 Signal Grey	RAL 5024 Pastel Blue
RAL 5012 Light Blue	RAL 5014 Pigeon Blue	RAL 6021 Pale Green	RAL 6025 Fern Green
RAL 6003 Olive Green	RAL 7008 Khaki Grey	RAL 8014 Sepia Brown	RAL 9005 Jet Black

INSTALLATION SERVICE



Installation Service Of 'Money Maker' Merchandiser

Unpack and Position	MMUP69	MMUP69	MMUP1215	MMUP1215	MMUP18
Option Price	£388	£388	£388	£388	£540
Model Length (mm)	600	900	1200	1500	1800

WEEE Disposal Of Redundant Merchandiser

WEEE Disposal Of Redundant Multideck During Delivery	MMWEEE
Option Price	£403



Made in
the UK

KUBUS DROP-INS



Clean Rectilinear Profiles, Superlative
Quality & Performance.

Kubus drop in displays optimise a clean rectilinear design perspective - enhanced by durable chrome plated aluminium superstructures and lighting ducts - all enclosed within toughened flat glass hoods, sneeze screens and side panels.





DESIGNLINE DROP-INS



Beautiful Toughness.
Ruthless Reliability.

Innovative elliptical materials, finishes and gentle radius glass curves have established Designline as an industry classic, backed by CED's continued assurance of beautiful toughness and ruthless reliability in the field.



DRY HEAT BAIN MARIE



Available in
both Kubus
or Designline
model styles



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

Main Features

> KUBUS

Self Help: Flat toughened glass sneeze guard profile.
Assisted Service: Full height flat front & side glass sneeze guard profile.

Both are designed to compliment other units within the Kubus range.

> DESIGNLINE:

Self Help: Curved toughened glass sneeze guard profile.

Assisted Service: Full height curved front & end glass sneeze guard profile.

Both are designed to compliment other units within the Designline range.

- Dry heat bain marie tank with individual 1/1GN support collars to accept 100/150mm deep s/steel gastronorm containers (not supplied).
- 'Touch safe' gantry mounted digital temperature display and eye level control panel (operator side).
- Base heat and top heat are separately controlled.

- Top heat is variably controlled from a gantry mounted dimmer switch.
- 24-hour operation as standard.
- Superstructure in bright polished, satin steel and aluminium profile.
- Optional compatibility to Dixell & Modbus RTU network store food monitoring systems.
- Supplied with concealed under counter control box on a 2m loom for connection to 13 Amp/ 16 Amp/ 20 Amp/ 32 Amp supply.

Special features

- **Illumination**
 - KUBUS:** Product Illumination/surface heat is provided from a rectangular profile gantry.
 - DESIGNLINE:** Product Illumination/surface heat is provided from an elliptical profile gantry.
- Features 'tamper proof' temperature control facility.
- Base heat output is thermostatically controlled from the gantry mounted control panel giving even heat spread.

Food Display long term holding
(2-4 hours)

Breakfast

Baked beans, tomatoes, bacon, sausage, black pudding, mushrooms, hash browns.

Lunch/dinner

Stews, curry, chilli dishes, sliced meats in gravy or sauce, pasta in sauce, vegetables, ribs with sauce, chicken portions.

Short term holding (15-20 mins)

Breakfast/ brunch

Omelettes, fried / boiled eggs, baked potatoes.

Lunch/dinner

Battered fish, chips / fries.

Dry Heat Bain Marie

Self Help

Kubus Model		KHBM2	KHBM3	KHBM4	KHBM5	KHBM6
Price		£2,801	£3,114	£3,457	£3,839	£4,235
Designline Model		HBM2	HBM3	HBM4	HBM5	HBM6
Price		£2,667	£2,964	£3,290	£3,654	£4,031
Capacity		2/1 GN	3/1 GN	4/1 GN	5/1 GN	6/1 GN
Length (mm)		825	1175	1525	1875	2225
Depth (mm)		660	660	660	660	660
Height above worktop (mm)	Kubus >	540	540	540	540	540
	Designline >	535	535	535	535	535
Depth below worktop (mm)		220	220	220	220	220
Weight (uncrated) (kg)	Kubus >	38	49	60	71	83
	Designline >	33	44	55	66	78
Power (kW)		1.6	2.4	3.0	4.0	4.8
Electrical supply		13A 230V	13A 230V	13A 230V	20A 230V	32A 230V


* These models have controls fitted on operator side of gantry as standard.
If controls are required on customer side i.e. for wall sited counters, please state 'controls to customer side' when ordering.

Assisted Service

KHBM2+KAS2	KHBM3+KAS3	KHBM4+KAS4	KHBM5+KAS5	KHBM6+KAS6
£3,181	£3,528	£4,138	£4,785	£5,276
HBM2+AS2	HBM3+AS3	HBM4+AS4	HBM5+AS5	HBM6+AS6
£3,045	£3,379	£3,967	£4,600	£5,073
2/1 GN	3/1 GN	4/1 GN	5/1 GN	6/1 GN
825	1175	1525	1875	2225
660	660	660	660	660
540	540	540	540	540
535	535	535	535	535
220	220	220	220	220
52	66	78	91	105
44	56	69	82	95
1.6	2.4	3.0	4.0	4.8
13A 230V	13A 230V	13A 230V	20A 230V	32A 230V

* These models have controls fitted on operator side of gantry.

DRY HEAT BAIN MARIE & HEATED MIDSHELF



DOWNLOAD ALL TECHNICAL DRAWINGS from www.cedfabsltd.co.uk

Main Features

> KUBUS

Self Help: Flat toughened glass sneeze guard profile.
Assisted Service: Full height flat front & side glass sneeze guard profile.
Both are designed to compliment other units within the Kubus range.

> DESIGNLINE:

Self Help: Curved toughened glass sneeze guard and end glass profile.
Assisted Service: Full height curved front & end glass sneeze guard profile.
Both are designed to compliment other units within the Designline range.

- > Dry heat bain marie tank with individual 1/1GN support collars to accept 100/150mm deep s/steel gastronorm containers (not supplied).
- > Additional eye level heated mid shelf – ideal for plated meal presentation.
- > 'Touch safe' gantry mounted digital temperature display and eye level control panel (operator side).

- > Base heat and top heat are separately controlled.
- > Top heat is variably controlled from 2 no.gantry mounted dimmer switches.
- > 24-hour operation as standard.
- > Superstructure in bright polished, satin steel and aluminium profile.
- > Supplied with concealed under counter control box on a 2m loom for connection to 13 Amp/ 16 Amp/ 20 Amp/ 32 Amp supply.

Special features

> Illumination

Kubus: Product Illumination/surface heat is provided from a rectangular profile gantry.
Designline: Product Illumination/surface heat is provided from an elliptical profile gantry.

- > Optional compatibility to Dixell & Modbus RTU network store food monitoring systems.
- > Features 'tamper proof' temperature control facility.

- > Base heat output is thermostatically controlled from the gantry mounted control panel giving even heat spread.

Food Display long term holding (2-4 hours)

Breakfast

Baked beans, tomatoes, bacon, sausage, black pudding, mushrooms, hash browns.

Lunch/dinner

Stews, curry, chilli dishes, sliced meats in gravy or sauce, pasta in sauce, vegetables, ribs with sauce, chicken portions.

Short term holding (15-20 mins)

Breakfast/ brunch

Omelettes, fried / boiled eggs, baked potatoes.

Lunch/dinner

Battered fish, chips / fries.

Dry Heat Bain Marie & Heated Midshelf

Self Help

Kubus Model	KHBM2PS	KHBM3PS	KHBM4PS	KHBM5PS
Price	£4,505	£4,978	£5,456	£5,925
Designline Model	HBM2PS	HBM3PS	HBM4PS	HBM5PS
Price	£4,279	£4,731	£5,185	£5,630
Capacity	2/1 GN	3/1 GN	4/1 GN	5/1 GN
Length (mm)	825	1175	1525	1875
Depth (mm)	660	660	660	660
Height above worktop (mm)	Kubus > 700 Designline > 695	700 695	700 695	700 695
Depth below worktop (mm)	220	220	220	220
Weight (uncrated) (kg)	Kubus > 65 Designline > 55	76 66	87 77	98 88
Power (kW)	2.2	3.3	4.4	5.5
Electrical supply	13A 230V	16A 230V	20A 230V	32A 230V

* These models have controls fitted on operator side of gantry as standard.
If controls are required on customer side i.e. for wall sited counters, please state 'controls to customer side' when ordering.

Assisted Service

KHBM2PS+KAS2PS	KHBM3PS+KAS3PS	KHBM4PS+KAS4PS	KHBM5PS+KAS5PS
£4,642	£5,306	£6,044	£6,537
N/A	HBM3PS+AS3PS	HBM4PS+AS4PS	N/A
-	£5,055	£5,773	-
2/1 GN	3/1 GN	4/1 GN	5/1 GN
825	1175	1525	1875
660	660	660	660
700	700	700	700
-	695	695	-
220	220	220	220
71	84	98	111
-	74	87	-
2.2	3.3	4.4	5.5
13A 230V	16A 230V	20A 230V	32A 230V

* These models have controls fitted on operator side of gantry.

WET WELL BAIN MARIE (MANUAL FILL)



Available in both Kubus or Designline model styles

Kubus cabinet

DESIGNLINE



DOWNLOAD ALL TECHNICAL DRAWINGS from www.cedfabsltd.co.uk

Main Features

- KUBUS**
Self Help: Flat toughened glass sneeze guard profile.
Assisted Service: Full height flat front & side glass sneeze guard profile.
 Both are designed to compliment other units within the Kubus range.
- DESIGNLINE:**
Self Help: Curved toughened glass sneeze guard profile.
Assisted Service: Full height curved front & end glass sneeze guard profile.
 Both are designed to compliment other units within the Designline range.
- Manually filled wet well bain marie tank with individual 1/1 GN support collars to accept 100/150mm deep s/steel gastronorm containers.
- Manual fill with 3/4" B.S.P. lever arm waste for site drain connection or manual emptying.
- 'Touch safe' gantry mounted digital temperature display and eye level control panel (operator side).

- Base heat and top heat are separately controlled.
- Top heat is variably controlled from a gantry mounted dimmer switch.
- 24-hour operation as standard.
- Superstructure in bright polished, satin steel and aluminium profile.
- Wet well design reduces food deposits in container bases.
- Superstructure in bright polished, satin steel and aluminium profile.
- Supplied with concealed under counter control box on a 2m loom for connection to 13 Amp/ 16 Amp/ 20 Amp or 32 Amp supply.

- Optional compatibility to Dixell & Modbus RTU network store food monitoring systems.
- Base heat output is thermostatically controlled from the gantry mounted control panel giving even heat spread.

Food Display long term holding (2-4 hours)

Breakfast

Baked beans, tomatoes, bacon, sausage, black pudding, mushrooms, hash browns.

Lunch/dinner

Stews, curry, chilli dishes, sliced meats in gravy or sauce, pasta in sauce, vegetables (dry or in liquid), ribs with sauce, chicken portions.

Short term holding (15-20 mins)

Breakfast/ brunch

Omelettes, fried/ boiled eggs, baked potatoes.

Lunch/dinner

Battered fish, chips / fries, pizza.

Special features

- Illumination**
Kubus: Product Illumination/surface heat is provided from a rectangular profile gantry.
Designline: Product Illumination/surface heat is provided from an elliptical profile gantry.
- Features 'tamper proof' temperature control facility.

Wet Well Bain Marie (Manual Fill)

Self Help

Kubus Model	KHBMW2	KHBMW3	KHBMW4	KHBMW5	KHBMW6
Price	£3,689	£3,852	£4,075	£4,641	£4,939
Designline Model	HBMW2	HBMW3	HBMW4	HBMW5	HBMW6
Price	£3,515	£3,671	£3,883	£4,420	£4,704
Capacity	2/1 GN	3/1 GN	4/1 GN	5/1 GN	6/1 GN
Length (mm)	825	1175	1525	1875	2225
Depth (mm)	660	660	660	660	660
Height above worktop (mm)	Kubus > 540	540	540	540	540
	Designline > 535	535	535	535	535
Depth below worktop (mm)	220	220	220	220	220
Drain connection depth (mm)	+125	+125	+125	+125	+125
Weight (uncrated) (kg)	Kubus > 40	53	63	75	87
	Designline > 35	48	58	70	82
Power (kW)	2.1	3.2	4.2	5.3	6.3
Electrical supply	13A 230V	16A 230V	20A 230V	32A 230V	32A 230V

* These models have controls fitted on operator side of gantry as standard. If controls are required on customer side i.e. for wall sited counters, please state 'controls to customer side' when ordering.

Assisted Service

KHBMW2+KAS2	KHBMW3+KAS3	KHBMW4+KAS4	KHBMW5+KAS5	KHBMW6+KAS6
£4,069	£4,267	£4,752	£5,584	£5,981
HBMW2+AS2	HBMW3+AS3	HBMW4+AS4	HBMW5+AS5	HBMW6+AS6
£3,894	£3,773	£4,559	£5,364	£5,743
2/1 GN	3/1 GN	4/1 GN	5/1 GN	6/1 GN
825	1175	1525	1875	2225
660	660	660	660	660
540	540	540	540	540
535	535	535	535	535
220	220	220	220	220
+125	+125	+125	+125	+125
54	69	81	95	109
46	60	72	86	99
2.1	3.2	4.2	5.3	6.3
13A 230V	16A 230V	20A 230V	32A 230V	32A 230V

* These models have controls fitted on operator side of gantry as standard.

CERAN GLASS HOTPLATE



Kubus
Self Help

**BETTER
MERCHANDISING:**
Surface display
for food dish
presentation

Available in
both Kubus
or Designline
model styles



Designline
Self Help



Kubus
Assisted Service



Designline
Assisted Service



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

Main Features

> KUBUS

Self Help: Flat toughened glass sneeze guard profile.

Assisted Service: Full height flat front & side glass sneeze guard profile.

Both are designed to compliment other units within the Kubus range.

> DESIGNLINE:

Self Help: Curved toughened glass sneeze guard and end glass profile.

Assisted Service: Full height curved front & end glass sneeze guard profile.

Both are designed to compliment other units within the Designline range.

- > Ceramic glass hotplate display surface for food presentation in flat bottomed oven to tableware dishes.
- > 'Touch safe' gantry mounted digital temperature display and eye level control panel (Operator side).
- > Base heat and top heat are separately controlled.

- > Top heat is variably controlled from a gantry mounted dimmer switch.
- > 24-hour operation as standard.
- > Superstructure in bright polished, satin steel and aluminium profile.
- > Supplied with concealed under counter control box on a 2m loom for connection to 13 Amp/ 16 Amp or 20 Amp supplies.

Special features

> Illumination

Kubus: Product Illumination/surface heat is provided from a rectangular profile gantry.

Designline: Product Illumination/surface heat is provided from an elliptical profile gantry.

- > Optional compatibility to Dixell & Modbus RTU network store food monitoring systems.
- > Features 'tamper proof' temperature control facility.
- > Base heat output is thermostatically controlled from the gantry mounted control panel giving even heat spread.

Food Display long term holding (2-4 hours)

Breakfast

Baked beans, tomatoes, bacon, sausage, black pudding, mushrooms, hash browns.

Lunch/dinner

Stews, curry, chilli dishes, sliced meats in gravy or sauce, pasta in sauce, vegetables, ribs with sauce, chicken portions.

Short term holding (15-20 mins)

Breakfast/ brunch

Omelettes, fried / boiled eggs, baked potatoes.

Lunch/dinner

Battered fish, chips / fries.



**Made in
the UK**

Ceran Glass Hotplate

Self Help

Kubus Model	KHP2	KHP3	KHP4	KHP5	KHP6
Price	£3,121	£3,556	£4,029	£4,435	£4,847
Designline Model	HP2	HP3	HP4	HP5	HP6
Price	£2,972	£3,385	£3,834	£4,224	£4,615
Capacity	2/1 GN	3/1 GN	4/1 GN	5/1 GN	6/1 GN
Length (mm)	825	1175	1525	1875	2225
Depth (mm)	660	660	660	660	660
Height above worktop (mm)	Kubus > 540	540	540	540	540
	Designline > 535	535	535	535	535
Depth below worktop (mm)	92	92	92	92	92
Weight (uncrated) (kg)	Kubus > 51	60	69	78	87
	Designline > 46	55	64	73	82
Power (kW)	1.3	1.95	2.6	3.3	3.9
Electrical supply	13A 230V	13A 230V	13A 230V	16A 230V	20A 230V

Assisted Service

KHP2+KAS2	KHP3+KAS3	KHP4+KAS4	KHP5+KAS5	KHP6+KAS6
£3,500	£3,969	£4,707	£5,383	£5,887
HP2+AS2	HP3+AS3	HP3+AS4	HP5+AS5	HP6+AS6
£3,350	£3,799	£4,510	£5,170	£5,656
2/1 GN	3/1 GN	4/1 GN	5/1 GN	6/1 GN
825	1175	1525	1875	2225
660	660	660	660	660
540	540	540	540	540
535	535	535	535	535
92	92	92	92	92
65	76	87	98	109
57	67	78	89	99
1.3	1.95	2.6	3.3	3.9
13A 230V	13A 230V	13A 230V	16A 230V	20A 230V

* These models have controls fitted on operator side of gantry as standard. If controls are required on customer side i.e. for wall sited counters, please state 'controls to customer side' when ordering.

* These models have controls fitted on operator side of gantry as standard.

CERAN GLASS HOTPLATE & HEATED MID-SHELF



Kubus
Self Help

**VERSATILITY
AS STANDARD:**
Two adjustable
temperature
heated display
surfaces

Available in
both Kubus
or Designline
model styles



Designline
Self Help



Kubus
Assisted Service



Designline
Assisted Service



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

Main Features

- **KUBUS**
Self Help: Flat toughened glass sneeze guard profile.
Assisted Service: Full height flat front & side glass sneeze guard profile.
Both are designed to compliment other units within the Kubus range.
- **DESIGNLINE:**
Self Help: Curved toughened glass sneeze guard profile.
Assisted Service: Full height curved front & end glass sneeze guard profile.
Both are designed to compliment other units within the Designline range.
- Heated ceran glass surface for food presentation in flat bottomed dishes.
- 'Touch safe' gantry mounted digital temperature display and eye level control panel (operator side)
- Additional eye level heated mid shelf – ideal for plated meal presentation.

- Base heat and top heat are separately controlled.
- Top heat is variably controlled from 2 no.gantry mounted dimmer switches.
- 24-hour operation as standard.
- Superstructure in bright polished, satin steel and aluminium profile.
- Supplied with concealed under counter control box on a 2m loom for connection to 13 Amp/ 16 Amp/ 20 Amp/ or 32 Amp supplies.

Special features

- **Illumination**
Kubus: Product Illumination/surface heat is provided from a rectangular profile gantry.
Designline: Product Illumination/surface heat is provided from an elliptical profile gantry.
- Features tamper proof temperature control facility.
- Optional compatibility to Dixell & Modbus RTU network store food monitoring systems.

- Base heat output is thermostatically controlled from the gantry mounted control panel giving even heat spread.

Food Display long term holding (2-4 hours)

Breakfast
Baked beans, tomatoes, bacon, sausage, black pudding, mushrooms, hash browns.

Lunch/dinner
Stews, curry, chilli dishes, sliced meats in gravy or sauce, pasta in sauce, vegetables (dry or in liquid), ribs with sauce, chicken portions.

Short term holding (15-20 mins)

Breakfast/ brunch
Omelettes, fried/ boiled eggs, baked potatoes.

Lunch/dinner
Battered fish, chips / fries, pizza.

Ceran Glass Hotplate & Heated Mid-shelf

Self Help

Kubus Model	KHP2PS	KHP3PS	KHP4PS	KHP5PS
Price	£4,860	£5,345	£5,530	£6,050
Designline Model	HP2PS	HP3PS	HP4PS	HP5PS
Price	£4,327	£4,808	£5,368	£5,847
Capacity	2/1 GN	3/1 GN	4/1 GN	5/1 GN
Length (mm)	825	1175	1525	1875
Depth (mm)	660	660	660	660
Height above worktop (mm)	Kubus > 714 Designline > 695	714 695	714 695	714 695
Depth below worktop (mm)	Kubus > 92 Designline > 220	92 220	92 220	92 220
Weight (uncrated) (kg)	Kubus > 66 Designline > 55	81 66	95 77	117 88
Power (kW)	1.9	2.9	3.8	4.8
Electrical supply	13A 230V	13A 230V	20A 230V	32A 230V

* These models have controls fitted on operator side of gantry as standard. If controls are required on customer side i.e. for wall sited counters, please state 'controls to customer side' when ordering.

Assisted Service

KHP2PS+KAS2PS	KHP3PS+KAS3PS	KHP4PS+KAS4PS	KHP5PS+KAS5PS
£4,998	£5,670	£6,126	£6,663
-	HP3PS+AS3PS	HP4PS+AS4PS	-
-	£5,134	£5,960	-
2/1 GN	3/1 GN	4/1 GN	5/1 GN
825	1175	1525	1875
660	660	660	660
714	714	714	714
-	695	695	-
92	92	92	92
-	220	220	-
72	89	106	130
-	74	87	-
1.9	2.9	3.8	4.8
13A 230V	13A 230V	20A 230V	32A 230V

* These models have controls fitted on operator side of gantry as standard.

DRY HEAT BAIN MARIE 1/1 GN & CERAN GLASS HOTPLACE 1/1 GN



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

Available in both Kubus
or Designline model styles



Main Features

Dry heat bain marie 1/1 GN (KHBM1 & HBM1)

- Self help / assisted service application.
- Base heat is controlled via remotely connected digital control panel/ digital probe.
- Superstructure in bright polished / satin steel & aluminium.
- Control panel & fascia mounting plate on 2m loom for fitting in rear valance panel.
- Features 'tamper proof' temperature control facility.
- **KHBM1 & HBM1** can accept 100-150mm deep food containers, either 1 x 1/1GN, 3 x 1/3 GN, or 1 x 2/3GN & 1 x 1/3GN, not supplied.
- Display can accept ceran glass insert with lift up handle (option HINS2)
- Display can accept raised solid steel spiked carvery insert (option CINS1)
- Optional compatibility to Dixell & Modbus RTU network store food monitoring systems.

Ceran glass hotplate 1/1Gn (KHP1 & HP1)

- Self help / assisted service application.
- For food presentation in flat bottom oven to tableware dishes.
- Base heat is controlled via remotely connected digital control panel/ digital probe.
- Superstructure in bright polished / satin steel & aluminium.
- Control panel & fascia mounting plate on 2m loom for fitting in rear valance panel.
- Features 'tamper proof' temperature control facility.
- Optional compatibility to Dixell & Modbus RTU network store food monitoring systems.

Food Display long term holding (2-4 hours)

Breakfast

Baked beans, tomatoes, bacon, sausage, black pudding, mushrooms, hash browns.

Lunch/dinner

Stews, curry, chilli dishes, sliced meats in gravy or sauce, pasta in sauce, vegetables (dry or in liquid), ribs with sauce, chicken portions.

KHP1 & HP1 Lunch/dinner

Roast joints, poultry, large fish, processed meat joints.

Short term holding (15-20 mins)

Breakfast/ brunch

Omelettes, fried/ boiled eggs, baked potatoes.

Lunch/dinner

Battered fish, chips / fries, pizza.

Dry Heat Bain Marie 1/1 GN (KHBM1 & HBM1) & Ceran Glass Hotplate 1/1GN (KHP1 & HP1)

Kubus Model	KHBM1	KHP1
Price	£2,527	£2,537
Designline Model	HBM1	HP1
Price	£2,021	£2,474
Capacity	1/1 GN	1/1 GN
Length (mm)	475	475
Depth (mm)	660	660
Height above worktop (mm)	535	535
Depth below worktop (mm)	220	92
Weight (uncrated) (kg)	22	22
Power (kW)	1.0	1.0
Electrical supply	13A 230V	13A 230V

* Remote control panel on 2m electrical loom



ASSISTED SERVICE HEATED DELI



Kubus
Assisted Service



Designline
Assisted Service



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

Available in both Kubus
or Designline model styles



Main Features

- **KUBUS**
Flat full height front & side glass sneeze guard profile is designed to compliment other units within the Kubus range.
- **DESIGNLINE**
Full height curved front & end glass sneeze guard profile is designed to compliment other units within the Designline range.
- Assisted service application.
- Heated inclined well for display of wrapped/ unwrapped savoury products or food presented in flat bottomed dishes.
- Heated stainless steel mid-shelf provides increased product display area.
- Superstructure in bright polished steel and aluminium profile.
- 'Touch safe' gantry mounted digital temperature display and eye level control panel (operator side)
- Quartz mid-shelf and top heat are variably controlled from 2 no. gantry mounted dimmer switches.

- 24-hour operation as standard.
- Top heat is variably controlled from a gantry mounted dimmer switch.
- Supplied with concealed under counter control box on a 2m loom for connection to 13/20/32 Amp supply.
- Optional compatibility to Dixell & Modbus RTU network store food monitoring systems.
- Tilting front glass sneeze screen mounted on locking hinge, for ease of cleaning.

Special features

- **Illumination**
Kubus: Product Illumination/heat is provided from a rectangular profile gantry. and mid shelf.
Designline: Product Illumination/surface heat is provided from an elliptical profile gantry.
- Features 'tamper proof' temperature control panel facility.
- Base heat output is thermostatically controlled from the gantry mounted control panel giving even heat spread.

Food Display long term holding (2-4 hours)

Breakfast

Baked beans, tomatoes, bacon, sausage, black pudding, mushrooms, hash browns.

Lunch/dinner

Pies, pastries, sausage rolls, stews, curry, chilli dishes, sliced meats in gravy or sauce, pasta in sauce, vegetables, ribs with sauce, chicken portions.

Short term holding (15-20 mins)

Breakfast/ brunch

Toast/ panini, omlettes, fried/ boiled eggs, muffins, baked potatoes.

Lunch/dinner

Plate presented meals, hot baguettes, battered fish, chips / fries, pizza.

Assisted Service Heated Deli

Kubus Model		KHDL2	KHDL3	KHDL4	KHDL5
Price		£4,723	£5,094	£5,469	£6,304
Designline Model		HDL2	HDL3	HDL4	HDL5
Price		£4,496	£4,855	£5,209	£6,004
Capacity		2/1 GN	3/1 GN	4/1 GN	5/1 GN
Length (mm)		825	1175	1525	1875
Depth (mm)		660	660	660	660
Height above worktop (mm)	Kubus >	540	540	540	540
	Designline >	535	535	535	535
Depth below worktop (mm)		191	191	191	191
Weight (uncrated) (kg)	Kubus >	90	107	123	133
	Designline >	85	102	118	128
Power (kW)		1.9	2.9	3.8	4.8
Electrical supply		13A 230V	13A 230V	20A 230V	32A 230V

* These models have controls fitted on operator side of gantry as standard.



SELF HELP DRY HEAT SOUP UNIT & HEATED GANTRIES

Soup Unit

SUP1



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

Kubus

Self Help Heated Gantry



Self Help Heated Island Gantry



Available in both
Kubus or
Designline
model styles



Designline

Self Help Heated Gantry



Self Help Heated Island Gantry



Option - QC1 Quartz Controller



Main Features (Soup Unit)

- Dry heat bain marie supplied with 2 no. 4.5 litre (8 pint) s/steel soup containers & notched s/steel lids, supported in collars.
- Removable steel drip tray/ soup bowl set down area.
- Self help application.
- Rear soup container in raised collar for improved customer access/ product presentation.
- Designed to compliment other units within the range.
- Base heat is controlled via remotely connected digital control panel/ digital probe.
- Superstructure in bright polished and satin steel.
- 24-hour operation as standard.

Special features

- Remote control panel & elliptical fascia mounting plate on 2m loom for fitting in rear valance panel.
- Features 'tamper proof' temperature control facility.

Food Display long term holding (2-4 hours)

Breakfast/Lunch/Dinner

Baked beans, tomatoes in juice, meat / vegetable soups, broths & cream soups.

Self Help Dry Heat Soup Unit

Model	SUP1
Price	£1,200
Capacity	2 x 4.5 Litre
Length (mm)	345
Depth (mm)	660
Height above worktop (mm)	127
Depth below worktop (mm)	220
Weight (uncrated) (kg)	20
Power (kW)	0.5
Electrical supply	32A 230V

*Model includes 2 x 4.5lr soup containers

Main Features (Gantries)

- **KUBUS**
Self Help: Flat toughened glass sneeze guard profile.
Self Help Island: Double flat glass sneeze guard profile. Both are designed to compliment other units within the Kubus range.
- **DESIGNLINE**
Self Help: Curved toughened glass sneeze guard profile.
Self Help Island: Double curved glass sneeze guard. Both are designed to compliment other units within the Designline range.
- Gantry creates a heated pass area to the work surface below.
- Can be used as a heated over-structure for fabricated bain maries/ hotplates.
- Heated quartz infra red lamps mounted in gantry superstructure, supporting a toughened sneeze protection glass screen.
- Self help or assisted service heated gantry application.
- Supplied with post fixing plates, bolts & 2m control loom for connection to customer's own control circuit (13A, 230V, 50Hz) or optional quartz dimmer switch controller (Option QC1).
- Superstructure in bright polished steel and aluminium profile.

Self Help Heated Gantry

Kubus Model	KHG2	KHG3	KHG4	KHG5	KHG6
Price	£1,117	£1,177	£1,236	£1,297	£1,361
Designline Model	HG2	HG3	HG4	HG5	HG6
Price	£1,063	£1,122	£1,175	£1,236	£1,293
Capacity	2/1 GN	3/1 GN	4/1 GN	5/1 GN	6/1 GN
Length (mm)	Kubus > 795 Designline > 800	1145 1150	1495 1500	1845 1850	2195 2200
Depth (mm)	Kubus > 474 Designline > 377	474 377	474 377	474 377	474 377
Height above worktop (mm)	Kubus > 540 Designline > 535	540 535	540 535	540 535	540 535
Weight (uncrated) (kg)	Kubus > 15 Designline > 10	18 13	22 17	26 21	30 25
Power (kW)	0.6	0.9	1.2	1.5	1.8
Electrical supply	13A 230V	13A 230V	13A 230V	13A 230V	13A 230V

Self Help Heated Island Gantry

KHIG2	KHIG3	KHIG4	KHIG5	KHIG6
£1,166	£1,252	£1,304	£1,416	£1,646
-	HIG3	HIG4	-	-
-	£1,226	£1,280	-	-
2/1 GN	3/1 GN	4/1 GN	5/1 GN	6/1 GN
795	1145	1495	1845	2195
-	1150	1500	-	-
602	602	602	602	602
-	550	550	-	-
540	540	540	540	540
-	535	535	-	-
20	23	27	31	36
-	13	17	-	-
0.6	0.9	1.2	1.5	1.8
13A 230V	13A 230V	13A 230V	13A 230V	13A 230V

Special Features

- **ILLUMINATION**
Kubus: Product Illumination/ surface heat is provided from a rectangular profile gantry.
Designline: Product Illumination/ surface heat is provided from an elliptical profile gantry.
- 24-hour operation as standard.

QC1 Quartz Controller (Option)

- Dimmer control for heated gantry with elliptical profile mounting plate.
- 2 metre loom and 13A plug supplied.

QC1 Quartz Controller

Model	QC1
Price	£338
Capacity	N/A
Length (mm)	220
Depth (mm)	175
Height above worktop (mm)	N/A
Weight (uncrated) (kg)	3
Power (kW)	N/A
Electrical supply	13A 230V

CHILLED HYDROCARBON (HT)



What's it all about?

CED's Chilled Hydrocarbon system...
kinder to the environment & your budget

For a reduced carbon footprint, the full range of CED chilled drop in displays and patisseries are now supplied in our Hydrocarbon gas technology system. A pioneering drop in industry feature, Designline & Kubus HT displays use a highly efficient naturally occurring refrigerant gas, within a leak tested, hermetically sealed range of R290 condensing units.

These units use less electricity, run cooler and so reduce heat output into the servery, whilst extending the condensing unit lifespan.



KINDER
TO THE
ENVIRONMENT



ZERO OZONE
DEPLETING
COOLANT



CONFORMS TO
THE HIGHEST
STANDARDS



UP TO 37%
LOWER
RUNNING
COSTS



LOWER
CARBON
FOOTPRINT



**Made in
the UK**

DESIGNLINE & KUBUS HT DISPLAYS FEATURE:

- › Zero Ozone Depletion Potential
- › Low global warming potential.
- › Sustainably sourced product packaging used for all units.
- › Long life, low energy LED lighting (ecologically free of mercury, lead & phosphor) as standard.
- › Fully supported in the field by qualified service team.
- › Independently CE approved



COLD WELL (HT)



Available in both Kubus or Designline model styles



DOWNLOAD ALL TECHNICAL DRAWINGS from www.cedfabsltd.co.uk

Main Features

KUBUS

Self Help: Flat toughened glass sneeze guard profile.
Assisted Service: Full height flat front & side glass sneeze guard profile.
Both are designed to compliment other units within the Kubus range.

DESIGNLINE

Self Help: Curved toughened glass sneeze guard profile.
Assisted Service: Full height curved front & end glass sneeze guard profile.
Both are designed to compliment other units within the Designline range.

- ▶ Cold fan blown well display features integral energy efficient chilled hydrocarbon refrigeration (HT).
- ▶ Features eye-level gantry mounted digital temperature display and control panel (operator side)
- ▶ Can achieve temperatures of 0°C to 5°C (max 27°C ambient 55% relative humidity).

Illumination

Kubus: Product Illumination is from diffused LED lighting (4000 Kelvin) in a rectangular profile gantry.
Designline: Product Illumination is from diffused LED lighting (4000 Kelvin) in an elliptical profile gantry.

- ▶ Integral automatic condensate water evaporation eliminates the need for site drainage.
- ▶ 24-hour operation as standard.
- ▶ Optional compatibility to Dixell & Modbus RTU network store food monitoring systems.
- ▶ Superstructure in bright polished steel and aluminium profile
- ▶ Supplied with 2 m lead for connection to a single 13 Amp socket (13A 230V 50 Hz).
- ▶ Optional non standard airflow available.

Special features

- ▶ Refrigeration condensing unit is housed in an under slung self contained cradle.
- ▶ Features 'tamper proof' temperature control facility.
- ▶ Modular removable deck plate system for easier cleaning and maintenance.

Food Display Examples

Food (Drinks Area)

Still & carbonated, bottled, canned or carton, water, dairy, lemonade, wine, beer, lager, fruit juice & health drinks.

Food (Deck Area)

Wrapped sandwiches, baguettes, rolls, barm cakes, salad, pasta, cheese snacks, cream cakes & pastries, cakes, yoghurt, fruit in juice & fruit.

* Unwrapped product displayed may require the provision of sneeze guard protection (by others) *

Cold Well (HT) - R290 Refrigerant

Self Help

Kubus Model	KCW2HT	KCW3HT	KCW4HT	KCW5HT	KCW6HT
Price	£5,256	£5,582	£5,760	£6,344	£6,905
Designline Model	CW2HT	CW3HT	CW4HT	CW5HT	CW6HT
Price	£5,006	£5,318	£5,483	£6,036	£6,498
Capacity	2/1 GN	3/1 GN	4/1 GN	5/1 GN	6/1 GN
Length (mm)	825	1175	1525	1875	2225
Depth (mm)	660	660	660	660	660
Height above worktop (mm)	Kubus > 540	540	540	540	540
	Designline > 535	535	535	535	535
Depth below worktop (mm)	677	677	677	677	677
Weight (uncrated) (kg)	Kubus > 96	116	136	149	162
	Designline > 94	111	131	144	160
Power (kW)	1.22	1.22	1.46	1.66	1.73
Electrical supply	13A 230V	13A 230V	13A 230V	13A 230V	13A 230V

* These models have controls fitted on operator side of gantry as standard. If controls are required on customer side i.e. for wall sited counters, please state 'controls to customer side' when ordering.

Assisted Service

Assisted Service				
KCW2HT+KAS2	KCW3HT+KAS3	KCW4HT+KAS4	KCW5HT+KAS5	KCW6HT+KAS6
£5,639	£5,994	£6,436	£7,289	£8,153
CW2HT+AS2	CW3HT+AS3	CW4HT+AS4	CW5HT+AS5	CW6HT+AS6
£5,385	£5,727	£6,159	£6,982	£7,539
2/1 GN	3/1 GN	4/1 GN	5/1 GN	6/1 GN
825	1175	1525	1875	2225
660	660	660	660	660
540	540	540	540	540
535	535	535	535	535
677	677	677	677	677
110	132	154	169	184
105	123	145	160	177
1.22	1.22	1.46	1.66	1.73
13A 230V	13A 230V	13A 230V	13A 230V	13A 230V

* These models have controls fitted on operator side of gantry as standard.

SELF HELP COLD ISLAND WELL (HT)



Kubus
Cold Island Well (HT)



Designline
Cold Island Well (HT)

**ACCESS
FROM BOTH
SIDES:**

Perfect as a
central salad
station



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

Available in both Kubus
or Designline model styles



Main Features

› KUBUS

Double edged flat toughened island glass profile is designed to compliment other units within the Kubus range.

› DESIGNLINE

Double curved toughened glass profile is designed to compliment other units within the Designline range.

- › Self help application.
- › Cold fan blown well display features integral energy Self help application.
- › Features eye-level gantry mounted digital temperature display and control panel (operator side)
- › Cold fan blown well display features integral energy efficient chilled hydrocarbon refrigeration (HT).
- › Can achieve temperatures of 0°C to 5°C (max 27°C ambient 55% relative humidity).

› Illumination

Kubus: Product Illumination is from diffused LED lighting (4000 Kelvin) in a rectangular profile gantry.

Designline: Product Illumination is from diffused LED lighting (4000 Kelvin) in an elliptical profile gantry.

- › Integral automatic condensate water evaporation eliminates the need for site drainage.
- › Superstructure in bright polished steel and aluminium profile.
- › 24-hour operation as standard.
- › Non standard airflow options available.
- › Supplied with 2m lead for connection to a single 13 Amp socket (13A 230V 50 Hz).

Special features

- › Refrigeration condensing unit is housed in an underslung self contained cradle.
- › Modular removable deck plate system for easier cleaning and maintenance.
- › Optional compatibility to Dixell & Modbus RTU network store food monitoring systems.
- › Features 'tamper proof' temperature control facility.

Food Display Examples

Food (Drinks Area)

Still & carbonated, bottled, canned or carton, water, dairy, lemonade, wine, beer, lager, fruit juice & health drinks.

Food (Deck Area)

Sandwiches, baguettes, rolls, barm cakes, salad, pasta, cheese snacks, cream cakes & pastries, cakes, yoghurt, cereals, fruit in juice & fruit.



**Made in
the UK**

Self Help Cold Well (HT) - R290 Refrigerant


Kubus Model	KCIW2HT	KCIW3HT	KCIW4HT	KCIW5HT	KCIW6HT
Price	£5,536	£5,966	£6,537	£7,072	£7,398
Designline Model	-	CIW3HT	CIW4HT	-	CIW6HT
Price	-	£5,676	£6,224	-	£7,029
Capacity	2/1 GN	3/1 GN	4/1 GN	5/1 GN	6/1 GN
Length (mm)	Kubus > 825	1175	1525	1875	2225
	Designline > -	1175	1525	-	2325
Depth (mm)	660	660	660	660	660
Height above worktop (mm)	Kubus > 540	540	540	540	540
	Designline > -	535	535	-	535
Depth below worktop (mm)	677	677	677	677	677
Weight (uncrated) (kg)	Kubus > 96	116	136	156	162
	Designline > -	111	131	-	162
Power (kW)	1.22	1.22	1.46	1.66	1.73
Electrical supply	13A 230V	13A 230V	13A 230V	13A 230V	13A 230V

* These models have controls fitted on operator side of gantry as standard. If controls are required on customer side i.e. please state 'controls to customer side' when ordering.



Kubus Cold Island Well Shown

COLD TIERED WELL (HT)



Kubus
Self Help



Kubus
Assisted Service



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

Available in Kubus style only



Main Features

- **Self Help:** Flat toughened glass sneeze guard and low height side wiew glass profile.
Assisted Service: Full height flat front & side glass sneeze guard profile.
Both are designed to compliment other units within the Kubus range.
- Cold fan blown well unit features integral energy efficient chilled hydrocarbon refrigeration (HT).
- Raised rear steel shelf for food preparation of sandwiches etc.
- Removable raised steel triverts for two tiered chilled product presentation in well area.
- Features eye-level gantry mounted digital temperature display and control panel (operator side).
- Can achieve temperatures of 0°C to 5°C (max 27°C ambient 55% relative humidity).
- Superstructure in bright polished steel and aluminium profile.

- Product Illumination is from diffused LED lighting (4000 Kelvin) in a rectangular profile gantry.
- Integral automatic condensate water evaporation eliminates the need for site drainage.
- Supplied with 2 m lead for connection to a single 13 Amp socket (13A 230V 50 Hz).
- 24-hour operation as standard.
- Optional 1/1 GN polyethylene cutting board for sandwich preparation, can be used in multiples. (Option KCB1)

Special features

- Refrigeration condensing unit is housed in an under slung self contained cradle.
- Optional compatibility to Dixell & Modbus RTU network store food monitoring systems.
- Features 'tamper proof temperature control facility.
- Modular removable deck plate system for easier cleaning and maintenance.

Food Display Examples

Food (Drinks Area)

Still & carbonated, bottled, canned or carton, water, dairy, lemonade, wine, beer, lager, fruit juice & health drinks.

Food (Deck Area)

Pies, pasties, sausage rolls & cooked meats, sandwich fillings, baked potato fillings, salad items & cheese, sandwiches, baguettes, rolls, barm cakes, salad, pasta, cheese snacks, cream cakes & pastries, cakes, yoghurt, fruit in juice & fruit.

Food (Shelving Area)

Danish pastries, muffins, doughnuts, fruit cake, biscuits, fruit, chocolate, crackers, rice cakes, tacos, crisps, nuts.

* Sandwiches, baguettes, rolls, barm cakes & cheese subject to local health regulations re: display times.

Cold Tiered Well (HT) - R290 Refrigerant

Self Help

Kubus Model	KCTW2HT	KCTW3HT	KCTW4HT
Price	£5,706	£6,037	£6,451
Capacity	2/1 GN	3/1 GN	4/1 GN
Length (mm)	825	1175	1525
Depth (mm)	784	784	784
Height above worktop (mm)	540	540	540
Depth below worktop (mm)	677	677	677
Weight (uncrated) (kg)	108	129	158
Power (kW)	1.22	1.22	1.46
Electrical supply	13A 230V	13A 230V	13A 230V

Assisted Service

Kubus Model	KCTW2HT +KAS2	KCTW3HT +KAS3	KCTW4HT +KAS4
Price	£6,085	£6,451	£7,129
Capacity	2/1 GN	3/1 GN	4/1 GN
Length (mm)	825	1175	1525
Depth (mm)	784	784	784
Height above worktop (mm)	540	540	540
Depth below worktop (mm)	677	677	677
Weight (uncrated) (kg)	119	142	172
Power (kW)	1.22	1.22	1.46
Electrical supply	13A 230V	13A 230V	13A 230V

* These models have controls fitted to operator side of gantry.
If controls are required on customer side, please state 'controls to customer side' when ordering.

* This model has controls fitted to operator side of gantry.



COLD MULTIDECK (REAR DOORS / FIXED BACK) (HT)

Kubus



Designline



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

Available in both Kubus
or Designline model styles



Main Features

- KUBUS:**
Self Help: Flat toughened glass sneeze guard profile.
Assisted Service: Full height flat front & end glass sneeze guard profile.
 Both are designed to compliment other units within the Kubus range.
- DESIGNLINE:**
Self Help: Curved toughened end glass profile.
Assisted Service: Full height curved front & end glass sneeze guard profile.
 Both are designed to compliment other units within the Designline range.
- Cold multideck display features integral energy efficient chilled hydrocarbon refrigeration (HT)
- 3 tier toughened cold glass shelving, adjustable in both height and angle, for increased product display area.
- Additional cold well area typically used as bottle storage.
- Can achieve temperatures of 0°C to 5°C (max 27°C ambient 55% relative humidity).

- Features eye-level gantry mounted digital temperature display and control panel.
- Illumination**
Kubus: From diffused LED lighting (4000 Kelvin) in a rectangular profile gantry.
Designline: From diffused LED lighting (4000 Kelvin) in an elliptical profile gantry.
- Integral automatic condensate water evaporation eliminates the need for site drainage.
- Rear Door Models:** Rear hinged double glazed doors offer easier restocking access and visual stock checking.
- Fixed Back Models:** Bright polished steel rear back panel for typical use in wall sited situation.
- Fixed Back Models:** Air outlet via rear worktop mounted grill.
- Superstructure in bright polished steel and aluminium profile.
- Supplied with 2m lead for connection to a single 13 Amp socket (13A 230V 50 Hz).
- 24-hour operation as standard.

Special features

- Refrigeration condensing unit is housed in an underslung self contained cradle.
- Optional compatibility to Dixell & Modbus RTU network store food monitoring systems.
- Modular removable deck plate system for easier cleaning and maintenance.
- Features 'tamper proof' temperature control facility.
- 40mm tall 'point of sale' display/ ticket strips are fitted as standard.

Food Display Examples

Drinks (Deck Area)

Still & carbonated, bottled, canned or carton, water, dairy, lemonade, wine, beer, lager, fruit juice & health drinks.

Food (Deck and Shelving Area)

Sandwiches, baguettes, rolls, barm cakes, salad, pasta, cheese snacks, cream cakes & pastries, cakes, yoghurt, cereals, fruit in juice & fruit.

Cold Multideck (HT) - R290 Refrigerant

Self Help (Rear Doors)

Kubus Model **	KMDR2HT	KMDR3HT	KMDR4HT	KMDR5HT
Price	£7,372	£7,896	£8,908	£9,348
Designline Model*	MDR2HT	MDR3HT	MDR4HT	MDR5HT
Price	£7,122	£7,629	£8,610	£8,986
Capacity	2/1 GN	3/1 GN	4/1 GN	5/1 GN
Length (mm)	825	1175	1525	1875
Depth (mm)	660	660	660	660
Height above worktop (mm)	Kubus > 775	775	775	775
	Designline > 750	750	750	750
Depth below worktop (mm)	677	677	677	677
Weight (uncrated) (kg)	Kubus > 150	170	212	240
	Designline > 145	165	207	238
Power (kW)	1.65	1.73	1.73	2.2
Electrical supply	13A 230V	13A 230V	13A 230V	13A 230V

Assisted Service (Rear Doors)

KMDR2ASHT	KMDR3ASHT	KMDR4ASHT	KMDR5ASHT
£8,021	£8,602	£9,667	£9,874
MDR2ASHT	MDR3ASHT	MDR4ASHT	MDR5ASHT
£7,750	£8,311	£9,339	£9,611
2/1 GN	3/1 GN	4/1 GN	5/1 GN
825	1175	1525	1875
660	660	660	660
775	775	775	775
750	750	750	750
677	677	677	677
160	189	222	249
155	175	217	244
1.73	1.74	1.81	2.2
13A 230V	13A 230V	13A 230V	13A 230V

Self help (Fixed Back)*

KMDF2HT	KMDF3HT	KMDF4HT	KMDF5HT
£7,147	£7,688	£8,701	£9,158
MDF2HT	MDF3HT	MDF4HT	MDF5HT
£6,902	£7,427	£8,407	£8,782
2/1 GN	3/1 GN	4/1 GN	5/1 GN
825	1175	1525	1875
660+75*	660+75*	660+75*	660+75*
775	775	775	775
750	750	750	750
677	677	677	677
138	158	200	238
133	153	195	238
1.65	1.73	1.73	2.2
13A 230V	13A 230V	13A 230V	13A 230V

* Controls to customer side

** Controls to operator side

*75mm deep removable rear worktop grill/flue (Air out) for use in a wall sited counter.

* Controls to customer side

COLD MULTIDECK - ROLLER SHUTTER (HT)



**Kubus
Self Help**
(Rear Doors)

**SECURITY
OVERNIGHT:**
Fully lockable
display



**Kubus
Self Help**
(Fixed Back)



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

Available in Kubus style only



Main Features

- Flat stainless steel profile houses integral lockable roller shutter.
- Self help application.
- A high security addition to the Kubus range.
- Cold multideck display features integral energy efficient chilled hydrocarbon refrigeration (HT).
- 3 tier toughened cold glass shelving, adjustable in both height and angle, for increased product display area.
- Additional cold well area typically used as bottle storage.
- Can achieve temperatures of 0°C to 5°C (max 27°C ambient 55% relative humidity).
- Features eye-level gantry mounted digital temperature display and control panel (operator side).
- **Rear Door Models:** Rear hinged lockable double glazed doors offer easier restocking access and visual stock checking.

- **Fixed Back Models:** Bright polished steel rear back panel. For typical use in wall sited situation.
- **Fixed Back Models:** Air outlet via rear worktop mounted grill.
- Product Illumination is from diffused LED lighting (4000 Kelvin) in a rectangular profile gantry.
- Integral automatic condensate water evaporation eliminates the need for site drainage.
- Superstructure in satin polished steel and aluminium profile.
- Double glazed glass side viewing panels for improved merchandising.
- 24-hour operation as standard.
- Supplied with 2m lead for connection to a single 13 Amp socket (13A 230V 50 Hz).



Special features

- Refrigeration condensing unit is housed in an under slung self contained cradle.
- Optional compatibility to Dixell & Modbus RTU network store food monitoring systems.
- Features 'tamper proof temperature control facility.
- Modular removable deck plate system for easier cleaning and maintenance.

Food Display Examples

Food (Deck Area)

Still & carbonated, bottled, canned or carton, water, dairy, lemonade, wine, beer, lager, fruit juice & health drinks.

Food (Deck & Shelving Area)

Sandwiches, baguettes, rolls, barm cakes, salad, pasta, cheese snacks, cream cakes & pastries, cakes, yoghurt, cereals, fruit in juice & fruit.

Cold Multideck - Roller Shutter (HT) - R290 Refrigerant

Rear Doors

Kubus Model	KMDR3RSHT	KMDR4RSHT
Price	£9,627	£10,611
Capacity	3/1 GN	4/1 GN
Length (mm)	1188	1538
Depth (mm)	711	711
Height above worktop (mm)	964	964
Depth below worktop (mm)	677	677
Weight (uncrated) (kg)	210	252
Power (kW)	1.73	1.73
Electrical supply	13A 230V	13A 230V

* These models have controls fitted to operator side of gantry.



Fixed Back

Kubus Model	KMDF3RSHT	KMDF4RSHT
Price	£9,419	£10,405
Capacity	3/1 GN	4/1 GN
Length (mm)	1188	1538
Depth (mm)	711+75*	711+75*
Height above worktop (mm)	964	964
Depth below worktop (mm)	677	677
Weight (uncrated) (kg)	210	252
Power (kW)	1.73	1.73
Electrical supply	13A 230V	13A 230V

* Control panel to 'customer side'.

* 75mm removable rear worktop grill / flue (air out) for use in a wall sited counter.

COLD DELI (HT)



DOWNLOAD ALL TECHNICAL DRAWINGS from www.cedfabsltd.co.uk



Main Features

- KUBUS:**
Self Help: Flat toughened glass sneeze guard and side glass profile.
Assisted Service: Full height flat front & side glass sneeze guard profile.
 Both are designed to compliment other units within the Kubus range.
- DESIGNLINE**
Self Help: Curved toughened glass sneeze guard and end glass profile.
Assisted Service: Full height curved front & end glass sneeze guard profile.
 Both are designed to compliment other units within the Designline range.
- Toughened flat glass ambient mid shelf increases product display diversity.
- Cold fan blown well unit features integral energy efficient chilled hydrocarbon refrigeration (HT).
- Rear steel shelf for food preparation of sandwiches, etc.
- Features eye-level gantry mounted digital temperature display and control panel (operator side).

- Can achieve temperatures of 0°C to 5°C (max 27°C ambient 55% relative humidity).
- Superstructure in bright polished steel and aluminium profile.
- Illumination**
Kubus: Product Illumination is from diffused LED lighting (4000 Kelvin) in a rectangular profile gantry.
Designline: Product Illumination is from diffused LED lighting (4000 Kelvin) in an elliptical profile gantry.
- Integral automatic condensate water evaporation eliminates the need for site drainage.
- Supplied with 2 m lead for connection to a single 13 Amp socket (13A 230V 50 Hz).
- 24-hour operation as standard.
- Optional 1/1 GN polyethylene cutting board for sandwich preparation, can be used in multiples. (Kubus Option KCB1, Designline Option CB1)



Made in the UK

Special features

- Refrigeration condensing unit is housed in an under slung self contained cradle.
- Optional compatibility to Dixell & Modbus RTU network store food monitoring systems.
- Features 'tamper proof temperature control facility.
- Modular removable deck plate system for easier cleaning and maintenance.

Food Display Examples

Food (Drinks Area)

Still & carbonated, bottled, canned or carton, water, dairy, lemonade, wine, beer, lager, fruit juice & health drinks.

Food (Deck Area)

Pies, pasties, sausage rolls & cooked meats, sandwich fillings, baked potato fillings, salad items & cheese, sandwiches, baguettes, rolls, barm cakes, salad, pasta, cheese snacks, cream cakes & pastries, cakes, yoghurt, fruit in juice & fruit.

Food (Shelving Area)

Danish pastries, muffins, doughnuts, fruit cake, biscuits, fruit, chocolate, crackers, rice cakes, tacos, crisps, nuts.

* Sandwiches, baguettes, rolls, barm cakes & cheese subject to local health regulations re: display times.

Cold Deli (HT) R290 Refrigerant

Self Help

Kubus Model	KCDLSH2HT	KCDLSH3HT	KCDLSH4HT	KCDLSH5HT	KCDLSH6HT
Price	£6,276	£6,627	£6,960	£7,592	£7,667
Designline Model	CDLSH2HT	CDLSH3HT	CDLSH4HT	CDLSH5HT	CDLSH6HT
Price	£5,969	£6,305	£6,620	£7,221	£7,542
Capacity	2/1 GN	3/1 GN	4/1 GN	5/1 GN	6/1 GN
Length (mm)	825	1175	1525	1875	2225
Depth (mm)	784	784	784	784	784
Height above worktop (mm)	Kubus > 540	540	540	540	540
	Designline > 535	535	535	535	535
Depth below worktop (mm)	677	677	677	677	677
Weight (uncrated) (kg)	Kubus > 107	127	153	170	188
	Designline > 102	123	149	166	180
Power (kW)	1.22	1.22	1.46	1.66	1.73
Electrical supply	13A 230V	13A 230V	13A 230V	13A 230V	13A 230V

Assisted Service

KCDL2HT	KCDL3HT	KCDL4HT	KCDL5HT	KCDL6HT
£6,384	£6,739	£7,100	£7,750	£7,925
CDL2HT	CDL3HT	CDL4HT	CDL5HT	CDL6HT
£6,076	£6,417	£6,757	£7,376	£7,799
2/1 GN	3/1 GN	4/1 GN	5/1 GN	6/1 GN
825	1175	1525	1875	2225
784	784	784	784	784
540	540	540	540	540
535	535	535	535	535
677	677	677	677	677
111	133	161	180	199
106	128	156	175	190
1.22	1.22	1.46	1.66	1.73
13A 230V	13A 230V	13A 230V	13A 230V	13A 230V

* These models have controls fitted to operator side of gantry.
If controls are required on customer side, please state 'controls to customer side' when ordering.

* These models have controls fitted to operator side of gantry.

COLD MULTI LEVEL DELI (HT)



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

Available in both Kubus
or Designline model styles



Main Features

- **KUBUS:**
Flat glass profile is designed to compliment other units within the Kubus range.
- **DESIGNLINE**
Curved glass profile is designed to compliment other units within the Designline range.
- Cold fan blown well unit features integral energy efficient chilled hydrocarbon refrigeration (HT).
- Assisted service application.
- Superstructure supports a toughened full height curved glass sneeze screen & side glass.
- **Shelving**
Kubus: 2 no. toughened flat glass ambient mid shelves increase product display diversity.
Designline: 2 no. toughened curved glass ambient mid shelves increase product display diversity.
- Rear steel sandwich preparation shelf for food preparation.
- Features eye-level gantry mounted digital temperature display and control panel (operator side).

- Can achieve temperatures of 0°C to 5°C (max 27°C ambient 55% relative humidity).
- Superstructure in bright polished steel and aluminium profile.
- **Illumination**
Kubus: Product Illumination is from diffused LED lighting (4000 Kelvin) in a rectangular profile gantry.
Designline: Product Illumination is from diffused LED lighting (4000 Kelvin) in an elliptical profile gantry.
- Integral automatic condensate water evaporation eliminates the need for site drainage.
- Supplied with 2 m lead for connection to a single 13 Amp socket (13A 230V 50 Hz).
- 24-hour operation as standard.

Special features

- Refrigeration condensing unit is housed in an under slung self contained cradle.
- Optional compatibility to Dixell & Modbus RTU network store food monitoring systems.
- Features 'tamper proof' temperature control facility.
- Modular removable deck plate system for easier cleaning and maintenance.

Food Display Examples

Drinks (Deck Area)

Still & carbonated, bottled, canned or carton, water, dairy, lemonade, wine, beer, lager, fruit juice & health drinks.

Food (Deck Area)

Pies, pasties, sausage rolls & cooked meats, sandwich fillings, baked potato fillings, salad items & cheese, sandwiches, baguettes, rolls, barm cakes, salad, pasta, cheese snacks, cream cakes & pastries, cakes, yoghurt, fruit in juice & fruit.

Food (Shelving Area)

Danish pastries, muffins, doughnuts, fruit cake, biscuits, fruit, chocolate, crackers, rice cakes, tacos, crisps, nuts.

*Sandwiches, baguettes, rolls, barm cakes & cheese subject to local health regulations re: display times.

Cold Multi Level Deli (HT) R290 Refrigerant.

Assisted Service

Kubus Model	KCMDL2HT	KCMDL3HT	KCMDL4HT	KCMDL5HT
Price	£6,532	£6,890	£7,256	£7,907
Designline Model	-	CMDL3HT	CMDL4HT	-
Price	-	£6,558	£6,902	-
Capacity	2/1 GN	3/1 GN	4/1 GN	5/1 GN
Length (mm)	825	1175	1525	1875
Depth (mm)	784	784	784	784
Height above worktop (mm)	Kubus > 700	700	700	700
	Designline > -	695	695	-
Depth below worktop (mm)	677	677	677	677
Weight	Kubus > 127	157	176	196
(uncrated) (kg)	Designline > -	152	170	-
Power (kW)	1.22	1.22	1.46	1.66
Electrical supply	13A 230V	13A 230V	13A 230V	13A 230V

*Gantry controls are fitted in the operator side of the display.



COLD TIERED DELI (HT)



Available in Designline only



Cold Tiered Deli Main Features

- > Curved glass profile is designed to compliment other units within the range.
- > Cold fan blown well display features integral energy efficient chilled hydrocarbon refrigeration (HT).
- > Assisted service application with sliding acrylic doors for rear loading access.
- > Superstructure supports a full height toughened curved glass screen & profiled end glass.
- > Raised rear steel preparation shelf for food preparation of sandwiches, fillings etc.
- > Removable tiered steel trivets for multi level chilled product presentation in well area.
- > Features eye-level gantry mounted digital temperature display and control panel (operator side).
- > Can achieve temperatures of 0°C to 5°C (max 27°C ambient 55% relative humidity).
- > Superstructure in bright polished steel and aluminium profile.
- > Product illumination is from diffused LED lighting (4000 Kelvin) in an elliptical profile gantry.
- > Integral automatic condensate water evaporation eliminates the need for site drainage.
- > Optional compatibility to Dixell & Modbus RTU network store food monitoring systems.
- > 24-hour operation as standard.

Special features

- > Refrigeration condensing unit is housed in an under slung self contained cradle.
- > Supplied with 2 m lead for connection to a single 13 Amp socket (13A 230V 50 Hz).
- > Features 'tamper proof' temperature control facility.
- > Modular removable deck plate system for easier cleaning and maintenance.

Food Display Examples

Drinks

Still & carbonated, bottled, canned or carton, water, dairy, lemonade, wine, beer, lager, fruit juice & health drinks.

Food (Deck Area)

Sandwiches, baguettes, rolls, barm cakes salad, pasta, cheese snacks, cream cakes & pastries, cakes, yoghurt, fruit in juice & fruit.

Cold Tiered Deli (HT) R290 Refrigerant

Assisted Service

Designline Model	CTD2HT	CTD3HT	CTD4HT
Price	£6,683	£7,010	£7,345
Capacity	2/1 GN	3/1 GN	4/1 GN
Length (mm)	825	1175	1525
Depth (mm)	784	784	784
Height above worktop (mm)	535	535	535
Depth below worktop (mm)	677	677	677
Weight (uncrated) (kg)	106	128	156
Power (kW)	1.22	1.22	1.46
Electrical supply	13A 230V	13A 230V	13A 230V

*Gantry controls are fitted to the operator side of the display.



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

COLD DISPLAYS (NO GANTRY)

Cold Well (No Gantry) (HT)



Self Help/Assisted Service

Main Features

- Chilled, fan blown well with no gantry superstructure, for the display of wrapped/ bottled product.
- Self help or assisted service application.
- Allows a bespoke UV bonded glass gantry or other type gantry superstructure to be fitted over the display (by others).
- 24-hour operation as standard.
- Features remote digital temperature display, control panel and mounting plate on 2M electrical loom.
- Can achieve temperatures of 0°C to 5°C (max 27°C ambient 55% relative humidity).
- Integral automatic condensate water evaporation eliminates the need for site drainage.

- Cold unit features integral energy efficient chilled hydrocarbon refrigeration (HT).
- Features 'tamper proof' locking temperature control facility
- Optional compatibility to Dixell & Modbus RTU network store food monitoring systems.

**** Unwrapped product displayed may require the provision of sneeze guard protection (by others) ****

Special features

- Refrigeration condensing unit is housed in an underslung self contained cradle.
- Modular removable deck plate system for easier cleaning and maintenance.
- Optional compatibility to Dixell & Modbus RTU network store food monitoring systems.
- Features 'tamper proof' temperature control facility.

Cold Well (No Gantry) (HT) R290 Refrigerant

Model	CW2NGHT	CW3NGHT	CW4NGHT	CW5NGHT	CW6NGHT
Price	£4,182	£4,477	£4,814	£5,316	£5,884
Capacity	2/1 GN	3/1 GN	4/1 GN	5/1 GN	6/1 GN
Length (mm)	825	1175	1525	1875	2225
Depth (mm)	660	660	660	660	660
Height above worktop (mm)	25	25	25	25	25
Depth below worktop (mm)	677	677	677	677	677
Weight (uncrated) (kg)	84	98	104	123	139
Power (kW)	1.22	1.22	1.44	1.65	1.73
Electrical supply	13A 230V	13A 230V	13A 230V	13A 230V	13A 230V



Food Display Examples

Food (Drinks Area)

Still & carbonated, bottled, canned or carton, water, dairy, lemonade, wine, beer, lager, fruit juice & health drinks.

Food (Deck Area)

Wrapped sandwiches, baguettes, rolls, barm cakes salad, pasta, cheese snacks, cream cakes & pastries, cakes, yoghurt, fruit in juice & fruit * Unwrapped product displayed may require the provision of sneeze guard protection (by others) *

HEATED DISPLAYS (NO GANTRY)

Dry Heat Bain Marie (No Gantry)



Self Help/Assisted Service

Ceran Glass Hotplate (No Gantry)



Self Help/Assisted Service

Heated (No Gantry) Models

Dry Heat Bain Marie Model	HBM1NG	HBM2NG	HBM3NG	HBM4NG	HBM5NG	HBM6NG
Price	£1,971	£2,293	£2,613	£2,964	£3,359	£3,534
Ceran Glass Hotplate Model	HP1NG	HP2NG	HP3NG	HP4NG	HP5NG	HP6NG
Price	£2,191	£2,622	£3,067	£3,583	£3,985	£4,139
Capacity	1/1 GN	2/1 GN	3/1 GN	4/1 GN	5/1 GN	6/1 GN
Length (mm)	475	825	1175	1525	1875	2225
Depth (mm)	660	660	660	660	660	660
Height above worktop (mm)	25	25	25	25	25	25
Depth below worktop (mm)	Bain Marie > 220	220	220	220	220	220
	Ceran Hotplate > 92	92	92	92	92	92
Weight (uncrated) (kg)	Bain Marie > 20	26	33	40	47	53
	Ceran Hotplate > 20	36	45	52	61	70
Power (kW)	Bain Marie > 0.5	1.0	1.5	2.0	2.5	3.0
	Ceran Hotplate > 0.4	0.7	1.1	1.4	1.8	2.1
Electrical supply	13A 230V	13A 230V	13A 230V	13A 230V	13A 230V	13A 230V

* These models have a remote mounted control panel, fitted on a 2m electrical loom, for site fitting by others.

Main Features

DRY HEAT BAIN MARIE:

- Provided with sets of 1/1 GN support collars, excepting combinations of 1/1, 1/2 & 1/3 GN containers up to 150mm deep.
- Optional hotplate inserts & carving inserts available.

CERAN GLASS HOT PLATE:

- Ceran glass hotplate display surface.
- For food presentation in flat bottom oven to tableware dishes.
- ** Allows retractable ceiling mounted heat lamps to be used above the display surface.
- ** Allows bespoke UV bonded glass heated gantries or other bespoke heated gantry types to be used above the display surface.
- Self help or assisted service application.
- 24-hour operation as standard.
- Supplied with remote digital control panel & mounting plate on a 2m electrical loom, for connection to 13 Amp supply.
- Base heat element output is thermostatically controlled, giving even heat spread.

Recommended Use Of The Dry Heat Bain Marie (No Gantry) & Ceran Glass Hotplate (No Gantry) Displays

- If top heat above the display is to be supplied (by others) – the following arrangement is recommended i.e. 300w quartz infra red lamps, 1 per GN section – mounted at 430mm above base surface.
- Retractable ceiling mounted heat lamps should be positioned as described above.
- Depending on food type displayed, a dimmer control for heat lamps may be required.
- If no top heat is provided, all food containers require lids.
- Product display may also require sneeze guard protection (by others) or screens to limit draught.



CONTACT COOL WELL (HT)



Contact Cool Well

CONTACT COOLED:
Perfect to display drinks & food



Contact Cool Well - Static

Available in standard size or bespoke.
Enquire for more details.

Contact Cool Well Main Features

- 2/3 GN size contact cooled drop in display well with integral refrigeration.
- Ideal for holding of salads, garnishes and jacket potato toppings.
- Supplied with 2 no. 1/3 GN x 150mm deep s/steel containers.
- Supplied with 2 no. 1/3 GN clear polypropylene notched lids – for serving spoons.
- Cold contact with container bases ensure food core temperatures are maintained.
- Can achieve temperatures of 0°C to 5°C (max 25°C ambient 55% relative humidity).
- Features remote digital control panel mounted in fascia plate & 2m loom – for fitting into valance panel.

Food Display Examples

Drinks

Still & carbonated, bottled, canned or carton water, dairy, lemonade, wine, beer, lager, fruit juice & health drinks.

Food

Sandwich fillings, baked potato fillings etc. – stir product regularly.



Bespoke Curved Contact Cool Well Example

Contact Cool Well (HT) R290 Refrigerant

Model	CGD1HT	CGD2HT
Price	£3,465	£3,792
Capacity	1/1 GN	2/1 GN
Length (mm)	450	775
Depth (mm)	660	660
Height above worktop (mm)	25	25
Depth below worktop (mm)	677	677
Weight (uncrated) (kg) (approx.)	45	45
Power (kW)	0.5	0.5
Electrical supply	13A 230V	13A 230V

**Features remote digital control panel mounted in fascia plate & 2m loom – for fitting into valance panel.

* This model has controls fitted to operator side of the mobile unit.



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

FROST TOPS (HT)



FROST TOPS:
Make your counter stand out from the rest

3/1
Frost Top

Available in standard size or bespoke.
Enquire for more details.



Bespoke Frost Top Example

Frost Top Main Features

- Available in different sizes with integral refrigeration.
- Available with various solid surfaces.
- Ideal for holding of salads, garnishes and jacket potato toppings.
- Can achieve temperatures of -10°C to -12°C (max 25°C ambient 55% relative humidity).
- Features remote digital control panel mounted in fascia plate & 2m loom – for fitting into valance panel.
- Allows for full displays of products.
- Different styled gantries can be incorporated.

Food Display Examples

Drinks

Still & carbonated, bottled, canned or carton water, dairy, lemonade, wine, beer, lager, fruit juice & health drinks.

Food

Sandwich fillings, baked potato fillings etc. – stir product regularly.



Bespoke Frost Top Example

Frost Top (HT) R290 Refrigerant

Model	FT-2	FT-3	FT-4	FT-5	FT-6
Price	£4,182	£4,547	£4,814	£5,316	£5,884
Capacity	2/1 GN	3/1 GN	4/1 GN	5/1 GN	6/1 GN
Length (mm)	666	1016	1366	1716	2066
Depth (mm)	641	641	641	641	641
Height above worktop (mm)	N/A	N/A	N/A	N/A	N/A
Depth below worktop (mm)	682	682	682	682	682
Weight (uncrated) (kg)	N/A	N/A	N/A	N/A	N/A
Power (kW)	0.47	0.47	0.47	0.71	0.71
Electrical supply	13A 230V	13A 230V	13A 230V	13A 230V	13A 230V

**Features remote digital control panel mounted in fascia plate & 2m loom – for fitting into valance panel.



ALL BESPOKE:
Prices in table are indicative

AMBIENT GANTRY - SELF HELP



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk



Main Features

- **KUBUS**
Self Help: Flat toughened glass sneeze guard profile.
Self help Island: Double edged flat toughened island glass profile.
The rectangular flat glass profile is designed to compliment other units within the range.
- **DESIGNLINE**
Self Help: Curved toughened glass sneeze guard profile
Self help Island: Double curved toughened glass sneeze guard profile.
The elliptical glass profile is designed to compliment other units within the Designline range.
- Ambient gantry for Illumination and single or double sided sneeze guard protection of worktop displayed ambient product.
- Lighting is controlled from a rocker switch on gantry end plate.
- Superstructure in bright polished steel and aluminium profile.

➤ Illumination

Kubus: Product Illumination is provided from diffused LED lighting (4000 Kelvin) in a rectangular profile.

Designline: Product Illumination is from diffused LED lighting (4000 Kelvin) in an elliptical profile gantry.

- Supplied with post fixing plates, bolts, 2 m lead & plug top, for connection to a single 13 Amp socket (13A 230V 50 Hz).

Food Display Examples

Drinks

Racked wine, impulse drinks (still & carbonated), bottled, canned & cartoned, water, UHT dairy, lemonade, wine, beer, lager, fruit juice & health drinks, fruit, (basket displayed).

Food

Chocolate, confectionery, crisps, snacks, cakes, flowers, napkins, menus, wine list, table condiment sets, corporate branding, art & craft, souvenirs.

* Sandwiches, baguettes, rolls, barmcakes & cheese subject to local health regulations re: display times



Ambient Gantry - Self Help

Self Help

Kubus Model	KAG2	KAG3	KAG4	KAG5	KAG6
Price	£1,049	£1,080	£1,111	£1,224	£1,257
Designline Model	AG2	AG3	AG4	AG5	-
Price	£999	£1,029	£1,057	£1,165	-
Capacity	2/1 GN	3/1 GN	4/1 GN	5/1 GN	6/1 GN
Length (mm)	Kubus > 795	1145	1495	1845	2195
	Designline > 800	1150	1500	1850	-
Depth (mm)	Kubus > 474	474	474	474	474
	Designline > 377	377	377	377	-
Height above worktop (mm)	Kubus > 540	540	540	540	540
	Designline > 535	535	535	535	-
Weight (uncrated) (kg)	Kubus > 15	18	22	26	30
	Designline > 10	13	17	21	-
Power (kW)	0.1	0.1	0.1	0.1	0.1
Electrical supply	13A 230V	13A 230V	13A 230V	13A 230V	13A 230V

Self Help Island Gantry

Ben Hur Island Gantry				
KAIG2	KAIG3	KAIG4	KAIG5	KAIG6
£1,191	£1,261	£1,289	£1,424	£1,542
-	AIG3	AIG4	-	-
-	£1,135	£1,163	-	-
2/1 GN	3/1 GN	4/1 GN	5/1 GN	6/1 GN
795	1145	1495	1845	2195
-	1150	1500	-	-
602	602	602	602	602
-	550	550	-	-
540	540	540	540	540
-	535	535	-	-
15	18	22	26	30
-	16	19	-	-
0.1	0.1	0.1	0.1	0.1
13A 230V	13A 230V	13A 230V	13A 230V	13A 230V

AMBIENT MULTI LEVEL GANTRY - SELF HELP



Designline
Multi Level Gantry

IMPROVED IMPULSE SALES:

A multi-level
illuminated
presentation
area



Kubus Multi Level
Gantry Shown



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

Available in both Kubus
or Designline model styles



Main Features

➤ KUBUS

Flat glass profile is designed to compliment other units within the Kubus range.

➤ DESIGNLINE

Curved toughened glass sneeze guard profile is designed to compliment other units within the Designline range.

Superstructure supports a toughened curved sneeze protection glass screen.

➤ Ambient gantry for illumination and sneeze guard protection of shelf & worktop displayed ambient product.

➤ Superstructure in bright polished steel and aluminium profile.

➤ Self help application.

➤ Shelving

Kubus: Unit supplied with two flat toughened glass ambient impulse/ display shelves.

Designline: Unit supplied with two curved toughened glass ambient impulse/ display shelves.

➤ Illumination

Kubus: Product Illumination is provided from diffused LED lighting (4000 Kelvin) in a rectangular profile.

Designline: Product Illumination is from diffused LED lighting (4000 Kelvin) in an elliptical profile gantry.

➤ Lighting is controlled from a rocker switch on gantry end plate.

➤ Supplied with post fixing plates, bolts, 2 m lead & plug top, for connection to a single 13 Amp socket (13A 230V 50 Hz).

Food Display Examples

Drinks

Still & carbonated, bottled, canned or carton, water, UHT dairy, lemonade, wine, beer, lager, fruit juice & health drinks.

Food

Danish pastries, muffins, doughnuts, fruit cake, biscuits, fruit, chocolate, crackers, rice cakes, tacos, crisps, nuts & breakfast cereals.

* Sandwiches, baguettes, rolls, barm cakes & cheese subject to local health regulations re: display times.



Designline Multi Level
Gantry Shown

Ambient Multi Level Gantry


Self Help

Kubus Model	KAMG2	KAMG3	KAMG4	KAMG5
Price	£1,312	£1,456	£1,600	£1,832
Designline Model	AMG2	AMG3	AMG4	-
Price	£1,249	£1,384	£1,521	-
Capacity	2/1 GN	3/1 GN	4/1 GN	5/1 GN
Length (mm)	800	1150	1500	1850
Depth (mm)	Kubus >	474	474	474
	Designline >	377	377	-
Height above worktop (mm)	Kubus >	700	700	700
	Designline >	695	695	-
Weight (uncrated) (kg)	Kubus >	25	35	45
	Designline >	20	30	-
Power (kW)	0.1	0.1	0.1	0.1
Electrical supply	13A 230V	13A 230V	13A 230V	13A 230V




Kubus
Multi Level Gantry

AMBIENT MULTI LEVEL GANTRY - UNDER SHELF LIGHTS



Kubus
Multi Level Gantry
(Under shelf lights)

**ANGLED
DISPLAYS:**
Inclined shelving
with product
stops



Designline
Multi Level Gantry
(Under shelf lights)



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

Available in both Kubus
or Designline model styles



Main Features

- **KUBUS**
Flat glass profile is designed to compliment other units within the Kubus range.
- **DESIGNLINE**
Curved toughened glass sneeze guard & side glass profile is designed to compliment other units within the Designline range.
- Ambient gantry for illumination and sneeze guard protection of shelf & worktop displayed ambient product
- Self help ambient confectionery/morning goods display gantry, for counter top installation.
- Superstructure in bright polished steel and aluminium profile.
- Self help application.
- Each shelf fitted with clear acrylic product stop/ point of sale fixing points.

Shelving

Kubus: Two inclined flat toughened glass impulse/ display shelves c/w under shelf lighting.

Designline: Two inclined curved toughened glass impulse/ display shelves c/w under shelf lighting.

Illumination

Kubus: Product Illumination is provided from diffused LED lighting (4000 Kelvin) in a rectangular profile.

Designline: Product Illumination is from diffused LED lighting (4000 Kelvin) in an elliptical profile gantry.

- Lighting is controlled from a rocker switch on gantry end plate.
- Supplied with post fixing plates, bolts, 2 m lead & plug top, for connection to a single 13 Amp socket (13A 230V 50 Hz).

Food Display Examples

Drinks

Still & carbonated, bottled, canned or carton, water, UHT dairy, lemonade, wine, beer, lager, fruit juice & health drinks.

Food

Danish pastries, muffins, doughnuts, fruit cake, biscuits, fruit, chocolate, crackers, rice cakes, tacos, crisps, nuts & breakfast cereals.

* Sandwiches, baguettes, rolls, barm cakes & cheese subject to local health regulations re: display times.

Ambient Multi Level Gantry - Under Shelf Lights Self Help

Self Help

Kubus Model	KMMG2	KMMG3	KMMG4
Price	£1,793	£1,989	£2,157
Designline Model	MMG2	MMG3	MMG4
Price	£1,709	£1,890	£2,055
Capacity	2/1 GN	3/1 GN	4/1 GN
Length (mm)	Kubus > 800 Designline > 821	1150 1171	1500 1521
Depth (mm)	Kubus > 474 Designline > 594	474 594	474 594
Height above worktop (mm)	Kubus > 700 Designline > 695	700 695	700 695
Weight (uncrated) (kg)	Kubus > 35 Designline > 30	45 40	55 50
Power (kW)	0.1	0.1	0.1
Electrical supply	13A 230V	13A 230V	13A 230V



Designline Multi-Level Gantry Under Shelf Lights Shown

AMBIENT MULTIDECK



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

Available in both Kubus
or Designline model styles



Main Features

KUBUS

Self Help: Flat toughened glass sneeze guard and end glass profile.

Assisted Service: Full height flat front & end glass sneeze guard profile.

All three are designed to compliment other units within the Kubus range.

DESIGNLINE

Self Help: Curved toughened end glass profile.

Assisted Service: Full height curved front & end glass sneeze guard profile.

All three are designed to compliment other units within the Designline range.

Ambient multi deck with storage well & 3 tier glass shelving, for display of wrapped/ unwrapped ambient product.

Superstructure in bright polished steel and aluminium profile.

Self Help & Assisted Service: Rear loading/ open to rear for easier restocking access.

➤ **Fixed Back:** Customer side restocking access.

Solid steel rear perforated back panel for wall sited application – to match similar chilled multideck display.

➤ 3 tier toughened glass shelving, adjustable in both height and angle, for increased product display area.

ILLUMINATION

Kubus: Product Illumination is provided from diffused LED lighting (4000 Kelvin) in a rectangular profile.

Designline: Product Illumination is from diffused LED lighting (4000 Kelvin) in an elliptical profile gantry.

➤ Lighting is controlled from a rocker switch on gantry end plate.

➤ 40mm tall 'Point Of Sale' display/ ticket strips are fitted as standard.

➤ Modular removable deck plate system for easier cleaning and maintenance.

➤ **Options:** Rear door set available (see right).

➤ Supplied with 2m lead for connection to a single 13 Amp socket (13A 230V 50 Hz).

Food Display Examples

Drinks

Racked wine, impulse drinks (still & carbonated), bottled, canned & cartoned, water, UHT dairy, lemonade, wine, beer, lager, fruit juice & health drinks, fruit, (basket displayed).

Food

Chocolate, confectionery, crisps, snacks, cakes, flowers, napkins, menus, wine list, table condiment sets, corporate branding, art & craft, souvenirs.

* Sandwiches, baguettes, rolls, barmcakes & cheese subject to local health regulations re: display times.

Rear Doors

Kubus Model	KDR2	KDR3	KDR4
Price	£220	£320	£494
Designline Model	DR2	DR3	DR4
Price	£220	£320	£494
Capacity	2/1 GN	3/1 GN	4/1 GN

Ambient Multideck

Self Help - Open Rear

Kubus Model	KMDA2	KMDA3	KMDA4
Price	£3,585	£3,950	£4,311
Designline Model	MDA2	MDA3	MDA4
Price	£3,465	£3,816	£4,167
Capacity	2/1 GN	3/1 GN	4/1 GN
Length (mm)	825	1175	1525
Depth (mm)	660	660	660
Height above worktop (mm)	265	265	265
Weight (uncrated) (kg)	Kubus > 69 Designline > 64	111 106	152 148
Power (kW)	0.1	0.1	0.1
Electrical supply	13A 230V	13A 230V	13A 230V

* Rear door option available (KDR 2-4) = Kubus, (DR2-4) = Designline.

Assisted Service - Open Rear

Assisted Service Open Road		
KMDA2AS	KMDA3AS	KMDA4AS
£3,711	£4,099	£4,426
MDA2AS	MDA3AS	MDA4AS
£3,589	£3,957	£4,325
2/1 GN	3/1 GN	4/1 GN
825	1175	1525
660	660	660
265	265	265
73	117	162
69	112	156
0.1	0.1	0.1
13A 230V	13A 230V	13A 230V

* Rear door option available (KDR 2-4) = Kubus, (DR2-4) = Designline.

Self Help - Fixed back

Self-help - fixed back		
KMDA2FB	KMDA3FB	KMDA4FB
£3,673	£4,093	£4,415
MDA2FB	MDA3FB	MDA4FB
£3,537	£3,916	£4,250
2/1 GN	3/1 GN	4/1 GN
825	1175	1525
660	660	660
265	265	265
75	116	162
64	106	148
0.1	0.1	0.1
13A 230V	13A 230V	13A 230V

CUTLERY / CONDIMENT UNIT



Kubus
Cutlery/Condiment
unit

**ILLUMINATED
CUTLERY
COLLECTION
POINT:**
Supplied with
containers



Designline
Cutlery/Condiment
unit



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

Available in both Kubus
or Designline model styles



Main Features

- **KUBUS**
Flat glass profile is designed to compliment other units within the range.
- **DESIGNLINE**
Curved unit profile is designed to compliment other units within the designline range
- Worktop mounted cutlery & condiments display with overhead impulse display shelf.
- Self help application.
- Superstructure supports 3 levels of elliptical shaped inclined shelving.
- Features additional eye level toughened glass impulse/ display shelf.

➤ Illumination

- Kubus:** Product Illumination is from diffused LED lighting (4000 Kelvin) under top and mid shelf, for increased visual display.
- Designline:** Product Illumination is from diffused LED lighting (4000 Kelvin) in the elliptical profile gantry and under top and midshelf, for increased visual display.
- Unit is supplied with a full compliment of G/N containers for the display of cutlery, condiments, creamers, sachets etc.
 - Lighting is controlled from a rocker switch on bottom shelf end plate.
 - Superstructure in bright polished steel and aluminium profile.
 - Supplied with post fixing plates, bolts, 2 m lead & plug top, for connection to a single 13 Amp socket (13A 230V 50 Hz).

Food Display Examples

- 3 Tier Gastronorm Shelving**
Assorted cutlery, milk, cream, creamers, sugars, sweeteners, butters and spreads, jams, marmalades, sachet type salt, vinegar, pepper, sauces.
- Glass Shelf Area**
Fruit, (basket displayed) flowers, napkins, menus, wine lists, table condiment sets, corporate branding.



Designline Condiment Unit Shown



Designline Condiment Unit Shown

Cutlery/ Condiment Unit - Self Help

Self Help

Kubus Model		KCCU1	KCCU2	KCCU3
Price		£1,384	£1,632	£1,820
Designline Model		CCU1	CCU2	CCU3
Price		£1,319	£1,556	£1,730
Capacity		2/1 GN	3/1 GN	4/1 GN
Length		450	450	450
Depth (mm)	Kubus >	459	459	459
	Designline>	730	730	730
Height above worktop (mm)	Kubus >	730	730	730
	Designline >	708	708	708
1/9 x 65mm deep Gn containers (top shelf)		3	6	9
1/6 x 65mm deep Gn containers (middle shelf)		2	4	6
1/4 x 65mm deep Gn containers (bottom shelf)		2	4	6
Weight (uncrated) (kg)	Kubus >	19	27	35
	Designline >	14	22	30
Power (kW)		0.1	0.1	0.1
Electrical supply		13A 230V	13A 230V	13A 230V

* Light switch located on bottom shelf end plate.

CONFECTIONERY DISPLAY STAND



Available in
both Kubus
or Designline
model styles



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

Common Main Features -

- Freestanding table top impulse unit – for the display of many types of confectionery impulse goods.
- Shelving design provides additional merchandising to worktop below.
- Available as either self help (model KTTCDs & TTCDs) or assisted service (model KTTCDsAS & TTCDsAS)
- Can be sited at till & cashier points etc. for impulse purchases.

Main Features - Kubus

- Toughened glass and satin finished steel frame, bright polished chrome finish gantry & diffused canopy lighting.
- 2 no. removable inclined display shelves and inclined base shelf in formed steel.
- Each shelf features additional diffused lighting and product stop.
- Toughened glass end panels and magnetically held rear doors.
- **Self Help:** Open fronted display with toughened front squeeze screen downstand glass (model KTTCDs).

- **Assisted Service:** Keyless locking front glass, for theft prevention (model KTTCDsAS).
- The counter top display is supported by s/steel levelling feet c/w adjustable nylon surface protection inserts.

Main Features - Designline

- Curved profile matches other displays within the Designline range
- 2 no. removable inclined display shelves in formed acrylic.
- Each shelf features 40mm point of sale strips in bullnose profile clear plastic.
- Display is supported by s/steel feet c/w adjustable nylon surface protection inserts.
- End support panels in screen printed toughened glass 6mm thick.
- 38mm diameter aluminium extruded frame, bright polished chrome finish.
- Each shelf supported on 2 no. 12mm diameter brushed s/steel tubes.

Food Display Examples

Self Help Display Stand (models KTTCDs & TTCDs)

Wrapped muffins, cakes, doughnuts, fruit cake, biscuits, chocolate, crisps, nuts, sweets etc.

Assisted Service Display Stand (model KTTCDsAS & TTCDsAS)

Unwrapped muffins, cakes, doughnuts, fruit cake, biscuits, chocolate, crisps, nuts, sweets etc. subject to local health regulations re: display times.

Confectionery Display Stand

Kubus Model	Self Help		Assisted
	KTTCDs	KTTCDsAS	
Price	£1,544	£1,603	
Designline Model	TTCDs		TTCDsAS
	TTCDs	TTCDsAS	
Price	£806	£957	
Length (mm)	Kubus >	450	450
	Designline >	572	572
Depth (mm)	Kubus >	600	600
	Designline >	499	499
Height above worktop (mm)	Kubus >	730	730
	Designline >	535	10
Weight (uncrated) (kg)	Kubus >	47	47
	Designline >	10	12
Power (kW)	Kubus Only >	0.1	0.1
Electrical supply	Kubus Only >	13A 230V	13A 230V



DROP IN DISPLAY ACCESSORIES

AF1 (In/Out Customer Side Airflow)

Non standard airflow in / out customer side

- Inline fan assisted ducting for removal of heat/ moisture from condensing unit.
- Suitable for wall sited counters etc.
- Fitted with 2 metre flexible duct, with bright polished steel air intake & extract grille.

AF2 (In/Out Operator Side Airflow)

Non standard airflow in / out operator side

- Inline fan assisted ducting for removal of heat/ moisture from condensing unit.
- Suitable for counters where intake grille is not required on customer side fascia panel.
- Fitted with 2 metre flexible duct, with bright polished steel air intake & extract grille.



AF1
(customer side)



AF2
(operator side)

Non Standard Airflow Kit (Cold)

Kubus Model	AF1 (Customer Side)	AF2 (Operator Side)
Price	£591	£591
Length (mm)	2000	2000
Width (mm)	150	150
Weight (uncrated) (kg)	0.75	0.75
Power (kW)	+ 0.07	+ 0.07
Electrical supply	See model	See model
Weight (uncrated) (kg)	1	1

Glass Mid Shelf (Cold Well/Cold Island Well)

Main Features

- **KUBUS**
10mm toughened rectangular glass shelf.
Suitable for Kubus cold well (models KCW2-6HT) or Kubus cold island well (models KCIW2-6HT)
- **DESIGNLINE**
10mm radius fronted glass shelf.
Suitable for Designline cold well (models CW2-6HT) or Designline cold island well (models CIW2-6HT)
- Factory fitted to provide an ambient mid shelf.
- Provides additional ambient display areas over chilled base.

Kubus Mid Shelf Shown



Kubus Glass Mid Shelf (Cold Well/Cold Island Well)

Kubus	KMS2	KMS3	KMS4	KMS5	KMS6
Price	£283	£297	£324	£413	£437
Capacity	2/1 GN	3/1 GN	4/1GN	5/1 GN	6/1 GN
Length (mm)	692	1042	1392	1742	2092
Width (mm)	335	335	335	335	335
Weight (uncrated) (kg)	6	9	12	15	18

Designline Mid Shelf Shown



Designline Glass Mid Shelf (Cold Well/Cold Island Well)

Designline	MS2	MS3	MS4	MS5	MS6
Price	£271	£286	£312	£394	£421
Capacity	2/1 GN	3/1 GN	4/1GN	5/1 GN	6/1 GN
Length (mm)	665	1015	1365	1715	2065
Width (mm)	335	335	335	335	335
Weight (uncrated) (kg)	6	9	12	15	18

Locking Rear Door (Cold/Ambient Multi Deck)



Main Features

- Lockable rear door set per model
- Supplied with 2 keys per locking door
- For use with cold multi deck
- For use with ambient multi deck - in conjunction with rear door option.


Locking Rear Door (Cold/Ambient Multi Deck)

Kubus	KLDR2	KLDR3	KLDR4	KLDR5
Price	£151	£315	£315	£378
Designline	LDR2	LDR3	LDR4	LDR5
Price	£151	£315	£315	£378
Capacity	2/1 GN	3/1 GN	4/1 GN	5/1 GN

Cutting Board –

Main Features

- 350mm long 1/1 Gn flat profile white polyethylene cutting board.
- For theatre preparation of sandwich fillings etc.
- Fits individually or in multiples over rear shelf of cold deli (models (K)CDL2-5HT) or cold multi level deli (models (K)CMDL2-5HT)
- Suitably sized for dishwashers.
- For use with Kubus cold deli / cold multi level deli drop in display.



Cutting Board



Kubus Model	KCB1
Price	£121
Designline Model	CB1
Price	£121
Length (mm)	350
Width (mm)	250
Weight (uncrated) (kg)	1



Hotplate Insert –

Main Features

- For use with dry heat & wet well bain marie.
- Converts heated bain marie G/n sections to hotplate operation during varied serving periods.
- Glass hotplate drop in insert.
- Hotplate glass surface in lift out steel collar.(Option HINS1)
- Hotplate glass surface in steel collar with lift up handle. (Option HINS2)**
- **Version with lift-up handle (HINS2) for easy removal of multiple inserts.
- For short term holding use.
- Allows food display in ceramic or oven proof dishes.



Hotplate Insert

Model	HINS1	HINS2
Price	£251	£279
Capacity	1/1 GN	1/1 GN
Width (mm)	347	347
Depth (mm)	546	546
Weight (uncrated) (kg)	5	5



**Made in
the UK**




DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

Carvery Insert

Main Features

- For use with dry heat & wet well bain marie.
- 1/1 Gn spiked drop in carving insert with drain holes.
- Carving plate features easily removable spiked carving deck.
- Converts heated bain marie G/n sections to carving operation during varied serving periods.
- Supplied with 150mm deep removable juice collecting tray, suitably sized for dishwashers.

CINS1




Carvery Insert

Model	CINS1
Price	£205
Capacity	1/1 GN
Width (mm)	347
Depth (mm)	546
Weight (uncrated) (kg)	4

Night Blind

Main Features

- Option suitable for Kubus self help cold multideck with rear doors. (Model KMDR2-5HT)
- Retractable insulated night blind (energy saving feature).



Night Blind

Kubus Model	KNB2	KNB3	KNB4	KNB5
Price	£332	£366	£394	£426
Unit size (G/n)	2/1	3/1	4/1	5/1

*For fixed back models add FB onto end of above codes.
Prices are same as above.

Customer Protection Screen With Posts (Tall)

Main Features

- 490mm high x 909mm long worktop mounted toughened glass screen & pair of extruded chrome posts.
- Ideal for customer protection from theatre cooking equipment.
- Provides sneeze guard protection/ assisted service designation to equipment fitted in the counter worktop.
- Profile of posts designed to match other models in the Designline range.
- Supplied with glass support brackets, plastic post collars, fixing bolts & post clamping plates.



Customer Protection Screen With Posts (Tall)

Model	GS2
Price	£651
Length (mm)	909
Height (mm)	490
Weight (uncrated) (kg)	12

Customer Protection Screen Post Only (Soup Station) –

Main Features

- 315mm high worktop mounted extruded chrome end post, ideal serve over height for soup unit customer protection.
- Glass screen optional.
- Profile of posts designed to match other models in the Designline range.
- Supplied with glass support brackets, plastic post collars, fixing bolts & post clamping plates.
- Customer Protection Screen-Post Only (Soup Station) – Dimensions



Customer Protection Screen Post Only (Soup Station)


Model	HSCP (Corner Post)	HSEP (End Post)
Price	£245	£220
O/all Length (mm)	89	66
O/all Depth (mm)	49	49
O/all Height (mm)	315	315
Weight (uncrated) (kg)	1	1

* Glass available as option (£ P.O.A.)

Low Screen Posts

Main Features

- Ideal for low height (150mm) customer protection from theatre cooking equipment, hot plates and bain maries or assisted service designation.
- Choice of chrome plated/ extruded aluminum centre (LSCP) or end (LSEP) posts.
- Posts (only) supplied for bolting through countertop surfaces.
- Suitable for glass screens up to 10mm thick (glass is optional)
- Supplied with chrome glass support brackets, collars, M8 worktop fixing bolts & clamping plates.



Low Screen Posts

Model	LSCP (Centre Post)	LSEP (End Post)
Price	£218	£190
O/all Length (mm)	89	66
O/all Depth (mm)	49	49
O/all Height (mm)	149	149
Weight (uncrated) (kg)	1	1

* Glass available as option (£ P.O.A.)





Made in
the UK



KUBUS PATISSERIES



Clean Rectilinear Profiles, Superlative
Quality & Performance.

Kubus freestanding patisseries are a further cubist companion to the range of Kubus drop in displays. Available in both self help and assisted service, Kubus patisseries feature a matching clean rectilinear profile, durable bright steel and chrome plated aluminium superstructure, all within a toughened flat glass hood, sneeze screen and glazed side panels.





DESIGNLINE PATISSERIES



Beautiful Toughness. Ruthless Reliability.

The Designline heated patisserie is part of CED's flagship range of patisserie displays. Designline heated patisseries have combined static and fan blown heat, 'point of sale' branding, steel kick plinths, mobile castors and adjustable feet as standard.



COLD PATISSERIE (HT)

Kubus



Self Help
(Rear Doors)



Assisted Service
(Rear Doors)



Self Help
(Fixed Back)

Designline



Self Help
(Rear Doors)



Assisted Service
(Rear Doors)



Self Help
(Fixed Back)

**ENERGY
EFFICIENT:**
Zero ozone
depletion



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

Available in both Kubus
or Designline model styles



Main Features

KUBUS

Self Help: Flat toughened glass profile.

Assisted Service: Full height flat front & side glass profile.

Designed to compliment other units within the Kubus range.

DESIGNLINE

Self Help: Curved toughened glass profile.

Assisted Service: Full height curved front & side glass profile.

Designed to compliment other units within the Designline range.

➤ **Self Help:** Freestanding, open fronted with front loading to four display levels (fixed back), or rear loading (rear doors).

Assisted Service: Closed front with rear loading.

➤ Integral fan blown refrigerated air curtain system.

➤ Can achieve temperatures (0-5°C in 27°C ambient at 55% relative humidity).

➤ Ideal for the display of wrapped chilled produce & drinks.

➤ Chilled by energy efficient hydrocarbon refrigeration (HT).

➤ Stainless steel canopy, glazed roof and side glass for serve over presentation.

➤ **Rear Door Models:** Rear hinged double glazed doors offer easier restocking access and visual stock checking.

➤ **Fixed Back Models:** Bright polished steel rear fixed back panel for typical use in wall sited situation.

➤ Three toughened glass shelves, adjustable in height and angle.

➤ Additional chilled steel deck area for further worktop height merchandising.

➤ Low energy diffused LED lighting to each display level (4000 Kelvin).

➤ 24 hour operation as standard.

➤ Integral automatic condensate water evaporation, eliminates the need for site drainage.

➤ Optional S/steel fascia panel in black epoxy coat or satin polish finish.

➤ **Rear Door Models:** Optional non standard air flow in/ out to operator side is available on 1200mm & 2000mm patisserie models (AF12/ AF20).

*See page 48 (EF.O.C.)

Special Features

➤ 40mm point of sale ticket strip & product stop to each display level.

➤ Steel base in black epoxy coat (standard) or satin polish finish (optional).

➤ Kick plinth in stainless steel satin polish finish.

➤ Mobile positioning/ transportation combined castor/ feet.

➤ Adjustable final positioning/ levelling feet.

➤ 'C' profile safety edge to all exposed edge glass.

Food Display Examples

Drinks (Deck Area)

Still & carbonated, bottled, canned or carton, water, dairy, lemonade, wine, beer, lager, fruit juice & health drinks.

Food (Deck and Shelving Area)

Pies, pasties, sausage rolls & cooked meats, sandwich fillings, baked potato fillings, salad items & cheese, sandwiches, baguettes, rolls, barm cakes, salad, pasta, cheese snacks, cream cakes, pastries, cakes, yoghurt, fruit in juice & fruit.

Cold Patisserie (HT)

Self Help (Rear Doors)

Kubus Model	KPC6HT	KPC9HT	KPC12HT KPC12HT+AF12	KPC20HT KPC20HT+AF20
Price	£7,412	£7,709	£8,302	£12,219
Designline Model	PC6HT	PC9HT	PC12HT PC12HT+AF12	PC20HT PC20HT+AF20
Price	£7,036	£7,333	£7,656	£11,635
Length (mm)	600	900	1200	2000
Depth (mm)	750	750	750	750
Height (mm)	Kubus > 1423/1433	1423/1433	1423/1433	1421/1431
	Designline > 1405/1415	1405/1415	1405/1415	1405/1415
Weight (uncrated) (kg)	145	190	240	390
Power (kW)	1.47	1.70	1.80	1.90
Electrical supply	13A 230V	13A 230V	13A 230V	13A 230V

Control panel to 'operator side' of gantry.
Option AF12/AF20 EF.O.C.

Assisted Service (Rear Doors)

KPC6ASHT	KPC9ASHT	KPC12ASHT KPC12ASHT+AF12	KPC20ASHT KPC20ASHT+AF20
Price	£7,436	£7,733	£8,058
	£12,376		
PC6ASHT	PC9ASHT	PC12ASHT PC12ASHT+AF12	PC20ASHT PC20ASHT+AF20
Price	£7,118	£7,416	£7,737
	£11,787		
Length (mm)	600	900	1200
Depth (mm)	750	750	750
Height (mm)	1423/1433	1423/1433	1423/1433
	1405/1415	1405/1415	1405/1415
Weight (uncrated) (kg)	145	190	240
Power (kW)	1.47	1.70	1.80
Electrical supply	13A 230V	13A 230V	13A 230V

Control panel to 'operator side' of gantry.
Option AF12/AF20 EF.O.C.

Self Help (Fixed Back)

KPC6FBHT	KPC9FBHT	KPC12FBHT	KPC20FBHT
Price	£7,163	£7,459	£7,783
	£11,852		
PC6FBHT	PC9FBHT	PC12FBHT	PC20FBHT
Price	£6,785	£7,082	£7,407
	£11,287		
Length (mm)	600	900	1200
Depth (mm)	750	750	750
Height (mm)	1423/1433	1423/1433	1423/1433
	1405/1415	1405/1415	1405/1415
Weight (uncrated) (kg)	145	190	240
Power (kW)	1.47	1.70	1.80
Electrical supply	13A 230V	13A 230V	13A 230V

Control panel to 'customer side' of gantry.

HEATED PATISSERIE



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

Available in both Kubus
or Designline model styles



Main Features

> KUBUS

Self Help: Flat toughened glass profile.

Assisted Service: Full height flat front & side glass profile.
Designed to compliment other units within the Kubus range.

> DESIGNLINE

Self Help: Curved toughened glass profile.

Assisted Service: Full height curved front & side glass profile.
Designed to compliment other units within the Designline range.

> **Self Help:** Freestanding, open fronted with front loading to three display levels (fixed back), or rear loading (rear doors).

Assisted Service: Closed front with rear loading.

- > Ideal for the display of pre-heated cooked food, packaged & cartoned heated produce.
- > Heated by both static heat and fan blown heated air.
- > Product temperature maintained at 65-72°C in 20°C ambient.

- > Stainless steel canopy, glazed roof and side glass for serve over presentation.
- > **Rear Door Models:** Rear hinged double glazed doors offer easier restocking access and visual stock checking.
- > **Fixed Back Models:** Bright polished steel rear fixed back panel for typical use in wall sited situation.
- > Two PTFE heated shelves, adjustable in height.
- > Additional heated steel deck area for additional worktop height merchandising.
- > Fluorescent lighting to each display level (4000 Kelvin).
- > 24 hour operation as standard.
- > Removable wire steel deck & shelf covers for use with packaged & cartoned produce display.
- > Optional S/steel fascia panel in black epoxy coat or satin polish finish.



Made in the UK

Special Features

- > 40mm point of sale ticket strip & product stop to each display level.
- > **Rear Door Models:** Operator access heat guards to rear shelving.
- > Steel base in black epoxy coat (standard) or satin polish finish (optional).
- > Kick plinth in stainless steel satin polish finish
- > Mobile positioning/ transportation combined castor/ feet.
- > Adjustable final positioning/ levelling feet.
- > 'C' profile safety edge to all exposed edge glass.

Food Display Examples

Liquid Based Foods (Deck Area)

Cartoned soups, cartoned vegetable soups, porridge etc.

Food (Deck and Shelving Area)

Pies, pastries, sausage rolls, stews, curry, chilli dishes, grilled sandwiches, hot baguettes, hot ciabatta, pasta in sauce, ribs with sauce, chicken portions.

Heated Patisserie

Self Help (Rear Doors)

Kubus Model	KPH6	KPH9	KPH12
Price	£7,449	£7,649	£7,885
Designline Model	PH6	PH9	PH12
Price	£6,979	£7,379	£7,548
Length (mm)	600	900	1200
Depth (mm)	750	750	750
Height (mm)	Kubus > 1423/1433	1423/1433	1423/1433
	Designline > 1405/1415	1405/1415	1405/1415
Weight (uncrated) (kg)	Kubus > 120	165	215
	Designline > 115	160	210
Power (kW)	1.60	2.98	4.33
Electrical supply	13A 230V	13A 230V	20A 230V

Control panel to 'operator side' of gantry.

Assisted Service (Rear Doors)

KPH6AS	KPH9AS	KPH12AS
£7,620	£7,878	£7,999
PH6AS	PH9AS	PH12AS
£7,317	£7,514	£7,719
600	900	1200
750	750	750
1423/1433	1423/1433	1423/1433
1405/1415	1405/1415	1405/1415
127	172	224
120	165	216
1.60	2.98	4.33
13A 230V	13A 230V	20A 230V

Control panel to 'operator side' of gantry.

Self Help (Fixed Back)

KPH6FB	KPH9FB	KPH12FB
£7,372	£7,573	£7,750
PH6FB	PH9FB	PH12FB
£6,939	£7,130	£7,301
600	900	1200
750	750	750
1423/1433	1423/1433	1423/1433
1405/1415	1405/1415	1405/1415
120	165	215
115	160	210
1.60	2.98	4.33
13A 230V	13A 230V	20A 230V

Control panel to 'customer side' of gantry.

AMBIENT PATISSERIE

Kubus

Self Help
(Open Rear)Assisted Service
(Open Rear)Self Help
(Fixed Back)

Designline

Self Help
(Open Rear)Assisted Service
(Open Rear)Self Help
(Fixed Back)

DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

Available in both Kubus
or Designline model styles



Main Features

> KUBUS

Self Help: Flat toughened glass profile.

Assisted Service: Full height flat front & side glass profile.

Designed to compliment other units within the Kubus range.

> DESIGNLINE

Self Help: Curved toughened glass profile.

Assisted Service: Full height curved front & side glass profile.

Designed to compliment other units within the Designline range.

> **Self Help:** Freestanding, open fronted with front loading to four display levels (fixed back), or rear loading (rear doors).

Assisted Service: Closed front with rear loading.

> Ideal for the display of wrapped morning goods, ambient produce and drinks.

> Stainless steel canopy, glazed roof and side glass for serve over presentation.

> **Open Rear Models:** Offer easier restocking access and visual stock checking. Optimal rear door available. (option (K)DR6, (K)DR9, (K)DR12). See page 48.

> **Fixed Back Models:** Bright polished steel rear fixed back panel for typical use in wall sited situation.

> Three toughened glass shelves, adjustable in height and angle.

> Steel deck area for additional merchandising at worktop height.

> Low energy diffused LED lighting to each display level (4000 Kelvin).

> 24 hour operation as standard.

> Rocker switch lighting control in canopy head.

> Optional S/steel fascia panel in black epoxy coat or satin polish finish.

Special Features

> 40mm point of sale ticket strip & product stop to each display level.

> Kick plinth in stainless steel satin polish finish.

> Mobile positioning/ transportation combined castor/ feet.

> Adjustable final positioning/ levelling feet.

> 'C' profile safety edge to all exposed edge glass.

Food Display Examples

Drinks (Deck Area)

Still & carbonated, bottled, canned or carton water, UHT dairy, lemonade, wine, beer, lager, fruit juice & health drinks.

Food (Deck and Shelving Area)

Danish pastries, muffins, doughnuts, fruit cake, biscuits, fruit, chocolate, crackers, rice cakes, tacos, crisps, nuts & breakfast cereals.

* Sandwiches, baguettes, rolls, barmcakes & cheese subject to local health regulations re: display times.



**Made in
the UK**

Ambient Patisserie

Self Help (Rear Doors)

Kubus Model	KPA6	KPA9	KPA12
Price	£4,507	£4,635	£4,865
Designline Model	PA6	PA9	PA12
Price	£4,294	£4,415	£4,633
Length (mm)	600	900	1200
Depth (mm)	750	750	750
Height (mm)	Kubus > 1423/1433	1423/1433	1423/1433
	Designline > 1405/1415	1405/1415	1405/1415
Weight (uncrated) (kg)	110	150	190
Power (kW)	0.1	0.1	0.1
Electrical supply	13A 230V	13A 230V	13A 230V

Assisted Service (Rear Doors)

KPA6AS	KPA9AS	KPA12AS
£4,637	£4,771	£5,034
PA6AS	PA9AS	PA12AS
£4,424	£4,550	£4,803
600	900	1200
750	750	750
1405/1415	1405/1415	1405/1415
1405/1415	1405/1415	1405/1415
110	150	190
0.1	0.1	0.1
13A 230V	13A 230V	13A 230V

Self Help (Fixed Back)

KPA6FB	KPA9FB	KPA12FB
£4,558	£4,685	£4,918
PA6FB	PA9FB	PA12FB
£4,344	£4,466	£4,685
600	900	1200
750	750	750
1423/1433	1423/1433	1423/1433
1405/1415	1405/1415	1405/1415
120	150	190
0.1	0.1	0.1
13A 230V	13A 230V	20A 230V

PÂTISSERIE ACCESSORIES

Front Fascia Panel - Black



Ventilated

Solid

Main Features

- Black epoxy coated steel ventilated or solid fascia panel accessory, for free standing cold, heated & ambient models.
- Fits all cold, heated and ambient Kubus/ Designline patisserie models.
- Option KCBF6/ KCBF9/ KCBF12/ KCBF20 – ventilated panel fits cold 600, 900, 1200 & 2000 Kubus or Designline patisserie models.
- Option KABF6/ KABF9/ KABF12 – solid panel fits heated & ambient 600, 900 & 1200 Kubus or Designline patisserie models.

Front Fascia Panel - Steel



Ventilated

Solid

Main Features

- Satin finish stainless steel ventilated or solid fascia panel accessory, for free standing cold, heated & ambient models.
- Fits all cold, heated and ambient Kubus/ Designline patisserie models.
- Option KCSF6/ KCSF9/ KCSF12/ KCSF20 – ventilated panel fits cold 600, 900, 1200 & 2000 Kubus or Designline patisserie models.
- Option KASF6/ KASF9/ KASF12 – solid panel fits heated & ambient 600, 900 & 1200 Kubus or Designline patisserie models.

Front Fascia Panel - Black

All Cold Patisserie Models - (Ventilated)

Option Code	KCBF6	KCBF9	KCBF12	KCBF20
Price	£73	£91	£121	£248
Unit Size (mm)	600	900	1200	2000

All Hot & Ambient Patisserie Models (solid)

Model	KABF6	KABF9	KABF12	KABF20
Price	£73	£91	£121	£248
Unit Size (mm)	600	900	1200	2000

Front Fascia Panel - Steel

All Cold Patisserie Models - (Ventilated)

Option Code	KCSF6	KCSF9	KCSF12	KCSF20
Price	£73	£91	£121	£248
Unit Size (mm)	600	900	1200	2000

All Hot & Ambient Patisserie Models (solid)

Model	KASF6	KASF9	KASF12	KASF20
Price	£73	£91	£121	£248
Unit Size (mm)	600	900	1200	2000

Patisserie Base, Sides & Top - Steel



Main Features

- Base side panels & rear top cover in satin finish stainless steel – replaces standard patisserie black finishes.
- Fits all cold, heated and ambient Kubus/ Designline patisserie models.
- Option KCSB6, KCSB9, KCSB12, KCSB20 – steel finish side panels/ rear cover fits 600, 900, 1200 or 2000 Kubus or Designline cold patisseries.
- Option KASB6, KASB9, KASB12 – steel finish side panels/ rear cover fits 600, 900 or 1200 Kubus or Designline ambient patisseries.
- * Steel fascia panel option shown separately.

Patisserie Base, Sides & Top - Steel

All Cold Patisserie Models

Option Code	KCSB6	KCSB9	KCSB12	KCSB20
Price	£ F.O.C.	£ F.O.C.	£ F.O.C.	£ F.O.C.
Unit Size (mm)	600	900	1200	2000

All Hot & Ambient Patisserie Models

Model	KASB6	KASB9	KASB12	KASB20
Price	£ F.O.C.	£ F.O.C.	£ F.O.C.	£ F.O.C.
Unit Size (mm)	600	900	1200	2000



Kubus Heated Patisserie Shown

PATISSERIE ACCESSORIES

Non Standard Airflow (Air In/Out Operator Side)



AF12 1200mm Cold Patisseries.



AF20 2000mm Cold Patisseries.

Main Features

- Aesthetic option that avoids cold patisserie refrigeration air intake grill on the front fascia panel.
- Allows for accommodation of branding or ambient merchandising to front of patisserie base (by others).
- **AF12:** Non standard refrigeration airflow direction through 1200 mm patisserie base – in / out operator side.
- **AF20:** Non standard refrigeration airflow direction through 2000 mm patisserie base – in / out operator side.
- Condensing unit is fully accessible for cleaning/ service from rear removable louvered grille.
- Fitted with transverse condensing unit & anti chamber in rear of patisserie base.
- Factory fitted only.

- **AF12:** Suitable for the following models:
 - Designline self help cold (rear doors) patisserie model PC12HT.
 - Designline assisted service cold (rear doors) patisserie model PC12ASHT
 - Kubus self help cold (rear doors) patisserie model KPC12HT.
 - Kubus assisted service cold (rear doors) patisserie model KPC12ASHT.
- **AF20:** Suitable for the following models:
 - Designline self help cold (rear doors) patisserie model PC20HT
 - Designline assisted service cold (rear doors) patisserie model PC20ASHT.
 - Kubus self help cold (rear doors) patisserie model KPC20HT.
 - Kubus assisted service cold (rear doors) patisserie model KPC20ASHT.

Non Standard Air Flow

All Cold Patisserie Models - (Ventilated)

Option Code	AF12	AF20
Price	£ F.O.C.	£ F.O.C.
Unit Size (mm)	1200	2000



Designline Patisseries Shown

Night Blind (Kubus Cold Patisseries Only)



Main Features

- Retractable insulated night blind with pull down handle and hook in retainer for screen.
- Energy saving feature – used at the end of a serving period, to avoid decanting product from the cold patisserie.
- Guards against the entry of ambient air into the chilled zone.
- For use with Kubus Self help cold patisserie (rear doors) models KPC6HT/ KPC9HT/ KPC12HT/ KPC20HT.
- Blind is discreetly concealed at front of the patisserie within the gantry superstructure.
- Not available with Designline Patisserie

Night Blind (Kubus Cold Patisseries)

Option Code	KNB6	KNB9	KNB12	KNB20
Price	£316	£340	£359	£411
Unit size (G/n)	600	900	1200	2000

Rear Doors (Ambient Patisseries)



Main Features

- Optional conversion for open rear ambient Kubus & Designline patisseries.
- To fit Kubus self help ambient patisserie (KPA6, KPA9, KPA12,) and Kubus assisted service ambient patisserie (KPA6AS, KPA9AS, KPA12AS,).
- To fit Designline self help ambient patisserie (PA6, PA9, PA12) and Designline assisted service ambient patisserie (PA6AS, PA9AS, PA12AS,).

Rear Doors (Ambient Patisseries)

Option Code	KDR6	KDR9	KDR12
Price	£196	£307	£455
Unit size (G/n)	600	900	1200



In the Kitchen with CED

In stock and ready to go



Popular Sizes



Stock Available



Fast Delivery
2/6 Days
(after order)



Quality
Guaranteed

We've taken our vast experience producing every conceivable kind of made to measure commercial kitchen fabrication, in order to develop the new Quick Service fabrication range.

Quick Service now offers dealers a complete range of CED standard fabrication in the popular sizes you want. With stock available and ready to go, you can configure your kitchen equipment layout and have that kitchen on site in 6 full working days from your order, because in a next day world it's what your customers have come to expect.

There is no compromise on quality with Quick Service fabrication either, otherwise we couldn't offer our 2 year warranty as standard!

There's over 150 of our most popular kitchen equipment products to select from, including single or double bowl sinks, wall & corner cupboards, wall & corner benches, centre benches, heavy duty wall shelving, pan storage & microwave shelving.

So download Quick Service specification sheets & drawings at www.cedfabsltd.co.uk to plan your Quick Service kitchen solution.

Quick Service Off-the-Shelf Range: Our most popular sizes of commercial fabrication, self-draining single & double bowl sinks, wall, centre & corner benches, hinged, sliding & lockable cupboards, heavy duty shelving, stock available in 2-6 full working days after order.

Tournus Commercial Kitchen Equipment: Stocked items, and always available. Includes; trolleys, hand wash basins, plate dispensers, and janitor sinks.

Designline Made-to-Measure Range: Our classic catalogue of commercial kitchen fabrication from hot cupboards to sinks, always adapted to suit each made-to-measure environment. A full manufacturing drawing service, short lead time equipment, multiple options, cut-outs, notches, voids, all 304 gd. etc

5 Star Bespoke Fabrication: Consultant specified counter constructed fabrication, made to measure – full manufacturing drawings, cook suites, site welding and polishing of joints, tanked bases, integral service spines & race ways, 2mm worktops, bull nose worktop edge details, mirror finishing, ceiling mounted gantries with heated/ ambient task lighting.

New Kitchen Range
Catalogue out NOW



Backbar Bar System Quality Serving



CED's Backbar range is a versatile, pre-engineered interconnecting modular bar system, in durable 430gd. steel panel work, with 304 gd. s/steel worktops. The bases can be incorporated behind bespoke bar frontages and tops to provide the essential elements for a fully functioning bar serving area, forming straight bar runs or faceted runs by the use of optional angled worktop infills and base unit cover trims.



Made in
the UK

Fully welded bars also available & visuals to help you & your customer imagine the finished product.

A flexible pre-engineered bar server operating system

The Backbar range consists of plain top or pressed steel drainer worktop units, allowing for varied dry or wet area bar use. A mix of shelving, sinks & wash, glass, general or basket rack storage, plus open ambient storage units can be incorporated with many practical accessories, such as angled or extended worktops.

Download and design your layout quickly and accurately with our CAD drawings of the various modules, all located at www.cedfabsltd.co.uk.

Specific bar run lengths can be achieved using bespoke versions (up to 1000 mm long) of shelving units or worktops. These units are not suitable as stand alone units.

PLAIN TOP SHELVING UNIT

Main Features

- › S/steel modular open shelf backbar unit c/w plain top s/steel worktop.
- › **Steel Shelf Type:** 3 levels of solid s/steel storage shelving under.
- › **Steel Shelf Type:** Supplied with removable adjustable height s/steel support shelving.
- › **Rack Shelf Type:** 3 levels of glass storage under.
- › **Rack Shelf Type:** Supplied with 3 no. PVC coated glass storage racks on removable s/steel drip tray support shelving.
- › 304 gd. 1.2mm thk. s/steel solid 'plain top' worktop & durable 430 gd. 0.9 mm panel work construction.
- › Available in 450, 650, 800 and 1000 mm lengths.
- › Anti drip mould to front edge of worktop.
- › 560 mm deep, 945 mm high – including 95 mm rear worktop up stand.
- › Supplied with 1 no. leg set – consisting pair of nylon feet adjustable +/- 25 mm for final alignment on site.
- › Additional bridging leg sets available to suit required bar layout.
- › **Steel Shelf Type:** Bespoke lengths – up to 1000 mm long – available, to use with other standard module lengths in achieving a particular bar run length.



Plain Top Shelving Unit
(Steel Shelf Type)



Plain Top Shelving Unit
(Rack Shelf Type)

Plain Top Shelving Unit

Steel Shelf Type

Code	Price
PTS45	£1,045
PTS65	£1,074
PTS80	£1,107
PTS100	£1,133

Rack Shelf Type

Code	Price
PTS45W	£1,181
PTS65W	£1,119
PTS80W	£1,233
PTS100W	£1,267

PRACTICAL:
PVC coated
glass storage
racks included



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk



ICE CHEST

Main Features

- › S/steel modular ice storage/ open shelving backbar unit c/w s/steel ice chest worktop, valance panel & s/steel base storage shelf under.
- › 304 gd. 1.2mm thk. fully welded/ insulated 2/3 compartment s/steel ice chest in a 'plain top' surround worktop.
- › Durable 430 gd. 0.9 mm panel work construction.
- › 280 mm deep ice chest compartment supplied with removable s/steel dividers, 38 mm (1½") waste outlet and cut out in rear back panel for drainage connections.
- › **Lid Type:** Sliding s/steel lid and handle supplied over ice chest section.
- › Supplied with solid s/steel base storage shelving under.
- › Available in 450, 650, 800 and 1000 mm lengths.
- › Anti drip mould to front edge of worktop.
- › 560 mm deep, 945 mm high – including 95 mm rear worktop up stand.
- › Supplied with 1 no. leg set – consisting pair of nylon feet adjustable +/- 25 mm for final alignment on site.
- › Additional bridging leg sets available to suit required bar layout.
- › Drainage traps, wastes and pipework not supplied.



Ice Chest
(Open Type)

FAST & CONVENIENT DESIGN:
Counter top ice station reduces serving times



Ice Chest
(With Lid)

Ice Chest

Open Type

Code	Price
IC45	£1,351
IC65	£1,462
IC80	£1,719
IC100	£1,787

With Lid

Code	Price
IC45L	£1,536
IC65L	£1,672
IC80L	£1,823
IC100L	£1,954



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

DRAINER TOP SHELVING UNIT

Main Features

- S/steel modular open shelf backbar drainer top unit c/w solid s/steel pressed drainer worktop, drain top waste connection.
- **Steel Shelf Type:** 3 levels of solid s/steel storage shelving under.
- **Steel Shelf Type:** Supplied with removable adjustable height s/steel support shelving.
- **Rack Shelf Type:** 3 levels of glass storage under.
- **Rack Shelf Type:** Supplied with 3 no. PVC coated glass storage racks on removable s/steel drip tray support shelving.
- Suitable for wet area working locations within a bar run.
- 304 gd. 1.2mm thk. s/steel recessed 'drainer' worktop & durable 430 gd. 0.9 mm panel work construction.
- Available in 450, 650, 800 and 1000 mm lengths.
- Unit size: 560 mm deep, 945 mm high – including 95 mm rear worktop up stand.
- Anti drip mould to all edges of recessed drainer worktop.
- Worktop drain fitted with 38 mm (1½) waste connection and rear panel waste access.
- Supplied with 1 no. leg set – consisting pair of nylon feet adjustable +/- 25 mm for final alignment on site.
- Additional bridging leg sets available to suit required bar layout.
- Waste traps & waste pipes are not supplied.



Drainer Top Shelving Unit
(Steel Shelf Type)

**COMPACT
WET AREA
FOR USED
GLASSES:**

Drain, dry and
store in the
same unit



Drainer Top Shelving Unit
(Rack Shelf Type)

Drainer Top Shelving Unit

Steel Shelf Type

Code	Price
DTS45	£1,126
DTS65	£1,151
DTS80	£1,193
DTS100	£1,219

Rack Shelf Type

Code	Price
DTS45W	£1,257
DTS65W	£1,288
DTS80W	£1,324
DTS100W	£1,351



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

SINK UNIT

Main Features

- **Single Sink Unit:** S/steel modular open shelf backbar single sink unit c/w s/steel pressed left hand drainer section & bowl worktop.
- **Single Sink Unit:** Available in 450, 650, 800 and 1000 mm lengths.
- **Double Sink Unit:** S/steel modular open shelf backbar double sink unit c/w s/steel pressed double bowl worktop
- **Double Sink Unit:** Available in 650 and 800 mm lengths only.
- Both supplied with ½" mixer tap, valance panel & solid s/steel base storage shelf under.
- Suitable for wet area working locations within a bar run.
- Supplied loose – wall mounting (½") swivel spout mixer tap, plug/chain & 38 mm (1½") waste connection.
- 304 gd. 1.2 mm thk. s/steel recessed single or double bowl/worktop & durable 430 gd. 0.9 mm panel work construction.
- Unit size: 560 mm deep, 945 mm high – including 95 mm rear worktop upstand & pre-formed tap hole.
- Anti drip mould to all edges of recessed bowl/ drainer worktop.
- Sink bowl unit supplied with rear panel drain waste connection access.
- Supplied with 1 no. leg set – consisting pair of nylon feet adjustable +/- 25 mm for final alignment on site.
- Additional bridging leg sets available to suit required bar layout.
- Waste traps & waste pipes are not supplied.
- Model SSU45 (450 mm long) supplied with sink bowl top only. (No drainer section)



Single Sink Unit



Double Sink Unit

**FASTER
SERVING:**
Glass washing
station speeds
up clean glass
availability

Sink Unit

Single Sink

Code	Price
SSU45	£1,133
SSU65	£1,147
SSU80	£1,166
SSU100	£1,181

Double Sink

Code	Price
DSU65	£1,315
DSU80	£1,427



Swivel Mixer tap.
Stock No - 851



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

WASH HAND BASIN, BLENDER STATION, & DRAINER TOP BRIDGE UNITS



Wash Hand Basin Unit



Swivel Mixer tap.

BETTER BY DESIGN:
Ideal for cocktail drinks preparation



Blender Station Unit



Swivel Mixer tap.



CONVENIENCE:
Roll out when full



Drainer Top Bridge Unit
(With Roll Under Bin)



Main Features

- › S/steel modular open shelf backbar hand wash unit c/w s/steel pressed bowl on plain top worktop, 1/2" mixer tap, valance panel & solid s/steel base storage shelf under.
- › Suitable for wet area working locations within a bar run.
- › Supplied loose – wall mounting (1/2") swivel spout mixer tap, plug/chain & 38 mm (1 1/2") waste connection.
- › 304 gd. 1.2 mm thk. s/steel recessed bowl/worktop & durable 430 gd. 0.9 mm panel work construction.
- › Available in 350 and 450 mm lengths.
- › HWU35 model features 225 mm diameter x 160 mm deep hand wash bowl
- › HWU45 model features 300 mm diameter x 160 mm deep hand wash bowl.
- › Unit size: 560 mm deep, 945 mm high – including 95 mm rear worktop upstand & pre-formed tap hole.
- › Supplied with front valance panel & solid s/steel base storage shelf under.
- › Anti drip mould to front edge of worktop.
- › Wash hand unit supplied with rear panel drain waste connection access.
- › Supplied with 1 no. leg set – consisting pair of nylon feet adjustable +/- 25 mm for final alignment on site.
- › Additional bridging leg sets available to suit required bar layout.
- › Waste traps & waste pipes are not supplied.

Main Features

- › S/steel modular open shelf backbar blender station unit c/w s/steel pressed bowl on plain top worktop, 1/2" mixer tap, operator side blender shelf, valance panel & solid s/steel base storage shelf under.
- › Suitable for wet area working locations within a bar run.
- › Supplied loose – wall mounting (1/2") swivel spout mixer tap, plug/chain & 38 mm (1 1/2") waste connection.
- › 304 gd. 1.2 mm thk. s/steel recessed bowl/worktop & blender support shelf. Durable 430 gd. 0.9 mm panel work construction.
- › Available in 450 and 650 mm lengths.
- › Unit size: 560 mm deep, 945 mm high – including 95 mm rear worktop upstand & pre-formed tap hole.
- › Supplied with front valance panel, solid s/steel base storage shelf & 304 gd. s/steel drinks blender mounting shelf.
- › Anti drip mould to all edges of recessed bowl worktop.
- › Blender Station unit supplied with rear panel drain waste connection access.
- › Supplied with 1 no. leg set – consisting pair of nylon feet adjustable +/- 25 mm for final alignment on site.
- › Additional bridging leg sets available to suit required bar layout.
- › Waste traps & waste pipes are not supplied.

Main Features

- › S/steel modular open void (or bridging) backbar unit c/w pressed 'drainer' worktop & roll under bin.
- › Supplied with open void section to rear and side panels.
- › Supplied with s/steel mobile bottle bin housed within open void.
- › Bin housing supplied with lift off waste container, set of castors & s/steel circular cup handle
- › Available in 450 and 650 mm lengths.
- › 560 mm deep, 945 mm high – including 95 mm rear worktop up stand.
- › Supplied with 1 no. leg set – consisting pair of nylon feet adjustable +/- 25 mm for final alignment on site.
- › Additional bridging leg sets available to suit required bar layout.
- › Suitable for wet area work areas.
- › 304 gd. 1.2 mm thk. s/steel recessed 'drainer' worktop & 430 gd. 0.9 mm panels. 430 gd. steel roll under bin.
- › Anti drip mould to all edges of recessed drainer worktop.
- › Worktop drainer supplied with 38 mm (1 1/2") waste connection and rear panel waste access.



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

Wash Hand Basin Unit

Code	Price
HWU35	£1,126
HWU45	£1,133

Blender Station

Code	Price
BS45	£1,313
BS65	£1,354

Drainer Top Bridge (With Roll Under Bin)

Code	Price
PTD45	£865
PTD65	£909

STORAGE CUPBOARD UNITS



Storage Cupboard Unit



Single Drawer Unit



Three Drawer Unit

VERSATILE:
Use as a cutlery
storage bay

Main Features

- › S/steel modular backbar lockable storage cupboard unit c/w 'plain top' s/steel worktop & 3 levels of internal s/steel storage shelving.
- › 304 gd. 1.2mm thk. s/steel solid 'plain top' worktop & durable 430 gd. 0.9 mm panel work construction.
- › Model SC45/1D & SC65/1D feature single side hung s/steel locking door (suited locks – 2 keys per lock) & s/steel circular pull handle.
- › Model SC80/2D & SC100/2D feature double side hung s/steel locking doors (suited locks – 2 keys per lock) & s/steel circular pull handles.
- › Supplied with 3 no. levels of removable adjustable height s/steel shelving.
- › Available in 450, 650, 800 and 1000 mm lengths.
- › Anti drip mould to front edge of worktop.
- › 560 mm deep, 945 mm high – including 95 mm rear worktop up stand.
- › Supplied with 1 no. leg set – consisting pair of nylon feet adjustable +/- 25 mm for final alignment on site.
- › Additional bridging leg sets available to suit required bar layout.

Main Features

- › S/steel modular open shelf single drawer storage unit c/w 'plain top' s/steel worktop & storage shelf under.
- › 304 gd. 1.2mm thk. s/steel solid 'plain top' worktop & durable 430 gd. 0.9 mm panel work construction.
- › Features s/steel locking single drawer (suited locks – 2 keys per lock) & s/steel circular pull handle.
- › Available in 450 and 650 mm lengths.
- › Anti drip mould to front edge of worktop.
- › 560 mm deep, 945 mm high – including 95 mm rear worktop up stand.
- › Supplied with 1 no. leg set – consisting pair of nylon feet adjustable +/- 25 mm for final alignment on site.
- › Additional bridging leg sets available to suit required bar layout.



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

Main Features

- › S/steel modular open shelf three drawer storage unit c/w 'plain top' s/steel worktop.
- › 304 gd. 1.2 mm thk. s/steel solid 'plain top' worktop & 430 gd. 0.9 mm panel work construction.
- › Features bank of three s/steel locking single drawers (suited locks – 2 keys per lock) & s/steel circular pull handles.
- › Available in 450 and 650 mm lengths.
- › Anti drip mould to front edge of worktop.
- › 560 mm deep, 945 mm high – including 95 mm rear worktop up stand.
- › Supplied with 1 no. leg set – consisting pair of nylon feet adjustable +/- 25 mm for final alignment on site.
- › Additional bridging leg sets available to suit required bar layout.



Storage Cupboard Unit

Code	Price
SC45/1D	£1,191
SC65/1D	£1,237
SC80/2D	£1,308
SC100/2D	£1,354

Single Drawer Unit

Code	Price
SD 45	£1,191
SD 65	£1,237

Three Drawer Unit

Code	Price
DU3-45	£1,547
DU3-65	£1,604

BASKET SHELVEING UNIT, BIN UNIT & BEER STATION



HEALTH & SAFETY:
With pull out shelving

Plain Top Shelving Unit
(Basket Rack Type)



Plain Top Bridge
(With Roll Under Bin)



Beer Station

Main Features

- › S/steel modular open shelving glass wash basket storage unit c/w solid s/steel worktop & 3 levels of glass wash basket storage under.
- › 304 gd. 1.2mm thk. s/steel solid 'plain top' worktop & durable 430 gd. 0.9 mm panel work construction.
- › Supplied with 3 no. pull out telescopic sliding s/steel basket support shelving.
- › Glass washing baskets not supplied.
- › Suitable for wet area working locations within a bar run.
- › Available in 500, 550 and 600 mm lengths.
- › Anti drip mould to front edge of worktop.
- › 560 mm deep, 945 mm high – including 95 mm rear worktop up stand.
- › Supplied with 1 no. leg set – consisting pair of nylon feet adjustable +/- 25 mm for final alignment on site.
- › Additional bridging leg sets available to suit required bar layout.



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

Main Features

- › S/steel modular open void (or bridging) backbar unit c/w 'plain top' solid s/steel worktop & roll under bin.
- › Supplied with open void section to rear and side panels.
- › Supplied with s/steel mobile bottle bin housed within open void.
- › Bin housing supplied with set of castors & s/steel circular cup handle
- › Available in 450 and 650 mm lengths.
- › 560 mm deep, 945 mm high – including 95 mm rear worktop up stand.
- › Supplied with 1 no. leg set – consisting pair of nylon feet adjustable +/- 25 mm for final alignment on site.
- › Additional bridging leg sets available to suit required bar layout.
- › Suitable for dry bar area work areas.
- › 304 gd. 1.2 mm thk. s/steel solid 'plain top' worktop & 430 gd. 0.9 mm panels. 430 gd. steel roll under bin.
- › Anti drip mould to front edge of worktop.

Main Features

- › S/steel modular open shelf storage unit c/w a plain top 'stepped down' s/steel worktop, storage & base shelf under.
- › 304 gd. 1.2mm thk. s/steel solid 'plain top' worktop & durable 430 gd. 0.9 mm panel work construction.
- › Features s/steel set down worktop and side upstands – typically used to fill beer glasses from an overhead beer pump.
- › Available in 450, 650 and 800 mm lengths.
- › Suitable for wet area working locations within a bar run.
- › Anti drip mould to front edge of worktop.
- › 560 mm deep, 945 mm high – including rear worktop up stand.
- › Supplied with 1 no. leg set – consisting pair of nylon feet adjustable +/- 25 mm for final alignment on site.
- › Additional bridging leg sets available to suit required bar layout.



**Made in
the UK**

Plain Top Shelving Unit (Basket Rack Type)

Code	Price
PTBR50 (400mm basket)	£1,198
PTBR55 (450mm basket)	£1,211
PTBR60 (500mm basket)	£1,225

Plain Top Bridge (With Roll Under Bin)

Code	Price
PTB45	£820
PTB65	£837

Beer Station


Code	Price
SDB45	£1,248
SDB65	£1,308
SDB80	£1,384

BACK BAR ACCESSORIES

Rear Cover Trims

Main Features

- Series of varied cover trims in 430 gd. s/steel that cover the interface between different base unit end panels.
- Trim type CT: Used to cap the interface of 2 base units at 45 or 90 degree angle.
- Trim type DT: Used to cap the interface of 2 adjacent base units in a straight bar run.
- Trim type ST: Used to cap over the end decor panel and base unit side panel at the end of a bar run.
- Trim type AT: Used to cap over the interface of 2 adjacent angled base units. (10 deg/ 15 deg/ 20 deg.)
- *Bespoke angled trims available on request.



Rear Cover Trims

Type	Code	Price
Corner trim	CTT	£60
Double trim	DTT	£43
Single trim	ST-L or ST-R	£30
Angled trim	ATT	£52

Roll-Under Bin

Main Features

- Optional 2 section roll under bin module with removable waste container.
- Bin housing mounted on 4 no. castors.
- Bin housing features letter box opening for bottle waste and s/steel circular pull handle.
- Constructed in 430 gd. s/steel.
- Available to suit a 450 or 600 mm void.



Roll-Under Bin

Code	Price
RUB45	£387
RUB65	£443

Speed Rail (Fixed)

Main Features

- 304 gd. S/steel face fixed shelf for local storage and access of spirit bottles in wet areas of the bar run, such as ice chests.
- Folded/ welded construction with keyhole slot mounting facility to bottle shelf rear.
- Available to suit 450, 650, 800 and 1000 mm long base units.



Speed Rail (Fixed)

Code	Price
SR45	£181
SR65	£194
SR80	£206
SR100	£216

Leg Support Frames

Main Features

- Frame supplied with pair of nylon feet adjustable +/- 25 mm for final alignment on site.

Low Leg

- S/steel tubular low leg set frame which alternately bridges the interface of 2 no. base units of any bar run. (each base unit supplied with 1 set as standard)
- Locates under the end panels of 2 no. adjoining base units.

High Leg

- S/steel tubular high leg set frame supports an infill/ bridging worktop at end of any bar run where infill worktop is fitted (e.g. wall or open end)
- Locates under the infill section of worktop.



Leg Support Frames

Model	Code	Price
Low leg	LLF	£100
High leg	HLF	£115

* One low leg frame with each standard unit.

* High leg frame will be required at end of any run where a bridge is positioned.

* End panels cannot be fitted to this item.

Speed Rail (Add On)

Main Features

- 304 gd. S/steel hook on shelf attaches to front face of fixed speed rail option.
- For additional local storage of spirit bottles in wet areas of the bar run.
- Folded/ welded construction.
- Available to suit 450, 650, 800 and 1000 mm unit speed rails.



Speed Rail (Add On)

Code	Price
ASR45	£206
ASR65	£219
ASR80	£226
ASR100	£239

End Decor Panel

Main Features

- 2 part universal S/steel end decor panel that provides a neat finish to an open end of the bar run.
- Constructed in 430 gd. s/steel.
- 1 x EP1 decor end panel is required to finish each exposed end of every run.



End Decor Panel

Code	Price
EP1	£83

* One EP1 décor panel required to finish the end of every run



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

ACCESSORIES

Condiment Set

Main Features

- 304 gd. S/steel removable condiment storage shelf, attaches over rear upstand of most backbar base units.
- Ideal for bar fruit such as lemon slices, olives, peanuts etc.
- Suitable for wet or dry areas of the bar run.
- Folded/ welded construction.
- Supplied with 1/9 Gn x 65 mm containers.
- Available as either 2 or 3 Gn container version.



Condiment Sets

Code	Price
CS2	£241
CS3	£252

Blender Shelf

Main Features

- 304 gd. S/steel face fixed shelf for local storage and access to electric drinks blenders in dry/wet areas of the bar run, such as ice chests.
- Provides a perfect working platform for making of cocktails or smoothies.
- Folded construction with keyhole slot mounting facility to blender shelf rear.
- Front and rear upstand to shelf acts as product stop



Blender Shelf

Code	Price
BS450	£194
BS650	£200

Plain Top Infill/ Bridging Worktop

Main Features

- Series of varied length 'plain top' S/steel infill or bridging worktops for use over void areas of the bar, such as bottle fridges.
- Can be used in conjunction with optional high leg support frame (option HLF).
- Constructed in 304 gd. s/steel.
- Worktop section includes 95 mm rear worktop up stand.
- Anti drip mould to front edge of worktop.
- Available in 450, 650, 800 and 1000 mm lengths.
- 'Bespoke' sizes also available



- Wet area version available on request (features removable perforated drip tray within plain top)



Plain Top Infill/ Bridging Worktop

Code	Price
PB45	£385
PB65	£408
PB80	£430
PB100	£462

* Perforated top option - Add £181.00

45 Degree Corner Infill/ Bridging Worktop

Main Features

- 'Plain top' S/steel angled infill or bridging worktop for bridging 2 no. base units for a 45 degree faceted corner layout.
- Constructed in 304 gd. s/steel.
- Worktop section includes 95 mm rear worktop up stand.
- Anti drip mould to front edge of worktop.
- Bespoke angles also available on request.



45 Degree Corner Infill/ Bridging Worktop

Code	Price
CT45	£339

Angled Infill/ Bridging Worktop

Main Features

- Series of varied 'plain top' S/steel angled infill or bridging worktops for use with a faceted base unit layout.
- Constructed in 304 gd. s/steel.
- Worktop section includes 95 mm rear worktop up stand.
- Anti drip mould to front edge of worktop.
- Available in 10, 15 and 20 degree angles as standard.
- Bespoke angles also available on request.
- Available in 10, 15 and 20 degree angles as standard.
- Bespoke angles also available on request.

ANGLED INFILLS:
Allow faceted base unit layout



Angled Infill/ Bridging Worktop

Code	Price
AT10	£420
AT15	£420
AT20	£420

90 Degree Corner Infill/ Bridging Worktop

Main Features

- 'Plain top' S/steel angled infill or bridging worktop for bridging 2 no. base units for a 90 degree right angle internal corner layout.
- Constructed in 304 gd. s/steel.
- Worktop section includes 95 mm rear worktop up stand.
- Anti drip mould to front edge of worktop.
- Bespoke angles also available on request.
- Optional Hand Wash bowl corner worktop (Model CTW90)
- Model CT90W: c/w 300mm diam. x 160mm deep inset bowl and a pair of dome head basin taps, plug/chain and waste.



1/2" basin taps (dome head).

90 Degree Corner Infill/ Bridging Worktop

Code	Price
CT90	£374
CT90W*	£659

* With inset basin waste and mixer tap.



PERFORATED TOP:
Suitable below
beer stations



**HOOK ON
CONDIMENT
SET:**
Ideal for bar fruit
like lemon slices,
olives, peanuts



**SPEED
RAIL:**
Spirits storage
for a faster
customer
service



BackBar



**THREE
DRAWER
MODULE:**
A compact bar
cutlery storage
solution



**BLENDER
STATION UNIT:**
Local preparation
area wash point
with shelving for
drinks blender



BESPOKE COUNTERS

EDUCATION

RESTAURANTS & BARS

HOTELS

BUSINESS & INDUSTRY

LEISURE

RETAIL

HEALTHCARE



Made in
the UK



COUNTER CULTURE

The Theatre Of Dining...

There's a definite art to the bespoke. Experience and the right skills collective are essentials. We'll work with all types of materials such as steel, UV bonded glass, zinc, copper, solid surface, marble, concrete, corian and granites, to create your unique serving counter tops. We'll weld, bend, polish and assemble these materials to create classic or urban styles.

You want it funky ? We'll give you James Brown!

Our shopfitters too can conjure up some amazing counter frontages, crafting rare timbers, tiles, solid surface and laminates into decorative statements.

By integrating CED's hot, chilled or ambient food merchandising displays and employing unique lighting, textures and colour finishes, we are constantly re-inventing the theatre of dining.





EDUCATION SECTOR



With an ever-increasing customer base of UK universities, colleges, state and private schools, it is essential our education sector counters incorporate the requirements of a high volume servery operation.

With a condensed lunch time period; typical of the sector, customer flow must be maximised to suit the space.

Whether it's simple stainless steel counters or frost tops with solid surfaces here at CED we are confident that we can produce any servery you can conjure up.







RESTAURANTS & BARS



We're equally at home in creating unique spaces for fine dining, urban cuisine, craft beers or bar meals. The challenges never change - behind that inviting bar frontage lies a complex use of operational space, cleverly integrating the latest technologies for till points, post mix heads, beer pumps & coffee stations, along with traditional operational needs like drip trays, speed rails, bottle fridges, glass wash & storage facilities.

Both front and back of house kitchen fabrication can also be simultaneously designed and produced, often for phased project delivery and installation. Indeed, whether it's Michelin star or microwave stand, we're always ready to serve.



Made in
the UK



HOTEL SECTOR

You'll find our award-winning servery equipment in some of the world's finest international luxury hotels and leisure resorts. Whether pool side or urban, home or abroad, our hand finished bespoke counters are an opulent oasis for the hungry.

Our distinctive buffet and breakfast food displays lend a real touch of dining elegance too, with guaranteed temperature presentation for those mouth-watering local delicacies.





BUSINESS & INDUSTRY



In the traditional territory of the contract caterer, you'll find international banks, luxury car builders, architects and law firms are just a few examples of the corporate dining culture we are proud to serve. Working closely with menu providers and food service consultants, we'll develop a servery that encompasses meal presentation and enhances the dining experience.



Made in
the UK



LEISURE SECTOR

The leisure sector has seen a huge increase recently in requirements for food and drink offerings. Our drop-ins, merchandisers and custom counters are here to help.

From budget counters to high end impressive show counters here at CED we can do it all!





HEALTHCARE SECTOR



Here at CED we have a vast experience in manufacturing and installing servery counters and Grab&Go areas within the healthcare sector.

From hospitals to care homes, we have done it all.

With an ever increasing requirement for social distancing, our grab and go options are the future of many servery outlets, especially within this sector.



Made in
the UK



RETAIL SECTOR

From home furnishing chain to high street basement bistro, CED provide tailored servery solutions for many public dining providers. By adapting our food display products for both impulse or waitress service, we'll always ensure operational needs are catered for.

High volume store dining, in-store brasserie or tea room, you'll find our catering equipment in use where good food is served.









CED Fabrications Limited
Units A1-A4, Falcon Court
Clayton Business Park
Clayton-le-Moors,
Hyndburn, Lancashire
BB5 5JD

T: 01254 238 282
F: 01254 238 228

T: 0151 545 2840

CED Fabrications Ltd,
Units 4 & 5,
Nexus Industrial Estate,
Randles Road, , Knowsley
Prescot, Merseyside
L34 9HX



CED Fabrications Ltd
Building 3
Sandwich Industrial Estate
Sandwich, Kent
CT13 9LY

T: 01304 617 377



Certificate Number 7895
ISO 9001, ISO 14001



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

SALES LINE
01254 238 282

All prices exclude VAT - Free
delivery applies to all orders over
£350. All orders under £350 incur
a £40 charge. Deliveries to UK
mainland ONLY.

Distributor stamp

w: www.cedfabsltd.co.uk
e: sales@cedlimited.com