



KITCHEN FABRICATION - PRICE LIST 2023

CED FABRICATIONS LTD

Ready To Serve

With 3 manufacturing sites to better target our customers needs, CED are one of the most successful UK manufacturers of commercial catering equipment, with over 150 dedicated employees providing an extensive range of kitchen equipment.

At CED we pride ourselves on our innovative, stylish and reliable ranges of bespoke and standard commercial catering equipment.

As we continue to gain market share, our merger with Tournus Equipement confirms CED's investment in future business growth. At the heart of our positive growth lies continued investment in ourselves. Staff training, product development, design software, component sourcing and manufacturing plant & processes.

The Tournus manufacturing partnership has enabled CED to extensively increase our UK product range like never before, introducing many new innovative commercial kitchen products, from plate dispensers to serving trolleys and beyond, all available in our Tournus Equipement Price List.

CED's unequalled capacity to fulfil our customers many diverse requirements, simply increases year on year. Whether that need is for kitchen fabrication components, the latest in energy efficient drop in displays and patisseries, or the most complex of bespoke servery counters. With a fleet of delivery vehicles operating from three fully equipped manufacturing and stock holding facilities, we're ready to serve!

Howard Rishton Managing Director.

STEEL SPECIFICATION

Designline Made-To-Measure Range



Product	Bowls	Wo <u>r</u> ktop/ Top	Undershelf	Framew 30x30		Shelves	Par	nelwork
	304gd-1.2thk.	304gd-1.5thk.	430gd-1.2thk.	304gd- 1.5thk.	430gd- 1.2thk.	430gd-1.2thk.	304gd- 0.9thk.	430gd-0.9thk.
Benches		•	•		•			
Sinks	•	•	•		•			
Dishwash tables	•	•	•		•			
Shelves					•	•		
Base cupboards		•			•	•		•
Wall cupboards					•	•		•
COSHH cupboards		•		•			•	•
Gantries					•	•		



CONTENTS

Fabrication

Ready to Serve

Contents

Wall & Centre Benches

Bench Mounted Overshelves

Sink Units

Dishwash Inlet/Outlet Tables

Roller Tables

Storage Racks & Pan Storage Shelves

Wall Shelves & Microwave Shelves

Bucket Sinks / Combi Stands & Coshh

Cupboards

Hot Cupboards

Heated Gantries & Hot Cupboard Bain

Maries

Wall Cupboards & Base Cupboards

Coshh Cupboards with Sinks

Quick Service Introduction

QS Benches

QS Sinks

QS Shelves

QS Wall Cupboards

Site Maps & Contact Details

2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
1.4	
14	
15	
16	
17-20	
21-22	
23-25	
26-27	
28	



WALL & CENTRE BENCHES

Designline Made-To-Measure Range





Main Features

- Wall Bench: Wall sited commercial s/steel solid top wall bench.
- Centre Bench: Free standing commercial s/steel solid top centre bench.
- Worktop constructed in 304 gd (1.5 thk.) s/steel supported on 30 x 30 box section 430 gd (1.2 thk.) and fully welded framework.
- Welded low level 430 gd (1.2 thk.) s/steel storage under-shelf.
- Available in 600, 900, 1200 , 1500, 1800, 2100, 2400, 2700 & 3000 mm standard lengths.
- Each bench length is also available up to 850mm deep.
- Standard bench height is 900 mm to suit most kitchen area back counters.
- Steel worktop features 50 mm down stand to each edge.
- > Wall Bench: 50 mm splashback/wall up stand to rear of worktop.
- > Centre Bench: Can be used as an island unit.
- Wall Bench: Legs inset 100 mm to the rear, to allow for service pipework behind.
- Centre Bench: Legs inset 25 mm to the rear & 50 mm at each end of worktop.
- Frame fitted with flanged levelling feet for mechanical fixing to floor surface.

Part of the Made-to-Measure Designline Fabrication Range

Wall and Centre Benches

Length	Up to 650mm deep	Up to 700mm deep	Up to 850mm deep
300mm	£312	£338	£362
450mm	£342	£368	£392
600mm	£372	£398	£422
900mm	£422	£436	£501
1200mm	£475	£497	£560
1500mm	£563	£603	£666
1800mm	£630	£678	£764
2100mm	£709	£766	£851
2400mm	£773	£838	£937
2700mm	£874	£946	£1,024
3000mm	£936	£1,013	£1,097



Options - Additional Undershelf

Length	650mm deep	700mm deep	850mm deep
300mm	£35	£54	£82
450mm	£52	£76	£82
600mm	£69	£82	£82
900mm	£90	£98	£98
1200mm	£106	£122	£122
1500mm	£123	£144	£144
1800mm	£143	£166	£166
2100mm	£156	£182	£182
2400mm	£177	£206	£206
2700mm	£240	£270	£270
3000mm	£254	£289	£289

* All 304gd - £ P.O.A.

Options - Wall/Centre Bench Worktop

Product	Price
Cable Management Port	£30
Additional Upstand Left or Right	£42
Partial Upstand	£42
Drop down to bench top end (separate top)	£611
Drop down to bench to centre (separate top)	£717
Drop down bench top (fully welded one top)	£829
Reinforced top (per 300m)	£22
Sound Deadening (per 300mm)	£10
Cut out in top	£42
Notch around column bench top centre	£144
Notch around column bench top end	£122
Welded Joint/ Joint to make L Shape	£319
Bolted Joint	£179
Chamfer 100x100	£92
Angled Top	£133
Additional Cost for All 304 Grade £96 per meter metre	

Additional Cost for All 304 Grade £96 per meter metre

Options - Wall/Centre Bench Bowls

Price
£532
£516
£498
£1,040
£192
£360
£360
£317
£517

Taps options - see sink units section P36



MOUNTED OVERSHELVES (WALL/CENTRE BENCH)

Designline Made-To-Measure Range





Options - Wall/ Centre Bench Drawers

Product	Price
400x400 drawer	£183
400x400 drawer (set of two)	£353
400x400 drawer (set of three)	£668
Gn Drawer inc 1/1 container	£236
Gn Drawer inc 1/1 container (set of two)	£436
Gn Drawer inc 1/1 container (set of three)	£761
Lock for drawer	£56

Options - Wall/Centre Bench Frames

Product	Price
Bank of 3 runners left/right	£224
Bank of 3 runners centre	£299
Bank of 6 gn runners	£362
Part void to centre (with tie bar)	£170
Part void to end (with tie bar)	£95
Straight/ U shape tie bar in lieu of undershelf	£8
Removable tie bar	£54
Angled Underframe	£129
Removable undershelf	£55
Castors (2 braked, 2 unbraked)	£123



**Option: Additional Undershelf, 1500mm Shown.

(Wall/Centre Bench) Mounted Overshelf

Single Tier, Ambient

Length	300mm deep	400mm deep	500mm deep
600mm	£268	£321	£355
900mm	£285	£344	£383
1200mm	£305	£371	£409
1500mm	£321	£387	£433
1800mm	£342	£414	£455
2100mm	£357	£434	£481
2400mm	£378	£455	£504

For cantilevered overshelf add £73 to above prices. All 304 gd - £ P.O.A.

Double Tier, Ambient

Length	300mm deep	400mm deep	500mm deep
600mm	£314	£379	£422
900mm	£342	£430	£479
1200mm	£371	£447	£494
1500mm	£394	£478	£531
1800mm	£422	£510	£567
2100mm	£449	£545	£603
2400mm	£475	£574	£640

For cantilevered overshelf add £73 to above prices. All 304 gd - £ P.O.A.

Overshelves - Main Features

- Single Tier: 450 mm high overhead steel single tier storage shelf
- Double Tier: 700 mm high overhead steel double tier storage shelf
- Triple Tier: 900 mm high overhead steel triple tier storage shelf
- **)** All versions manufactured from 1.2 mm thick 430 gd. with 30 x 30 steel box section gantry frame in 430 gd 1.2 thk.
- **>** Shelves are mounted directly on to steel worktop.
- For ambient storage, can be used as local food preparation/ingredient store shelf
- **>** Available in 600, 900, 1200, 1500, 1800, 2100 or 2400 mm standard lengths.
- Available in 300, 400 or 500 mm standard depth.
- > Ambient use.

Triple Tier, Ambient

Length	300mm deep	400mm deep	500mm deep
600mm	£354	£434	£492
900mm	£394	£520	£574
1200mm	£433	£523	£579
1500mm	£467	£567	£627
1800mm	£505	£608	£676
2100mm	£537	£651	£725
2400mm	£574	£696	£773

For cantilevered overshelf add £73 to above prices. All 304 gd - £ P.O.A.

SINK UNITS

Designline Made-To-Measure Range





Options - Sink Taps







Set - 1/2" basin taps,



Set - 1/2" high neck Set - 1/2" mixer tap, pillar taps, dome head pillar taps, lever arm £75



dome head



Set - 1/2" mixer tap, lever arm £293

Set - 1/2" mono block Set - 1/2" mono block

£303





Set - 1/2" basin taps, dome head

lever arm

Set - 1/2" high neck

£108

mixer tap, dome head mixer tap, lever arm £127

sensor tap £609

Single Bowl Sink Unit

Length	600mm deep	650mm deep	700mm deep	800mm deep
900mm*	£1,051	£1,051	£1,051	£1,068
1200mm	£1,114	£1,114	£1,114	£1,154
1500mm	£1,173	£1,173	£1,173	£1,240
1800mm	£1,277	£1,277	£1,277	£1,333
2100mm	£1,347	£1,347	£1,347	£1,426
2400mm	£1,432	£1,432	£1,432	£1,458

Main Features

- Single Bowl Type: Free standing commercial s/steel single bowl sink unit with left or right hand drainer worktop.
- Double Bowl Type: Free standing commercial s/steel double bowl sink unit with left & right hand drainer worktop.
- Worktop constructed in 304 gd (1.5 thk.) s/steel with 304 gd (1.2 thk.) s/steel bowl, supported on 30 x 30 box section 430 gd (1.2 thk.) fully welded framework.
- > Welded low level 430 gd (1.2 thk.) s/steel storage under-shelf.
- Single Bowl Type: Available in 900, 1200, 1500, 1800, 2100 & 2400mm standard lengths.
 Double Bowl Type: Available in 1500, 1800,
 2100, 2400, 2700 & 3000 mm standard lengths.
- Option of 3 bowl sizes: A) 610 long x 450 wide x 300 mm deep (80 Ltr.).
 - C) 400 long x 400 wide x 300 mm deep (48 Ltr.).

500 long x 400 wide x 300 mm deep (60

- > Each sink unit length also available in 600, 650, 700 & 800 mm depths.
- Standard sink height is 900mm to suit most kitchen area back counters.
- Drainer worktop features ribbed drainer pattern, enabling less surface contact whilst drying dishes etc.
- > Drip mould edging surround to worktop area

Double Bowl Sink Unit

Lengt	h	600mm deep	650mm deep	700mm deep	800mm deep
1500mi	n	£1,670	£1,670	£1,670	£1,720
1800mi	n	£1,747	£1,747	£1,747	£1,814
2100mr	n	£1,826	£1,826	£1,826	£1,898
2400m	m	£1,905	£1,905	£1,905	£1,987
2700mi	m	£2,063	£2,063	£2,063	£2,148
3000m	m	£2,139	£2,139	£2,139	£2,247

prevents water spillage.

- 50 mm splashback/wall upstand to rear of
- Single Bowl Type: Supplied with waste fitting and strainer waste for bowl. Double Bowl Type: Supplied with 2 no. waste fittings and 2 no. strainer wastes for bowls
- Sink unit legs inset 100 mm to the rear, to allow for service pipework behind.
- Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- Taps, waste traps & waste pipes are not supplied.
- *Single Bowl Type: 900 mm long single bowl sink unit available with 400 long x 400 wide x 300 mm deep bowl only, when drainer required.

Options - Sink Unit Frames

Product	Price
Part void to centre (with tie bar)	£170
Part void to end (with tie bar)	£95
Straight/ U shape tie bar in lieu of undershelf	£8
Removable tie bar	£54
Removable undershelf	£55
Angled Underframe	£129

Options - Sink Unit Tops

Product	Price
Additional Upstand Left or Right	£42
Partial Upstand	£42
Reinforced top (per 300m)	£22
Sound Deadening (per 300mm)	£10
Cut out in top	£42
Notch around column bench top centre	£144
Notch around column bench top end	£122
Bolted Joint	£179
Welded Joint/ Joint to make L Shape	£319
Chamfer to sink 100x100mm	£125
Angled Top	£133

Additional Cost for All 304 Grade £92 per metre

Options - Sink Unit Bowls

Product	Price
Extra for 760x510x380mm deep	£492
Extra for each hand made bowl	£596
Hand wash basin set into top (small)	£360
Hand wash basin set into top (large)	£360
Bowl made ready to accept waste disposal	£76
Bowl cover	£192

Options - Sink Unit Valences

Product	Price
1200 Valance fully welded 300mm deep	£96
1500 Valance fully welded 300mm deep	£110
1800 Valance fully welded 300mm deep	£118
2100 Valance fully welded 300mm deep	£127
2400 Valance fully welded 300mm deep	o £143
2700 Valance fully welded 300mm deep	£154
3000 Valance fully welded 300mm dee	p £177



DISHWASH INLET/OUTLET TABLES

Designline Made-To-Measure Range







Purpose made commercial s/steel solid top dishwash inlet/ outlet table - selected from a choice of :

- A) Dishwash Inlet/ Outlet Table Top -General Sizes.
- B) Dishwash Inlet/ Outlet Table Top Options.
- C) Dishwash Inlet/ Outlet Table Frame Options.

Main Features

- Inlet/ outlet table top constructed in 304 gd (1.5 thk.) s/steel supported on 30 x 30 box section 430 gd. (1.2 thk.) framework.
- Inlet/ outlet table top has anti drip mould to three sides – rear edge wider to accept optional taps.
- > One end of table top is flat forming an inlet or outlet for dishwash baskets.
- Dishwash table top is manufactured at 865 mm standard height – to connect to a commercial pass through dish wash machine. (other heights available)
- Dishwash inlet/ outlet table tops available in 600, 900, 1200, 1500, 1800, 2100 & 2400 mm standard lengths.
- > Each Dishwash inlet/ outlet table top length also available in 685 & 900 mm standard depths - to suit site position/ size of dish washing machine.
- > S/steel under shelf frame option made in 1.2 430 gd.

A) General Sizes - Dishwash Inlet/ Outlet Table Top. (Inc. Undershelf)

	Length	685mm deep	900mm deep
	600mm	£598	£648
	900mm	£671	£712
	1200mm	£747	£793
-	1500mm	£811	£858
	1800mm	£878	£930
	2100mm	£941	£1,022
	2400mm	£1,005	£1,087

C) Frame Options - Dishwash Inlet/Outlet'Table

Product	Price
Dishwash frame - bank of three s/steel basket runners (580 wide). 520mm between runners	£298
Dishwash frame - additional pair s/steel basket runners (c/w braked castors) no top	£30
Part void to centre (with tie bar)	£170
Part void to end (with tie bar)	£95
Full Length Void (in lieu of undershelf) with Tie Bar	-£75

B) Top Options - Dishwash Inlet/Outlet Table

Options - Dishwash Bowls

Product	Price
Bowl 610x450x300mm deep	£532
Bowl 500x400x300mm deep	£516
Bowl 400x400x250mm deep	£498
Bowl cover	£192
Hand Wash Basin Welded into top	£360
W.D.U Connection (in bowl base)	£76
Localised Anti Drip Mould to Centre Bowl	£517

Options - Dishwash Splashquards

Product	Price
Splashguard 700mm	£206
Splashguard 1200mm	£285
Splashguard 1500mm	£326
Splashguard 1800mm	£368
Splashguard 2100mm	£409
Splashguard 2400mm	£451

Options - Dishwash Tops

Product	Price
Rubber scrapping block inset into top	£180
Manufactured Scrap Chute (200 x 200)	£250
Cut-out for Cutlery Catcher	£42
W.D.U Hopper welded into top	£206
Joint to make L-shaped unit	£319
Pre Rinse Arm	£516

Options - Dishwash Basket Shelves

Product	Price
Wall mounted basket shelf / metre	£259
Bench mounted overshelf / metre	£282
Bench mounted basket shelf / metre	£321

Additional Cost for All 304 Grade £64 per metre

ROLLER TABLES

Designline Made-To-Measure Range



A purpose made dish wash basket roller table can be produced by selecting from a choice of:

- A) Roller Table Top General Sizes.
- B) Roller Table Top Options.
- C) Roller Table Frame Options.

Main Features

- Roller table top constructed in 304 gd (1.5 thk.) s/steel supported on 30 x 30 box section 430 gd. (1.2 thk.) open framework.
- Noller table top has a fully welded deep well area in the steel base – nylon rollers mount to the side walls, to facilitate the smooth passage of dish wash baskets over.
- The roller table can also be used either as an inlet or outlet table, adjacent to dish wash machine.
- Includes an open steel box section support frame under as standard.
- One end of table top is flat forming an inlet or outlet for dish wash baskets.
- Roller table top is manufactured at 865 mm standard height – to connect to a commercial pass through dish wash machine.
- > Roller table tops are available in 900, 1200, 1500 & 1800 mm standard lengths.
- > Each roller table top length is also available in either 685 & 900 mm standard depths – to suit site position/ size of dish washing machine.
- S/steel under shelf frame option made in 1.2 thk. 430 gd.
- Bespoke table lengths/ heights are available on request.

A) General Sizes Roller Inlet/ Outlet Table Top.

685mm deep
£1,661
£1,935
£2,212
£2,489

 $^{^{\}ast}$ Roller tables include leg sets with open frame as standard. (as image shown).

B) Top Options - Roller Inlet/ Outlet Table

Product	Price
S/Steel bowls (Set In Well Area Of Top) 610 x 450 x 300 mm deep. 500 x 400 x 300 mm deep. 400 x 400 x 300 mm deep.	£532 £516 £498
Rear Steel Splash Guard To Bowl (380mm High) 700 mm length 1200 mm length 1500 mm length 1800 mm length	£206 £285 £326 £368
Wall Mounted Angled Basket Shelf (c/w Front Up Stand) 510mm deep x per metre length	£259
Waste Disposal Unit Connection (To Inlet Bowl Base) Hole size to suit W.D.U.	£76
Joint To Form L-Shaped Inlet/Outlet Top	£319
Scrapping Chute – Steel (Welded Into Inlet Side Top) 200 x 200 x 50 mm deep.	£250
Bench Mounted Basket Shelf	£321

C) Frame Options Roller Inlet/Outlet Table.

Product	Price
Roller Table Frame – Additional Leg Set 865 mm high or to suit dishwasher	£76
Roller Table Frame – S/steel Under Shelf (685mm deep) 900 mm long (add) 1200 mm long (add) 1500 mm long (add) 1800 mm long (add)	£90 £106 £123 £143
Roller Table Frame – Part Void End	£95
Roller Table Frame – Part Void Centre	£170
All 304 gd. construction roller table, (per m)	£92
Bespoke roller table length, depth or height on request	£P.O.A.

QUALITY:
Rust proof
stainless steel
fastenings



STORAGE RACKS (SOLID/PERFORATED SHELVING)

Designline Made-To-Measure Range



Main Features

- > Commercial s/steel 3 or 4 tiered shelf racking.
- Ideal for many types of kitchen equipment storage - from utensils to containers.
- Solid Shelving: Solid folded tray shelving constructed in 430 gd 1.2 thk. s/steel. Perforated Shelving: Perforated folded tray shelving constructed in 430 gd 1.2 thk. s/steel.
- > Fully welded construction with 430 gd 1.2 thk. 30mm s/steel box framing.
- Frame fitted with adjustable height flanged feet for securing to a finished floor surface
- Available in two heights, 1500 mm & 1800 mm high.
- > 1500 mm height racks have 3 tiers of shelving.
- > 1800 mm high racks have 4 tiers of shelving.
- > Standard rack depth 540 mm.
- Available in 900, 1200, 1500, 1800 & 2100 mm lenaths.

Solid Shelf Racks - 3 & 4 Tier

Length	Depth	Height	No of tiers	Price
900mm	540mm	1500mm	3	£451
1200mm	540mm	1500mm	3	£520
1500mm	540mm	1500mm	3	£583
1800mm	540mm	1500mm	3	£648
2100mm	540mm	1500mm	3	£707
900mm	540mm	1800mm	4	£579
1200mm	540mm	1800mm	4	£665
1500mm	540mm	1800mm	4	£751
1800mm	540mm	1800mm	4	£833
2100mm	540mm	1800mm	4	£921

* All 304gd. - £ P.O.A.

Perforated Shelf Racks - 3 & 4 Tier

Length	Depth	Height	No of tiers	Price	
900mm	540mm	1500mm	3	£451	
1200mm	540mm	1500mm	3	£520	
1500mm	540mm	1500mm	3	£583	
1800mm	540mm	1500mm	3	£648	
2100mm	540mm	1500mm	3	£707	
900mm	540mm	1800mm	4	£579	
1200mm	540mm	1800mm	4	£665	
1500mm	540mm	1800mm	4	£751	
1800mm	540mm	1800mm	4	£833	
2100mm	540mm	1800mm	4	£921	
* A II O O 4 I			•		

* All 304gd. - £ P.O.A.

PAN STORAGE SHELF

Designline Made-To-Measure Range

Main Features - Pan Storage Shelf

- Commercial s/steel open framed heavy duty pot drainage rack, supported on fully welded cantilever box section brackets.
- > Perfect for back of house utensil storage.
- Available in 600, 900, 1200, 1500, 1800, 2100 and 2400 mm lengths x 300 mm deep.
- **>** Each rack length available 300, 400 or 500 mm deep.
- **>** Durable 10 mm diameter integral 304 gd. steel rods form open shelving area.
- Outer rack perimeter frame in fully welded 430 gd 1.2 thk. 30 mm box section.
- > Pre-drilled box section support brackets, for fixing insitu. (Fixings not supplied).

>	Additional box section support brackets
	provided, depending on the shelf length
	selected.

Options

Non standard sizes available on request.

Options - Storage Racks

Storage Shel

Product	Price
Mobile rack – set of castors (2 no. braked).	£84
Non standard rack sizes available on request.	£ P.O.A.

* All 304gd. - £ P.O.A.

l	 						
	Length	300mm deep	400mm deep	500mm deep			
	600mm	£251	£300	£361			
	900mm	£275	£329	£394			
	1200mm*	£297	£355	£423			
	1500mm*	£361	£432	£517			
	1800mm*	£383	£462	£552			
	2100mm*	£405	£484	£579			
	2400mm*	£423	£508	£612			

* All 304gd. - £ P.O.A.

WALL SHELVES (HEAVY DUTY)

Designline Made-To-Measure Range



Main Features

- Commercial s/steel shelving supported on cantilever folded steel brackets, perfect for back of house utensil/ container & equipment storage.
- **>** Available in 600, 900, 1200, 1500, 1800, 2100 and 2400 mm lengths x 300 mm deep.
- **>** Durable 1.2 mm thick 430 gd. solid steel shelf.
- Steel shelf has a 35 mm deep turn down to 3 faces and a rear wall up stand of 20 mm.
- Each shelf length available 300, 400 or 500 mm deep.
- > Supplied with 430 gd 1.2 thk. 30 mm sq box section bracket support framing.
- Pre-drilled L-shaped box section support brackets, for fixing insitu. (Fixings not supplied).
- Additional box section support brackets provided, depending on the shelf length selected.

Options

Non standard sizes available on request.

Walls	Shelves				
Box Sect	ion Brack	ets (Heav	y Duty)		
Length	Brackets	300mm deep	400mm deep	500mm deep	
600mm	2	£114	£127	£155	
900mm	2	£123	£142	£171	
1200mm	2	£131	£155	£186	
1500mm	3	£150	£190	£226	
1800mm	3	£167	£204	£241	
2100mm	3	£181	£220	£265	
2400mm	4	£209	£252	£305	

^{*} All 304gd. - £ P.O.A.

MICROWAVE SHELVES (HEAVY & MEDIUM DUTY)

Designline Made-To-Measure Range



PRACTICAL:
Flexible
positioning
of grills and
microwave ovens



Main Features - Heavy Duty Microwave Shelf

- Commercial heavy duty s/steel microwave shelf.
- Shelf constructed from 1.2 mm thick 430 gd. s/ steel.
- Mounted on cantilever type welded 430 gd. 1.2 thk. 30 mm box section wall brackets.
- > Available as 600 mm long x 450 mm deep.
- Available as 600 mm long x 600 mm deep.
- > Pre-drilled box section support brackets, for fixing insitu. (Fixings not supplied).
- > Shelf strengthened with 32 mm turn down to edges/ rear up stand of 30 mm.
- Electrical cable of microwave can pass behind shelf up stand when insitu

Options

Non standard sizes available on request.

Microwave Shelf (Heavy Duty)

Length Strength		Depth (mm)	Price
600 max	heavy duty	450	£300
600 max	heavy duty	600	£317

* All 304gd. - £ P.O.A.

Microwave Shelf (Medium Duty)

Length (mm)	Strength	Depth (mm)	Price
600	medium duty	450	£203
600	medium duty	600	£221

* All 304gd. - £ P.O.A.

Main Features - Medium Duty Microwave Shelf

- Commercial medium duty s/steel microwave shelf.
- > Constructed from 1.2 mm thick 430 gd. s/steel
- > Available as 600 mm long x 450 mm deep.
- Available as 600 mm long x 600 mm deep.
- > 3 sided folded shelf and folded return side
- cheeks for strengthening.
- Side cheeks pre-drilled for wall fixing. (Fixings not supplied).
- Folded 30 mm front turn down to front edge for strengthening.

Options

Non standard sizes available on request.



BUCKET SINK

Designline Made-To-Measure Range

COMBI OVEN STAND

Designline Made-To-Measure Range





Main Features

- Commercial free standing s/steel bucket sink, frame and bucket rest insert 550 mm wide x 520 mm deep x 450 mm high.
- Worktops constructed in 304 gd (1.5 thk.) s/steel with 304 gd (1.2 thk.) s/steel bowl, supported on 30 x 30 box section 430 gd (1.2 thk.) framework.
- > Low height floor standing bucket sink/ stand for use with a wall mounted overhead tap & local floor drain.
- Worktop has 50 mm up stand to rear & houses a 300 mm deep s/steel bowl and waste outlet in the bottom, for positioning over a floor gully.
- > Supplied with removable sit on perforated steel bucket rest.
- Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- > Taps, waste traps & waste pipes are not supplied.

Combi Oven Stana					
	Length Depth Height				
	916mm	640mm	720mm	40mm x 40mm Box Section Framework with Flanged Feet	£578
	916mm	640mm		40mm x 40mm Box Section Framework with Flanged Feet, two Banks of Seven Gn 1:1 Runners (Portrait)	£1,283

Option for Castors £141 in lieu of standard feet.

*Various bespoke sizes available to suit all combi oven manufacturers equipment - £ POA.

COSHH/STORAGE CUPBOARDS

Designline Made-To-Measure Range

Main Features

- Storage Cupboard: Free standing commercial s/steel, fully enclosed storage cupboard. C.O.S.H.H. Cupboard: Free standing commercial s/steel, fully enclosed C.O.S.H.H. hazardous materials storage cupboard.
- > Four tier storage internally.
- > 30 mm deep welded base shelf (1 no.)
- > 30 mm deep fixed mid shelf. (1 no.)
- **>** 2 no. Adjustable mid shelves.
- > Storage Cupboard: Outer panels & doors constructed in 430 gd (0.9 thk.) s/steel. C.O.S.H.H. Cupboard: All 304 gd s/steel – outer panels/ locking doors in 304 gd (0.9 thk.)
- Storage Cupboard: Base and mid shelving in 430 gd (1.2 thk.) C.O.S.H.H. Cupboard: Base and mid shelving in 304 gd (0.9[']0/1.2 thk.) s/steel.
- > Standard cupboard height 1800 mm.
- Available in 600, 900 or 1200 mm standard lengths.
- > Available in 450 or 600 mm deep.
- > Fitted with side hung steel doors, mounted on sturdy cabinet hinges with D handles.
- > All doors constructed from inner/ outer panel work in s/steel.
- > Full height rear back panel to cupboard base.
- Cupboard legs fitted with adjustable height feet, for positioning & fixing to a floor surface on site.
- Standard leg height of cupboard set at 135 mm (door to floor) – to suite with other CED equipment/ adjacent counter kick plinth



		Depth			
Length	Height	450mm	600mm		
430 Grade S	Stainless Steel	(Storage Cupk	ooard)		
600mm	1800mm	£1,521	£1,572		
900mm	1800mm	£2,010	£2,098		
1200mm	1800mm	£2,499	£2,626		
304 Grade S	Stainless Steel	(COSHH Cupk	ooard)		
600mm	1800mm	£1,580	£1,902		
900mm	1800mm	£2,225	£2,526		
1200mm	1200mm 1800mm £3,036 £		£3,150		
Options - COSHH/Storage Cupboard					
Product			Price		
Lockable doors (Storage cupboard) – 2 no. suited keys per lock.					
Flush steel door handles. (Inset steel handles replace the standard D handle). £ F.O.C.					
	ge cupboard - nax load 210 l	· Set of castors (g).	£125		

COSHH/Storage cupboard - Non standard

(Standard material specification applies).

£ P.O.A.

COSHH/Storage Cupboards

HOT CUPBOARDS

Designline Made-To-Measure Range

Plain Top Hot Cupboard





FLEXIBLE: Rolls under a kitchen or counter top

Roll Under Hot Cupboard

Option - Digital temperature display



EASY CLEAN: Lift Out doors

Pass through option

PRACTICAL:

Dual access for restricted working spaces

Main Features

- Plain Top: Freestanding s/steel insulated hot cupboard with plain steel strengthened worktop. Roll Under: Mobile s/steel insulated hot
- cupboard with plain steel worktop. > Constructed in 0.9mm 430gd s/steel panel work with 1.5mm thick 304 gd s/steel worktop.
- Plain Top: Available as either 850mm or 900mm worktop height as standard. Roll Under: Available as 650 mm worktop height as standard, for seemless integration in a servery counter.
- > Fitted with set of sliding s/steel doors to operator side of hot cupboard.
- > Fully removable s/steel mid shelf with supporting removable box section steel bars.
- > Single control panel is mounted to operator right hand side of cupboard.
- Supplied with individual rotary thermostatic temperature control for hot cupboard.
- Illuminating individual On/Off switch for heated section & separate indicator light showing 'heating power on'.
- > Plain Top: Adjustable height levelling feet for accurate final site positioning. Roll Under: Mounted on braked castors for accurate final site positioning.
- > Fully removable control panel section, for improved service access.
- > Plain Top: Supplied in a standard depth of 700mm for optimum heated storage space. Roll Under: Supplied in a standard depth of 650mm for optimum heated storage space within a counter void.
- > Supplied with plug top and 2M lead (>3kW).

Installation-Roll-Under Hot Cupboard:

A 50mm clearance void is recommended around the hot cupboard within counter void, to circulate warm air created.



Made in

Plain Top Hot Cupboard

	Length	Depth	Height	Power (kw)	Price
	900mm	700mm		1.5	£2,214
	1200mm	700mm		1.5	£2,434
	1500mm	700mm	850mm	2.0	£2,682
	1800mm	m 700mm or	2.5	£2,947	
2	2100mm	700mm	, , , , , , , , , , , , , , , , , , , ,	3.0	£3,391
	2400mm	700mm		3.0	£3,517

^{*} Control panel to right hand side. If required to left then specify with order: no cost option.

Roll Under Hot Cupboard

Length	Depth	Height	Power (kw)	Price
900mm	650mm	650mm	1.0	£2,487
1200mm	650mm	650mm	1.5	£2,611
1500mm	650mm	650mm	2.0	£2,735
1800mm	650mm	650mm	2.5	£2,685

^{*} All 304 gd. - £ P.O.A..

Options - Hot Cupboards

Product	Price
Plain Top & Roll Under	
Digital temperature display (776)	£115
Fan assisted hot cupboard	£105
Optional heights and depths available	£265
Digital Thermostat	£335
Plain Top Only	
Conversion to mobile (100mm Diam. wheels - 2 locking)	£77
Pass through (Additional doors - all sizes)	£405



^{*} All 304 gd. - £ P.O.A.



HEATED GANTY (TIERED)

Designline Made-To-Measure Range

Main Features

- > Heated gantry can be added above plain top, pass-through or bain marie type hot cupboard
- > Gantry can be independently fitted to other equipment (Servery pass etc)
- Available in single, double and triple tier heated versions.
- > Ideal for short term heated meal/plate storage
- > Heated solid steel shelf/ pass is supported on sturdy steel box section gantry.
- Individual 300 w quartz infra red holding lamps sited under the shelf surface, 1 per gastronom section (350mm centres)
- Gantry lengths to suit all CED standard hot cupboards.
- Fitted with dimmer control switches to each heated shelf.
- > (<3kw) Gantry wired integrally to hot cupboard



- control panel and supplied with 2M single electrical cable & 13 amp plug top.
- (>3kw) Wired integrally and supplied with 2M cable only, will need to be hard wired or fitted with commando plug.

Heated Gantry (Tiered)						
Tier type	Length	Lamps	Depth	Height	Power (kw)	Price
	1200mm	3	300mm	450mm	0.9	£1,028
C'l.	1500mm	3	300mm	450mm	0.9	£1,084
Single - heated	1800mm	4	300mm	450mm	1.2	£1,159
ricated	2100mm	5	300mm	450mm	1.5	£1,199
	2400mm	6	300mm	450mm	1.8	£1,225
	1200mm	6	300mm	700mm	1.8	£1,739
D. J.L.	1500mm	6	300mm	700mm	1.8	£1,830
Double - heated	1800mm	8	300mm	700mm	2.4	£1,982
ricated	2100mm	10	300mm	700mm	3.0	£2,091
	2400mm	12	300mm	700mm	3.6	£2,185
	1200mm	9	300mm	900mm	2.7	£2,498
Triple -	1500mm	9	300mm	900mm	2.7	£2,650
Heated	1800mm	12	300mm	900mm	3.6	£2,866
Gantrie	2100mm	15	300mm	900mm	4.5	£3,053
	2400mm	15	300mm	900mm	4.5	£3,190
	1200mm	N/A	300mm	N/A	N/A	£231
Addi-	1500mm	N/A	300mm	N/A	N/A	£240
tional Ambient	1800mm	N/A	300mm	N/A	N/A	£251
Tier	2100mm	N/A	300mm	N/A	N/A	£286
	2400mm	N/A	300mm	N/A	N/A	£297



* Double tiered heated gantry shown.

HOT CUPBOARD BAIN MARIE (DRY HEAT/WET WELL)

Designline Made-To-Measure Range

Main Features

- Free standing s/steel combined hot cupboard with either 'Dry Heat' or 'Wet Well' Bain marie top, independently controlled.
- > Bain marie upper section supplied with removable G/N container support bars.
- Constructed in 0.9mm 430gd s/steel panel work with 1.5mm thick 304 gd s/steel worktop.
- Available as either 850mm or 900mm worktop height as standard.
- > Wet Well: Bain marie is fitted with 3/4" BSP lever valve/handle & 15mm swivel arm drain, for emptying the tank, accessed behind the sliding hot cupboard door.
- > Fitted with set of sliding s/steel doors to operator side of hot cupboard.
- > Fully removable s/steel mid shelf with supporting removable box section steel bars.
- Dual control panel is mounted to operator right hand side of cupboard
- Supplied with individual rotary thermostatic temperature controls for hot cupboard & bain marie sections.
- > Illuminating individual On/Off switches for each heated section & separate indicator lights showing 'heating power on'.
- > Adjustable height levelling feet for accurate final site positioning.
- Fully removable control panel section, for improved service access
- > Supplied in a standard depth of 700mm for optimum heated hot cupboard storage space.
- Supplied with plug top and 2M lead (<3kW) or 2M cable for hard wiring by others (>3kW).
- *G/N containers not supplied.



Hot Cupboard Bain Marie (Dry Heat/Wet Well)

			Dry Well		Wet Well	
Length	Depth	Height	Power (kw)	Price	Power (kw)	Price
1200mm	700mm		3.0	£3,400	4.0	£3,506
1500mm	700mm	850mm	4.0	£3,720	5.0	£3,720
1800mm	700mm	or 900mm	4.5	£4,065	6.5	£4,186
2100mm	700mm	200111111	5.5	£4,547	7.0	£4,683
2400mm	700mm		6.0	£4,760	7.0	£4,901

^{*} Control panel to right hand side. If required to left then specify with order: no cost option. * All 304 gd. - £ P.O.A.

Options - Hot Cupboard (Bain Marie)

,	
Product	Price
Digital Thermostat	£335
Digital temperature display	£115
Mobile conversion to locking castors	£77
Fan assisted hot cupboard section	£105
Pass through (Additional doors - All sizes)	£405
Bespoke heights and depths 800 deep	£265

WALL CUPBOARDS

Designline Made-To-Measure Range

Main Features

- Wall mounted commercial s/steel fully enclosed storage cupboard.
- Outer panels, doors, top & base shelf constructed in 430 gd (0.9 thk.) s/steel.
- **>** Available in 600, 900, 1200, 1500 & 1800 mm standard lengths.
- Adjustable height 430 gd (0.9 thk.) s/steel storage mid-shelf.
- Standard cupboard height 540 mm. Standard cupboard depth 300 mm.
- > Rear up stand to roof for sealing against a surface where items may be stored on top.
- > Full height flush steel back panel can be fixed through to conceal screw heads.
- Hinged Door models: 600, 900 & 1200 mm models feature side hinged steel doors (inner/outer panel type) fitted with chrome D handles.
- Sliding Door models: 900, 1200, 1500 & 1800 mm models feature top hung sliding steel doors (inner/ outer panel type) fitted with chrome D handles.
- Sliding door models fitted with central door channel guide.





EASIER

CLEANING: Reduces surface build up of

vvali Cupboaras						
Door type	Length	Width	Height	Price		
	900mm	300mm	540mm	£868		
Slliding	1200mm	300mm	540mm	£910		
doors	1500mm	300mm	540mm	£993		
	1800mm	300mm	540mm	£1,102		
	600mm	300mm	540mm	£741		
Hinged doors	900mm	300mm	540mm	£868		
40013	1200mm	300mm	540mm	£910		

Product Price Lockable doors (Hinged or sliding door cupboard types) – 2 no. suited keys per lock. Wall cupboard sloping top – Sloping top to the wall cupboard. Reduces surface build up of dust/debris & makes for easier cleaning. Wall cupboard (Non standard size) – Available up to 600 mm high and depth of 350 mm. Standard material specification applies. Flush steel door handles. Inset steel handles replace the standard D handle.

* All 304 gd. - £ P.O.A.

BASE CUPBOARDS

Designline Made-To-Measure Range

Main Features

- > Commercial s/steel fully enclosed storage cupboard and steel work surface.
- Worktop made from 304 gd (1.5 thk.) s/steel. Outer panels & doors constructed in 430 gd (0.9 thk.) s/steel supported on 30 x 30 box section 430 gd (1.2 thk.) framework. Base shelving in 430 gd (1.2 thk.)
- Standard base cupboard height is 900 mm to suit most kitchen area back counters.
- Available in 900, 1200, 1500, 1800, 2100 & 2400 mm standard lengths.
- All standard lengths also available in 650/700 mm depth.
- Adjustable height, removable full length mid shelf on strengthened lift out support rails.
- > 30mm welded base shelf.
- Steel worktop type: for wall sited cupboard – features 50 mm rear wall up stand. (Wall bench worktop type).
- Steel worktop type: for free standing cupboard

 features 50 mm turn down to each edge.
 (Centre bench worktop type).
- Standard base cupboards: < 1200 mm long fitted with side hung steel doors, mounted on sturdy cabinet hinges with D handles.
- > Standard base cupboards: >1200 mm long fitted with top hung sliding steel doors c/w central door channel guide & D handles.
- **>** All doors constructed from inner/ outer panel work in s/steel.
- Full height rear back panel to cupboard base.
 Cupboard legs fitted with adjustable height flanged feet, for positioning & fixing to a floor
- surface on site.
 Standard leg height of cupboard set at 135 mm (door to floor) to suite with other CED equipment/adjacent counter kick plinth heights.



Base Cupboards					
Length	Width	Height	Price		
900mm*	650mm	900mm	£1,421		
1200mm*	650mm	900mm	£1,583		
1500mm	650mm	900mm	£1,784		
1800mm	650mm	900mm	£1,939		
2100mm	650mm	900mm	£2,106		
2400mm	650mm	900mm	£2,342		
900mm*	700mm	900mm	£1,494		
1200mm*	700mm	900mm	£1,663		
1500mm	700mm	900mm	£1,872		
1800mm	700mm	900mm	£2,029		
2100mm	700mm	900mm	£2,027		
2400mm	700mm	900mm	£2,459		

^{*} With hinged doors, all other sizes are sliding doors

900mm HIGH: Convenient cupboard storage that suites with our wall bench heights shown

SHOWH	
Options - Base Cupboards	
Product	Price
Lockable doors (Hinged or sliding door cupboard types) – 2 no. suited keys per lock.	£56
Flush steel door handles. (Inset steel handles replace the standard D handle).	£ F.O.C.
Mobile base cupboard – Set of castors (2 braked – max load 210 Kg).	£123
Base cupboard – Sliding doors (Replace standard side hung doors on 900/1200 mm long models).	£ F.O.C.
Base cupboard Non standard leg height 210 mm – door to floor (To suite with CED wall/centre bench base shelf heights).	£ F.O.C.
Base cupboard – Non standard size (Standard material specification applies).	£265
Non standard base cupboard height > 900 (i.e. 850 mm to suit certain kitchen area back counters).	£265

^{*} All 304 gd. - £ P.O.A.



COSHH CUPBOARD WITH SINK

Designline Made-To-Measure Range



Main Features

- Free standing commercial s/steel, fully enclosed C.O.S.H.H. hazardous materials storage cupboard.
- > Perforated roof panel to allow fumes to disperse.
- > Removable rear access panels.
- > Adjustable feet for levelling.
- > Double skin lockable doors.
- > 2no barrel locks with matching keys.
- > Chrome plated D type door handles.
- **>** 2no coat hangers to rear of doors.
- > Robust adjustable shelving (x2)
- > Mob hanger and hooks.
- **>** 3no cabinet hinges per door.
- **>** Double swivel faucet with lever taps.
- > 400x400x300 sink bowl with hinged grid.
- > Removable drip tray.
- > Available in 600, 900 & 1200 mm standard lengths.
- > All constructed from 304gd steel.

COSHH Cupboards with Sinks						
Length	Depth	Height	Price			
600mm	650mm	1800mm	£3,538			
900mm	650mm	1800mm	£4,004			
1200mm	650mm	1800mm	£4,466			



TUNDISH

Designline Made-To-Measure Range



Tundish			
Length	Depth	Height	Price
250mm	100mm	140mm	£170











OFF-THE-SHELF QUICK SERVICE RANGE

Standard lengths and sizes means all Quick Service products can be easily specified and supplied to your door!





- > Fully welded free standing, wall sited commercial s/steel wall bench with worktop.
- Worktop constructed in 304gd. 1.2 thk. s/steel supported on 30 x 30 box section 430 gd (1.2 thk.) framework.
- > Welded low level 430 gd. 1.2 thk. s/steel storage under-shelf.
- Available in 600, 900, 1000, 1200, 1400, 1500, 1800 & 2100 mm popular lengths.
- > Available in 600, 650 & 700mm depths.
- Standard wall bench height is 900mm to suit most kitchen area back counters.
- > Steel worktop features 50mm down stand to each edge.
- > 50 mm(H) splashback/ wall up stand to rear of worktop.
- Wall bench legs inset 100mm to the rear, to allow for service pipework behind.
- > Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- > Wall bench height adjustment : 15/+ 35mm.

Wall Bench - 1 Under Shelf

600mm Deep

Model	Description	Height (mm)	Weight (kg)	Price		
QWB661U	600(L) x 600(D) W. Bench (1 Shelf)	900	14	£366		
QWB961U	900(L) x 600(D) W. Bench (1 Shelf)	900	19	£416		
QWB1061U	1000(L) x 600(D) W. Bench (1 Shelf)	900	20	£467		
QWB1261U	1200(L) x 600(D) W. Bench (1 Shelf)	900	23	£467		
QWB1461U	1400(L) x 600(D) W. Bench (1 Shelf)	900	27	£552		
QWB1561U	1500(L) x 600(D) W. Bench (1 Shelf)	900	28	£552		
QWB1861U	1800(L) x 600(D) W. Bench (1 Shelf)	900	33	£621		
QWB2161U	2100(L) x 600(D) W. Bench (1 Shelf)	900	38	£696		
650mm Deep						

Model	Description	Height (mm)	Weight (kg)	Price
QWB6651U	600(L) x 650(D) W. Bench (1 Shelf)	900	15	£366
QWB9651U	900(L) x 650(D) W. Bench (1 Shelf)	900	20	£416
QWB12651U	1200(L) x 650(D) W. Bench (1 Shelf)	900	25	£467
QWB15651U	1500(L) x 650(D) W. Bench (1 Shelf)	900	30	£552
QWB18651U	1800(L) x 650(D) W. Bench (1 Shelf)	900	35	£621
QWB21651U	2100(L) x 650(D) W. Bench (1 Shelf)	900	40	£696


700mm Deep

Model	Description	Height (mm)	Weight (kg)	Price	
QWB671U	600(L) x 700(D) W. Bench (1 Shelf)	900	15	£387	
QWB971U	900(L) x 700(D) W. Bench (1 Shelf)	900	21	£429	
QWB1071U	1000(L) x 700(D) W. Bench (1 Shelf)	900	22	£486	
QWB1271U	1200(L) x 700(D) W. Bench (1 Shelf)	900	26	£486	
QWB1571U	1500(L) x 700(D) W. Bench (1 Shelf)	900	32	£592	
QWB1871U	1800(L) x 700(D) W. Bench (1 Shelf)	900	37	£666	
QWB2171U	2100(L) x 700(D) W. Bench (1 Shelf)	900	43	£750	





600mm DEEP





G50mm DEEP QWB9651U QWB9651U QWB12651U 600 x 650 QWB18651U 1500 x 650 QWB18651U QWB18651U QWB21851U 250








- Worktop constructed in 304gd. 1.2 thk. s/steel supported on 30 x 30 box section 430 gd (1.2 thk.) framework.
- > Void underneath replaces s/steel storage under-shelf (to accommodate under-counter equipment).
- U shaped horizontal tie bar fitted @ 250mm (H) between rear legs, within void.
- > Available in 900, 1200 & 1800mm popular lengths.
- Available in 600, 650 & 700mm depths.
- Wall bench height is $900 \mathrm{mm}$ to suit most kitchen area back
- > Steel worktop features 50mm down stand to each edge.
- > 50 mm(H) splashback/ wall up stand to rear of worktop.
- Wall bench legs inset 100mm to the rear, to allow for service pipework behind.
- Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- > Wall bench height adjustment 15/+ 35mm.

QUICK SERVICE CENTRE BENCH (WITH VOID)



- s/steel centre bench with worktop/ void under.
- Worktop constructed in 304gd. 1.2 thk. s/steel supported on 30 x 30 box section 430 gd (1.2 thk.) framework.
- Void underneath replaces s/steel storage under-shelf (to accommodate under-counter equipment).
- Horizontal tie bar fitted @ 250mm (H) between rear legs, within void
- > Available in 900, 1200 & 1800mm popular lengths.
- > Available in 600, 650 & 700mm depths.
- Centre bench height is 900mm to suit most kitchen area back counters.
- > Steel worktop features 50mm down stand to each edge.
- Centre bench legs are inset 25 mm at the front & rear, they are also inboard of the worktop 50mm at each end.
- > 600mm(D) models have a 545mm(D) void 650mm(D) models have a 595mm(D) void 700mm(D) models have a 645mm(D) void
- Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- > Centre bench height adjustment: 15/+ 35mm.

600mm, 650mm, 700mm DEEP




Wall Bench - With Void

600mm, 650mm & 700mm Deep

Model	Description	Height (mm)	Weight (kg)	Price
QWB96V	900(L) x 600(D) W. Bench (With Void)	900	16	£422
QWB126V	1200(L) x 600(D) W. Bench (With Void)	900	19	£474
QWB186V	1800(L) x 600(D) W. Bench (With Void)	900	26	£627
QWB1265V	1200(L) x 650(D) W. Bench (With Void)	900	20	£474
QWB127V	1200(L) x 700(D) W. Bench (With Void)	900	21	£494

600mm, 650mm, 700mm DEEP



Centre Bench - With Void

600mm 650mm & 700mm Da

000111111,	John o / Comm Deep			
Model	Description	Height (mm)	Weight (kg)	Price
QCB96V	900(L) x 600(D) C. Bench (With Void)	900	16	£422
QCB126V	1200(L) x 600(D) C. Bench (With Void)	900	20	£474
QCB186V	1800(L) x 600(D) C. Bench (With Void)	900	27	£627
QCB1265V	1200(L) x 650(D) C. Bench (With Void)	900	21	£474
QCB127V	1200(L) x 700(D) C. Bench (With Void)	900	22	£494





Main Features

- > Fully welded free standing, wall sited commercial s/steel centre bench with worktop.
- Worktop constructed in 304gd. 1.2 thk. s/steel supported on 30 x 30 box section 430 gd (1.2 thk.) framework.
- > Welded low level 430 gd. 1.2 thk. s/steel storage under-shelf.
- Available in 600, 800, 900, 1200, 1500, 1800 & 2100mm popular lengths.
- > Available in 600, 650, 700mm & 900mm depths.
- Standard centre bench height is 900mm to suit most kitchen area back counters.
- > Steel worktop features 50mm down stand to each edge.
- Centre bench legs are inset 25mm at the front & rear, they are also inboard of the worktop 50 mm at each end.
- > Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- > Centre bench height adjustment : 15/+ 35mm.

Centre Bench - 1 Under Shelf

600mm Deep

Model	Description	Height (mm)	Weight (kg)	Price
QCB661U	600(L) x 600(D) C. Bench (1 Shelf)	900	14	£366
QCB861U	800(L) x 600(D) C. Bench (1 Shelf)	900	18	£416
QCB961U	900(L) x 600(D) C. Bench (1 Shelf)	900	19	£416
QCB1261U	1200(L) x 600(D) C. Bench (1 Shelf)	900	24	£467
QCB1561U	1500(L) x 600(D) C. Bench (1 Shelf)	900	29	£552
QCB1861U	1800(L) x 600(D) C. Bench (1 Shelf)	900	35	£621
QCB2161U	2100(L) x 600(D) C. Bench (1 Shelf)	900	40	£696

650mm deep

Model	Description	Height (mm)	Weight (kg)	Price
QCB6651U	600(L) x 650(D) C. Bench (1 Shelf)	900	15	£366
QCB9651U	900(L) x 650(D) C. Bench (1 Shelf)	900	20	£416
QCB12651U	1200(L) x 650(D) C. Bench (1 Shelf)	900	26	£467
QCB15651U	1500(L) x 650(D) C. Bench (1 Shelf)	900	31	£552
QCB18651U	1800(L) x 650(D) C. Bench (1 Shelf)	900	37	£621
QCB21651U	2100(L) x 650(D) C. Bench (1 Shelf)	900	42	£696

700mm Deep

Model	Description	Height (mm)	Weight (kg)	Price
QCB671U	600(L) x 700(D) C. Bench (1 Shelf)	900	16	£387
QCB971U	900(L) x 700(D) C. Bench (1 Shelf)	900	22	£429
QCB1271U	1200(L) x 700(D) C. Bench (1 Shelf)	900	27	£486
QCB1571U	1500(L) x 700(D) C. Bench (1 Shelf)	900	33	£592
QCB1871LI	1800(L) x 700(D) C. Bench (1 Shelf)	900	39	£666
QCB1971U	1900(L) x 700(D) C. Bench (1 Shelf)	900	40	£750
QCB2171U	2100(L) x 700(D) C. Bench (1 Shelf)	900	44	£750

900mm deep

Model	Description	Height (mm)	Weight (kg)	Price
QCR1891U	1800(L) x 900(D) C. Bench (1 Shelf)	900	47	£880





QCB861U

QCB1561U




650mm DEEP


1500 x 600

QCB661U



700mm & 900mm DEEP







Main Features

- Fully welded free standing, wall sited commercial s/steel corner wall bench with worktop.
- Worktop constructed in 304gd. 1.2 thk. s/steel supported on 30 x 30 box section 430 gd (1.2 thk.) framework.
- > Welded low level 430 gd. 1.2 thk. s/steel storage under-shelf.
- > Left hand & right hand corner versions available.
- > Available in 600, 650 & 700mm popular lengths.
- > Available in 600, 650 & 700mm depths.
- > Standard corner wall bench height is 900mm to suit most kitchen area back counters.
- > Steel worktop features 50mm down stand to each edge.
- > 50 mm (H) splashback/ wall up stands to rear & L/H or R/H side of worktop.
- Corner wall bench legs inset 100mm to the rear, to allow for service pipework behind.
- > Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- > Wall bench height adjustment : 15/+ 35mm.

QUICK SERVICE


ANGLED CORNER WALL BENCH



Main Features

- > Fully welded free standing, wall sited angled corner commercial s/ steel wall bench with worktop.
- Worktop constructed in 304gd. 1.2 thk. s/steel supported on 30 x 30 box section 430 gd (1.2 thk.) framework.
- > Welded low level 430 gd. 1.2 thk. s/steel storage under-shelf.
- > Available in 600, 650 & 700mm popular depths.
- Standard corner wall bench height is 900mm to suit most kitchen area back counters.
- Steel worktop features 50 mm down stand to each edge. 50 mm(H) splashback/ wall up stand to rear L/H & R/H side of worktop.
- Corner wall bench legs inset 100mm to the rear, to allow for service pipework behind.
- > Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- > Wall bench height adjustment : 15/+ 35mm

600mm, 650mm, 700mm DEEP



Corner Wall Bench - Left or Right Hand - 1 Under Shelf

600mm, 650mm & 700mm Deep

Model	Description	Height (mm)	Weight (kg)	Price
QCWB66LH	600(L) x 600(D) L.H. C.Wall Bench (1 Shelf)	900	14	£402
QCWB66RH	600(L) x 600(D) R.H. C.Wall Bench (1 Shelf)	900	14	£402
QCWB6565LH	650(L) x 650(D) L.H. C.Wall Bench (1 Shelf)	900	15	£453
QCWB6565RH	650(L) x 650(D) R.H. C.Wall Bench (1 Shelf)	900	15	£453
QCWB77LH	700(L) x 700(D) L.H. C.Wall Bench (1 Shelf)	900	17	£468
QCWB77RH	700(L) x 700(D) R.H. C.Wall Bench (1 Shelf)	900	17	£468

^{* (}L.H.) denotes left hand, (R.H.) denotes right hand corner model.

600mm, 650mm, 700mm DEEP



Angled Corner Wall Bench - 1 Under Shelf

600mm, 650mm & 700mm Deep

Model	Description	Height (mm)	Weight (kg)	Price
QACWB66	600(L) x 600(D) Angle Corner W. Bench (1 Shelf)	900	29	£909
QACWB6565	650(L) x 650(D) Angle Corner W. Bench (1 Shelf)	900	30	£909
QACWB77	700(L) x 700(D) Angle Corner W. Bench (1 Shelf)	900	30	£909



QUICK SERVICE SINGLE BOWL SINKS





Main Features

- > Commercial s/steel single bowl sink units with left or right hand or double drainer worktop.
- Worktop in 304gd. 1.2 thk. s/steel with 304 gd. s/steel bowl, on 30 x 30 box section 430 gd. 1.2 thk. framework.
- > Welded low level 430 gd. 1.2 thk. s/steel storage under-shelf.
- > Available in 1200, & 1400mm popular lengths.
- > Available in 600, 650 & 700mm depths.
- Standard sink height is 900mm to suit most kitchen area back counters.
- 3 BOWL SIZES: (Type S) 59 Lt. (500 long x 400 wide x 300mm deep). (Type U) 79 Lt. (600 long x 450 wide x 300mm deep).
- **>** Sound deadening is fitted to bowl base.
- > Flat drainer worktop features raised drainer pattern, enabling less surface contact whilst drying dishes etc.
- > Drip mould edging surround to worktop area prevents water spillage.
- > 50 mm high splashback/wall upstand to rear of worktop.
- Supplied with 38mm waste fitting and a 255mm high strainer waste for each bowl.
- **>** Sink unit legs inset 100 mm to the rear, to allow for service pipework behind.
- > Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- **>** Sink height adjustment : 15/+ 35mm
- > Taps, 38mm waste traps & waste pipework are not supplied.
- **>** 3 lever arm tap options available, all WRAS approved.

Single Bowl Sink Models - 1 Under Shelf

600mm deep

Model	Description	Bowl Size (mm)	Bowl Capacity (Ltr.)	Price
QSBS126RS	1200x600 R/H Drain	500x400x300	59	£1,071
QSBS126LS	1200x600 L/H Drain	500x400x300	59	£1.071

650mm deep

Model	Description	Bowl Size (mm)	Bowl Capacity (Ltr.)	Price
QSBS1265LS	1200x650 L/H Drain	500x400x300	59	£1,071
QSBS1265RS	1200x650 R/H Drain	500x400x300	59	£1,071

700mm deep

Model	Description	Bowl Size (mm)	Bowl Capacity (Ltr.)	Price	l
QSBS147RU	1400x700 R/H Drain	600x450x300	79	£1,129	
QSBS147LU	1400x700 L/H Drain	600x450x300	79	£1129	

600mm DEEP





650mm DEEP





L/H DRAIN 1200 x 650 500 BOWL

QSBS1265RS



R/H DRAIN 1200 x 650 500 BOWL



700mm DEEP



QSBS147RU




R/H DRAIN 1400 x 700 600 BOWL

QSBS147LU



L/H DRAIN 1400 x 700 600 BOWL



QUICK SERVICE DOUBLE BOWL SINKS



Main Features

- Commercial s/steel double bowl sink unit with left or right hand or double drainer worktop.
- Worktop in 304gd. 1.2 thk. s/steel with 304 gd. s/steel bowls, on 30 x 30 box section 430 gd. 1.2 thk. framework.
- > Welded low level 430 gd. 1.2 thk. s/steel storage under-shelf.
- > Available in 1800, & 2400mm popular lengths.
- > Available in 600 & 650mm depths.
- Standard sink height is 900mm to suit most kitchen area back counters.
- 3 BOWL SIZES: (Type U) 79 Lt. (600 long x 450 wide x 300mm deep).
- **>** Sound deadening is fitted to bowl bases.
- > Flat drainer worktop features raised drainer pattern, enabling less surface contact whilst drying dishes etc.
- > Drip mould edging surround to worktop area prevents water spillage.
- > 50 mm high splashback/wall upstand to rear of worktop.
- Supplied with 38mm waste fitting and a 255mm high strainer waste for each bowl.
- Sink unit legs inset 100 mm to the rear, to allow for service pipework behind.
- > Frame fitted with flanged levelling feet for mechanical fixing to floor surface.
- > Sink height adjustment : 15/+ 35mm.
- > Taps, 38mm waste traps & waste pipework are not supplied.
- 3 lever arm tap options available, all WRAS approved.

Double Bowl Sink Models - 1 Under Shelf

600mm deep

Model	Description	Bowl Size (mm)	Bowl Capacity (Ltr.)	Price
QDBS186LUU	1800x600 L/H Drain	600x450x300 + 600x450x300	79 + 79	£1,681
QDBS186RUU	1800x600 R/H Drain	600 x450x300 + 600x450x300	79 + 79	£1,681
QDBS246DUU	2400x600 Dbl.Drain	600x450x300 + 600x450x300	79 + 79	£1,833

650mm deep

Model	Description	Bowl Size (mm)	Bowl Capacity (Ltr.)	Price
QDS1865RUU	1800x650 R/H Drain	600x450x300 + 600x450x300	79 + 79	£1,681
QDS1865LUU	1800x650 L/H Drain	600x450x300 + 600x450x300	79 + 79	£1,681
	2400x650 Dbl. Drain	600 x450x300 + 600x450x300	79 + 79	£1,833

600mm DEEP



650mm DEEP





QUICK SERVICE TAP ACCESSORIES

* 2 Tap sets required for double bowl range.



Set - 1/2" Lever Arm Basi Tap



Set – 1/2" Lever Arm Hig Neck Pillar Tap



Set - 1/2" Lever Arm Mixer Tap

WRAS

Taps

Model	Model	Price
CEDLBT0954	Set - ½" Lever Arm Basin Tap	£176
CEDLPT0953	Set – ½" Lever Arm High Neck Pillar Tap	£108
CEDLMM0955	Set – ½" Lever Arm Mixer Tap	£293





WELDED SUPPORTS: For maximum load bearing



Main Features

- Commercial s/steel shelving supported on cantilever box section brackets, perfect for back of house equipment storage
- Available in 600 up to 2400mm lengths (100mm increments) x 300mm deep.
- Available in 600, 900, 1200, 1500, 1800, 2100 and 2400mm lengths x 400 mm deep.
- > Durable 1.2 mm thick 430 gd. solid steel shelf (250mm high).
- Steel shelf has a 35 mm deep turn down to 3 faces and a rear wall up stand of 20 mm.
- Pre-drilled box section support brackets (430 gd 1.2 thk. 30mm sq) for fixing shelf insitu — Ø 6mm fixing holes (Fixings Not Supplied).
- > Black heat resistant nylon bungs supplied to blank off through fixing holes on face of brackets (Ø 16mm).
- > Double sided tape strips supplied, for attaching shelf to wall brackets.
- Additional support brackets provided, depending on the shelf length selected.
- > Plastic bungs fitted to wall bracket ends.

Solid Steel Wall Shelf (Heavy Duty)

300mm deep

Model	Description	Height (mm)	Max. Load (kg)	Price
QWS63HD2	600(L) x 300(D) Solid Wall Shelf (H.Duty)	250	35	£136
QWS73HD2	700(L) x 300(D) Solid Wall Shelf (H.Duty)	250	35	£146
QWS83HD2	800(L) x 300(D) Solid Wall Shelf (H.Duty)	250	35	£146
QWS93HD2	900(L) x 300(D) Solid Wall Shelf (H.Duty)	250	35	£146
QWS103HD2	1000(L) x 300(D) Solid Wall Shelf (H.Duty)	250	35	£157
QWS113HD2	1100(L) x 300(D) Solid Wall Shelf (H.Duty)	250	35	£157
QWS123HD2	1200(L) x 300(D) Solid Wall Shelf (H.Duty)	250	35	£157
QWS133HD2	1300(L) x 300(D) Solid Wall Shelf (H.Duty)	250	35	£179
QWS143HD2	1400(L) x 300(D) Solid Wall Shelf (H.Duty)	250	35	£179
QWS153HD3	1500(L) x 300(D) Solid Wall Shelf (H.Duty)	250	65	£179
QWS163HD3	1600(L) x 300(D) Solid Wall Shelf (H.Duty)	250	65	£198
QWS173HD3	1700(L) x 300(D) Solid Wall Shelf (H.Duty)	250	65	£198
QWS183HD3	1800(L) x 300(D) Solid Wall Shelf (H.Duty)	250	65	£198
QWS193HD3	1900(L) x 300(D) Solid Wall Shelf (H.Duty)	250	65	£217
QWS203HD3	2000(L) x 300(D) Solid Wall Shelf (H.Duty)	250	65	£217
QWS213HD3	2100(L) x 300(D) Solid Wall Shelf (H.Duty)	250	65	£217
QWS223HD3	2200(L) x 300(D) Solid Wall Shelf (H.Duty)	250	65	£250
QWS233HD3	2300(L) x 300(D) Solid Wall Shelf (H.Duty)	250	65	£250
QWS243HD4	2400(L) x 300(D) Solid Wall Shelf (H.Duty)	250	100	£250
				• • • • • • • • • • • • • • • • • • • •





400mm Deep

Model	Description	Height (mm)	Max. Load (kg)	Price
QWS64HD2	600(L) x 400(D) Solid Wall Shelf (H.Duty)	250	35	£151
QWS94HD2	900(L) x 400(D) Solid Wall Shelf (H.Duty)	250	35	£169
QWS124HD2	1200(L) x 400(D) Solid Wall Shelf (H.Duty)	250	35	£184
QWS154HD3	1500(L) x 400 (0) Solid Wall Shelf (H.Duty)	250	65	£226
	1800(L) x 400(D) Solid Wall Shelf (H.Duty)	250	65	£244
QWS214HD3	2100(L) x 400(D) Solid Wall Shelf (H.Duty)	250	65	£262
QWS244HD4	2400(L) x 400(D) Solid Wall Shelf (H.Duty)	250	100	£302

HEAVY DUTY SOLID SHELF 300mm DEEP










HEAVY DUTY SOLID SHELF 400mm DEEP








Main Features - Pan Storage Shelf

- Commercial s/steel open frame heavy duty pan storage shelf, with fully welded cantilever box section brackets.
- > Available in 1200 and 1500mm lengths x 300mm deep.
- Durable 10 mm diameter integral 304 gd. steel rods form open shelving area.
- **>** Outer frame in fully welded 430 gd 1.2 thk. 30mm box section.
- Pre-drilled box section support brackets (430 gd 1.2 thk. 30mm sq) for fixing shelf insitu — Ø 6mm fixing holes (Fixings Not Supplied).
- ➤ Black heat resistant nylon bungs supplied to blank off through fixing holes on face of brackets (Ø 16mm).
- Welded bracket ends (in lieu of blanking plugs) to allow pan shelf to be sited over hot cooking areas.
- Additional support brackets provided, depending on the shelf length selected.

PAN STORAGE SHELF 300mm DEEP



Pan Storage Shelf

300mm Deep

Model	Description	Height (mm)	Max. Load (kg)	Price
QRWS123HD2	1200(L) x 300(D) Pan Storage Shelf (H.Duty)	300	35	£291
QRWS153HD3	1500(L) x 300(D) Pan Storage Shelf (H.Duty)	300	35	£354





QUICK SERVICE

MICROWAVE WALL SHELVING

MEDIUM DUTY

FOLDED FRAME: For strength

Model QMS5646MD Shown



Main Features - Medum Duty

- > Commercial medium duty s/steel microwave shelf.
- > Constructed from 1.2 mm thick 430 gd. s/steel
- > Available as 560 mm long x 460 mm deep. Available as 600 mm long x 450 mm deep. Available as 600 mm long x 600 mm deep.
- **>** 3 sided folded shelf and folded return side cheeks for strengthening.
- > Side cheeks pre-drilled for wall fixings (Ø 7.2mm hole) (Fixings Not
- > Folded 30 mm front turn down to front edge for strengthening.
- > Max. load 20 kg.

QUICK SERVICE MICROWAVE WALL SHELVING **HEAVY DUTY**



Main Features - Heavy Duty

- > Commercial heavy duty s/steel microwave shelf.
- > Shelf constructed from 1.2 mm thick 430 gd. s/steel.
- > Mounted on cantilever type welded 430 gd. 1.2 thk. 30 mm box section wall brackets.
- > Available as 560 mm long x 560 mm deep. Available as 600 mm long x 450 mm deep. Available as 600 mm long x 600 mm deep.
- Pre-drilled box section support brackets (430 gd 1.2 thk. 30 mm sq) for fixing shelf insitu - Ø 6mm fixing holes (Fixings Not Supplied).
- Black heat resistant nylon bungs supplied to blank off through fixing holes on face of brackets (Ø 16mm).
- > Double sided tape strips supplied, for attaching shelf to wall brackets.
- > Shelf strengthened with 32 mm turn down to edges/ rear up stand of 30 mm.
- > Electrical cable of microwave can pass behind shelf up stand when
- > Max. load 35kg.



Microwave Shelf (Medium Duty)

600 x 450

QMS645MD

MEDIUM DUTY 450mm, 460mm, 600mm DEEP

450mm, 460mm & 600mm Deep

450/ 460/ 600

QMS5646MD

560 x 460

Model	Description	Height (mm)	Max Load (kg)	Price
QMS5646MD	560(L) x 460(D) MD Microwave Wall Shelf	325	20	£193
QMS645MD	600(L) x 450(D) MD Microwave Wall Shelf	325	20	£198
QMS66MD	600(L) x 600(D) MD Microwave Wall Shelf	325	20	£218

600 x 600

QMS66MD

HEAVY DUTY 450mm, 560mm, 600mm DEEP



Microwave Shelf (Heavy Duty)

450mm, 560mm & 600mm Deep

Model	Description	Height (mm)	Max Load (kg)	Price
QMS5656HD	560(L) x 560(D) HD Microwave Wall Shelf	400	35	£309
QMS645HD	600(L) x 450(D) HD Microwave Wall Shelf	400	35	£295
QMS66HD	600(L) x 600(D) HD Microwave Wall Shelf	400	35	£309

QUICK SERVICE WALL CUPBOARDS

WALL CUPBOARD (SLIDING DOORS)

Model QWC123S Shown

HYGIENE: Lift out doors



Main Features

- > Wall mounted commercial s/steel fully enclosed storage cupboard.
- Panels, doors, top & base shelf constructed in 430 gd (0.9 thk.) s/ steel.
- **>** Available in 900, 1000, 1200, 1500 & 1800mm standard lengths.
- > Adjustable height 430 gd (0.9 thk.) s/steel storage mid-shelf.
- > Standard cupboard height 540 mm.
- > Standard cupboard depth 300 mm.
- Rear up stand to roof for sealing against a surface where items may be stored on top.
- > Roof upstand fixing holes size 0 7.2mm. Full height flush steel back panel.
- > Wall mounting hooks supplied.
- Sliding door models feature top hung sliding steel door (inner/ outer panel type) fitted with chrome D handles.
- > Sliding door models fitted with central door channel gu



WALL CUPBOARD (HINGED DOORS)

Model QWC123H Shown

FUNCTION: Adjustable height shelving



Main Features

- > Wall mounted commercial s/steel fully enclosed storage cupboard.
- Outer panels, doors, top & base shelf constructed in 430 gd (0.9 thk.) s/steel.
- > Available in 450, 600, 750, 900 & 1200 mm standard lengths.
- > Adjustable height 430 gd (0.9 thk.) s/steel storage mid-shelf.
- Standard cupboard height 540 mm. Standard cupboard depth 300 mm.
- ➤ Rear up stand to roof for sealing against a surface where items may be stored on top. (Roof upstand fixing hole size Ø 7.2mm).
- **>** Full height flush steel back panel.
- > Wall mounting hooks supplied.
- Hinged door models feature side hung steel doors (inner/ outer panel type) fitted with chrome D handles.

ANGLED CORNER WALL CUPBOARD



Model QAWC753H Shown

HIGH STORAGE CAPACITY: Increased depth of shelving



Main Features

- Wall mounted commercial s/steel fully enclosed angled corner storage cupboard.
- Outer panels, doors, top & base shelf constructed in 430 gd (0.9 thk.) s/steel.
- > Available in a 750mm standard angled corner length.
- Adjustable height 430 gd (0.9 thk.) s/steel storage mid-shelf.
- Standard cupboard height 540 mm. Cupboard shelf depth up to 690 mm.
- ➤ Rear upstand to roof for sealing against a surface when items may be stored on top. (Roof upstancl fixing hole Size Ø 7.2mm).
- > Full height flush steel back panel.
- > Wall mounting hooks supplied.
- Side hung steel doors (inner/ outer panel type) fitted with chrome D handles.


SLIDING DOOR TYPE 300mm DEEP



Wall Cupboard - Sliding Door

Model	Description	Height	mm)Weight (kg)	Price
QWC93S	900(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door)	540	31	£852
QWC103S	1000(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door)	540	33	£895
QWC123S	1200(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door	540	39	£895
QWC153S	1500(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door)	540	47	£973
QWC183S	1800(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door)	540	55	£1,081

HINGED DOOR TYPE 300mm DEEP



Wall Cupboard - Hinged Door

Model	Description	Height (mm)	Weight (kg)	Price
QWC453HL	450(L) x 540(H) x 300(D) Wall Cupd. (L. Hinged Door)	540	18	£622
QWC453HR	450(L) x 540(H) x 300(D) Wall Cupd. (R. Hinged Door)	540	18	£622
QWC63HL	600(L) x 540(H) x 300(D) Wall Cupd. (L. Hinged Door)	540	21	£729
QWC63HR	600(L) x 540(H) x 300(D) Wall Cupd. (R. Hinged Door)	540	21	£729
QWC753H	750(L) x 540(H) x 300(D) Wall Cupd. (Hinged Door)	540	26	£852
QWC93H	900(L) x 540(H) x 300(D) Wall Cupd. (Hinged Door)	540	30	£852
QWC123H	1200(L) x 540(H) x 300(D) Wall Cupd. (Hinged Door)	540	37	£973

ANGLED CORNER (DOOR) TYPE 750mm ANGLE CORNER



Angled Corner Wall Cupboard

Model	Description	Height (mm)	Weight (kg)	Price
QA- WC753H	820(W) x 540(H) x 300(D) Angle Cnr. Wall Cupd. (Door) (750mm Opening Angle Corner)	540	39	£1,048



LOCKABLE WALL CUPBOARD (SLIDING DOORS)

Model QWC123LS Shown

IMPROVED DESIGN: Sliding doors stay shut every time



Main Features

- > Wall mounted cornmercial s/steel fully enclosed lockable storage
- Outer panels, doors, top & base shelf constructed in 430 gd (0.9 thk.) s/steel.
- Available in 900, 1000, 1200, 1500 & 1800mm standard lengths.
- Adjustable height 430 gd (0.9 thk.) s/steel storage mid-shelf.
- > Standard cupboard height 540mm. Standard cupboard depth 300
- 40mm (H) rear up stand to roof for sealing against a surface where items may be stored on top. (Roof upstand fixing hole size \varnothing
- > Full height flush steel back panel.
- **>** Wall mounting hooks supplied.
- Models feature lockable top hung sliding steel doors fitted with chrome D handles,
- > Fitted with central door channel guides.
- > Plunge lock and two suited keys.

LOCKABLE WALL CUPBOARDS (HINGED DOORS)

Model OWC1231 H Shown





Main Features

- > Wall mounted commercial s/steel fully enclosed lockable storage cupboard.
- Outer panels, doors, top & base shelf constructed in 430 gd (0.9 thk.) s/steel.
- > Available in 450, 600, 750, 900 & 1200mm standard lengths.
- > Adjustable height 430 gd (0.9 thk.) s/steel storage mid-shelf.
- > Standard cupboard height 540mm. Standard cupboard depth 300
- Rear up stand to roof for sealing against a surface where items may be stored on top. (Roof upstand fixing hole size \varnothing 7.2mm).
- Full height flush steel back panel.
- > Wall mounting hooks supplied.
- > Feature lockable side hung steel doors fitted with chrome D
- > Barrel lock and two suited keys.

LOCKABLE ANGLED CORNER WALL CUPBOARD Model QAWC753LH Shown



IMPROVED SECURITY: Bolted door leaf & lock prevents opportunist theft



Main Features

- > Wall mounted commercial s/steel fully enclosed angled corner lockable storage cupboard.
- Outer panels, doors, top & base shelf constructed in 430 gd (0.9 thk.) s/steel.
- > Available in a 750mm standard angled corner length.
- > Adjustable height 430 gd (0.9 thk.) s/steel storage mid-shelf,
- > Standard cupboard height 540mm. Cupboard shelf depth up to
- ➤ Rear up stand to roof for sealing against a surface where items may be stored on top. (Roof upstand fixing hole Size Ø 7.2mm).
- **>** Full height flush steel back panel.
- Wall mounting hooks supplied.
- > Features side hung steel doors fitted with chrome D handles.
- > Barrel lock and two suited keys.

LOCKABLE SLIDING DOOR TYPE 300mm DEEP






Lockable Wall Cupboard - Sliding Door

Model	Description	Heiaht mm)	Weight (kg)	Price
	900(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door	. J	31	£903
QWC103LS	1000(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door	540	33	£948
QWC123LS	200(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door	540	39	£948
QWC153LS	1500(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door	540	47	£1,028
QWC183LS	1800(L) x 540(H) x 300(D) Wall Cupd. (Sliding Door	540	55	£1,135

LOCKABLE HINGED DOOR TYPE 300mm DEEP




Lockable Wall Cupboard - Hinged Door

	Model	Description	Height (mm)	Weight (kg)	Price
	QWC453LHL	450(L) x 540(H) x 300(D) Lock. Wall Cupd. (L. Hinged Door)	540	18	£673
ĺ	QWC453LHR	450(L) x 540(H) x 300(D) Lock. Wall Cupd. (R. Hinged Door)	540	18	£673
ĺ	QWC63LHL	600(L) x 540(H) x 300(D) Lock. Wall Cupd. (L. Hinged Door)	540	21	£784
ľ	QWC63LHR	600(L) x 540(H) x 300(D) Lock. Wall Cupd. (R. Hinged Door)	540	21	£784
	QWC753LH	750(L) x 540(H) x 300(D) Lock. Wall Cupd. (Hinged Door)	540	26	£903
	QWC93LH	900(L) x 540(H) x 300(D) Lock. Wall Cupd. (Hinged Door)	540	30	£903
	QWC123LH	1200(L) x 540(H) x 300(D) Lock. Wall Cupd. (Hinged Door)	540	37	£1,028

ANGLED CORNER (DOOR) TYPE 750mm ANGLE CORNER







Lockable Angled Corner Wall Cupboard

Model	Description	Height (mm)	Weight (kg)	Price
QAW- C753LH	820(W) x 540(H) x 300(D) Lock. Angle Cnr. Wall Cupd.(Door) (750mm Opening Angle Corner)	540	39	£1,102





CED Fabrications Ltd Units A1-A4, Falcon Court Clayton Business Park Clayton-le-Moors, Hyndburn, Lancashire BB5 5JD

T: 01254 238 282 F: 01254 238 228

T: 0151 545 2840

CED Fabrications Ltd, Units 4 & 5, Nexus Industrial Estate, Randles Road, , Knowsley Prescot,, Merseyside L34 9HX





CED Fabrications Ltd Building 3 Sandwich Industrial Estate Sandwich, Kent CT13 9LY

T: 01304 617 377





Certificate Number 7895 ISO 9001, ISO 14001 SALES LINE 01254 238 282 All prices exclude VAT - Free delivery applies to all orders over £350. All orders under £350 incur a £40 charge. Deliveries to UK mainland ONLY.

w: www.cedfabsltd.co.uk e: sales@cedlimited.com



Distributor stamp