



BACKBAR - PRICE LIST 2025

ICE CHESTS · SHELVING · SINKS · STORAGE CUPBOARDS · PLUS MANY MORE

CED FABRICATIONS LTD

Ready To Serve

With 3 manufacturing sites to better target our customers needs, CED are one of the most successful UK manufacturers of commercial catering equipment, with over 150 dedicated employees providing an extensive range of kitchen equipment.

At CED we pride ourselves on our innovative, stylish and reliable ranges of bespoke and standard commercial catering equipment.

As we continue to gain market share, our merger with Tournus Equipement confirms CED's investment in future business growth. At the heart of our positive growth lies continued investment in ourselves. Staff training, product development, design software, component sourcing and manufacturing plant & processes.

The Tournus manufacturing partnership has enabled CED to extensively increase our UK product range like never before, introducing many new innovative commercial kitchen products, from plate dispensers to serving trolleys and beyond, all available in our Tournus Equipement Price List.

CED's unequalled capacity to fulfil our customers many diverse requirements, simply increases year on year. Whether that need is for kitchen fabrication components, the latest in energy efficient drop in displays and patisseries, or the most complex of bespoke servery counters. With a fleet of delivery vehicles operating from three fully equipped manufacturing and stock holding facilities, we're ready to serve !

Howard Rishton
Managing Director.



CONTENTS

Fabrication

| | |
|---|----|
| Ready to Serve | 2 |
| Contents | 3 |
| Plain Top Shelving Unit / Ice Chest | 4 |
| Drainer Top Shelving Unit / Sink Unit | 5 |
| Wash Hand Basin / Blender Station / Drainer Top Bridge Units | 6 |
| Storage Cupboard Units | 7 |
| Basket Shelving Unit / Bin Unit / Beer Station | 8 |
| Backbar Accessories | 9 |
| Accessories Continued | 10 |
| Example Run | 11 |
| Site Maps & Contact Details | 12 |

BACKBAR

Bar Systems



CED's Backbar range is a versatile, pre-engineered interconnecting modular bar system, in durable 430gd. steel panel work, with 304gd. stainless steel worktops. The bases can be incorporated behind bespoke bar frontages and tops to provide the essential elements for a fully functioning bar server area. Forming straight bar runs or faceted runs by the use of optional angled worktop infills and base unit cover trims.

The backbar range consists of plain top or pressed steel drainer worktop units, allowing for varied dry or wet area bar use. A mix of shelving, sinks, whb's, glass, general or basket rack storage, plus open ambient storage units can be incorporated with many practical accessories, such as angled or extended worktops.

Download and design your layout quickly and accurately with our CAD drawings of the various models, all available at:
www.cedfabsltd.co.uk

Specific bar run lengths can be achieved using bespoke versions (up to 1000mm long) of shelving units or worktops. These units are not suitable as stand alone units.



Certificate Number 7895
ISO 9001, ISO 14001

PLAIN TOP SHELVING UNIT

Backbar Bar System

Main Features

- > S/steel modular open shelf backbar unit c/w plain top s/steel worktop.
- > Steel Shelf Type: 3 levels of solid s/steel storage shelving under.
- > Steel Shelf Type: Supplied with removable adjustable height s/steel support shelving.
- > Rack Shelf Type: 3 levels of glass storage under.
- > Rack Shelf Type: Supplied with 3 no. PVC coated glass storage racks on removable s/ steel drip tray support shelving.
- > 304 gd. 1.2mm thk. s/steel solid 'plain top' worktop & durable 430 gd. 0.9 mm panel work construction.
- > Available in 450, 650, 800 and 1000 mm lengths.
- > Anti drip mould to front edge of worktop.
- > 560 mm deep, 945 mm high – including 95 mm rear worktop up stand.
- > Supplied with 1 no. leg set – consisting pair of nylon feet adjustable +/- 25 mm for final alignment on site.
- > Additional bridging leg sets available to suit required bar layout.
- > Steel Shelf Type: Bespoke lengths – up to 1000 mm long – available, to use with other standard module lengths in achieving a particular bar run length.



Plain Top Shelving Unit
(Steel Shelf Type)



Plain Top Shelving Unit
(Rack Shelf Type)

Plain Top Shelving Unit

| Steel Shelf Type | | Rack Shelf Type | |
|------------------|--------|-----------------|--------|
| Code | Price | Code | Price |
| PTS45 | £1,236 | PTS45W | £1,396 |
| PTS65 | £1,269 | PTS65W | £1,425 |
| PTS80 | £1,309 | PTS80W | £1,458 |
| PTS100 | £1,339 | PTS100W | £1,498 |

PRACTICAL:
PVC coated glass storage racks included



ICE CHEST

Backbar Bar System

Main Features

- > S/steel modular ice storage/ open shelving backbar unit c/w s/steel ice chest worktop, valance panel & s/steel base storage shelf under.
- > 304 gd. 1.2mm thk. fully welded/ insulated 2/3 compartment s/steel ice chest in a 'plain top' surround worktop.
- > Durable 430 gd. 0.9 mm panel work construction.
- > 240 mm deep ice chest compartment supplied with removable s/steel dividers, 38 mm (1½") waste outlet and cut out in rear back panel for drainage connections.
- > Lid Type: Sliding s/steel lid and handle supplied over ice chest section.
- > Supplied with solid s/steel base storage shelving under.
- > Available in 450, 650, 800 and 1000 mm lengths.
- > Anti drip mould to front edge of worktop.
- > 560 mm deep, 945 mm high – including 95 mm rear worktop up stand.
- > Supplied with 1 no. leg set – consisting pair of nylon feet adjustable +/- 25 mm for final alignment on site.
- > Additional bridging leg sets available to suit required bar layout.
- > Drainage traps, wastes and pipework not supplied.



Ice Chest
(Open Type)

FAST & CONVENIENT DESIGN:
Counter top ice station reduces serving times



Ice Chest
(With Lid)

Ice Chest

| Open Type | | With Lid | |
|-----------|--------|----------|--------|
| Code | Price | Code | Price |
| IC45 | £1,597 | IC45L | £1,816 |
| IC65 | £1,729 | IC65L | £1,977 |
| IC80 | £2,032 | IC80L | £2,156 |
| IC100 | £2,113 | IC100L | £2,311 |



DRAINER TOP SHELVING UNIT

Backbar Bar System

Main Features

- › S/steel modular open shelf backbar drainer top unit c/w solid s/steel drainer worktop, drain top waste connection.
- › Steel Shelf Type: 3 levels of solid s/steel storage shelving under.
- › Steel Shelf Type: Supplied with removable adjustable height s/steel support shelving.
- › Rack Shelf Type: 3 levels of glass storage under.
- › Rack Shelf Type: Supplied with 3 no. PVC coated glass storage racks on removable s/steel drip tray support shelving.
- › Suitable for wet area working locations within a bar run.
- › 304 gd. 1.2mm thk. s/steel recessed 'drainer' worktop & durable 430 gd. 0.9 mm panel work construction.
- › Available in 450, 650, 800 and 1000 mm lengths.
- › Unit size: 560 mm deep, 945 mm high – including 95 mm rear worktop up stand.
- › Anti drip mould to all edges of recessed drainer worktop.
- › Worktop drain fitted with 38 mm (1½) waste connection and rear panel waste access.
- › Supplied with 1 no. leg set – consisting pair of nylon feet adjustable +/- 25 mm for final alignment on site.
- › Additional bridging leg sets available to suit required bar layout.
- › Waste traps & waste pipes are not supplied.



Drainer Top Shelving Unit
(Steel Shelf Type)



Drainer Top Shelving Unit
(Rack Shelf Type)

COMPACT WET AREA FOR USED GLASSES:
Drain, dry and store in the same unit

Drainer Top Shelving Unit

| Steel Shelf Type | | Rack Shelf Type | |
|------------------|--------|-----------------|--------|
| Code | Price | Code | Price |
| DTS45 | £1,332 | DTS45W | £1,487 |
| DTS65 | £1,361 | DTS65W | £1,523 |
| DTS80 | £1,411 | DTS80W | £1,566 |
| DTS100 | £1,441 | DTS100W | £1,597 |



SINK UNIT

Backbar Bar System

Main Features

- › Single Sink Unit: S/steel modular open shelf backbar single sink unit c/w left hand drainer section & bowl worktop.
- › Single Sink Unit: Available in 450, 650, 800 and 1000 mm lengths.
- › Double Sink Unit: S/steel modular open shelf backbar double sink unit double bowl worktop
- › Double Sink Unit: Available in 650 and 800 mm lengths only.
- › Both supplied with ½" mixer tap, valance panel & solid s/steel base storage shelf under.
- › Suitable for wet area working locations within a bar run.
- › Supplied loose – wall mounting (½") swivel spout mixer tap, plug/chain & 38 mm (1½") waste connection.
- › 304 gd. 1.2 mm thk. s/steel recessed single or double bowl/worktop & durable 430 gd. 0.9 mm panel work construction.
- › Unit size: 560 mm deep, 945 mm high – including 95 mm rear worktop upstand & pre-formed tap hole.
- › Anti drip mould to all edges of recessed bowl/draener worktop.
- › Sink bowl unit supplied with rear panel drain waste connection access.
- › Supplied with 1 no. leg set – consisting pair of nylon feet adjustable +/- 25 mm for final alignment on site.
- › Additional bridging leg sets available to suit required bar layout.
- › Waste traps & waste pipes are not supplied.
- › Model SSU45 (450 mm long) supplied with sink bowl top only. (No drainer section)



Single Sink Unit



Double Sink Unit

FASTER SERVING:
Glass washing station speeds up clean glass availability

Sink Unit

| Single Sink | | Double Sink | |
|-------------|--------|-------------|--------|
| Code | Price | Code | Price |
| SSU45 | £1,339 | DSU65 | £1,554 |
| SSU65 | £1,356 | DSU80 | £1,687 |
| SSU80 | £1,378 | | |
| SSU100 | £1,396 | | |



Swivel Mixer tap.
Stock No - 851



DOWNLOAD ALL TECHNICAL DRAWINGS from www.cedfabsltd.co.uk

WASH HAND BASIN, BLENDER STATION & DRAINER TOP BRIDGE UNITS

Backbar Bar System



Wash Hand Basin Unit



Swivel Mixer tap.

BETTER BY DESIGN:
Ideal for cocktail drinks preparation



Blender Station Unit



Swivel Mixer tap.



CONVENIENCE:
Roll out when full



Drainer Top Bridge Unit
(With Roll Under Bin)



Main Features

- > S/steel modular open shelf backbar hand wash unit c/w s/steel pressed bowl on plain top worktop, 1/2" mixer tap, valance panel & solid s/steel base storage shelf under.
- > Suitable for wet area working locations within a bar run.
- > Supplied loose – wall mounting (1/2") swivel spout mixer tap, plug/chain & 38 mm (1 1/2") waste connection.
- > 304 gd. 1.2 mm thk. s/steel recessed bowl/worktop & durable 430 gd. 0.9 mm panel work construction.
- > Available in 350 and 450 mm lengths.
- > HWU35 model features 225 mm diameter x 160 mm deep hand wash bowl
- > HWU45 model features 300 mm diameter x 160 mm deep hand wash bowl.
- > Unit size: 560 mm deep, 945 mm high – including 95 mm rear worktop upstand & pre-formed tap hole.
- > Supplied with front valance panel & solid s/steel base storage shelf under.
- > Anti drip mould to front edge of worktop.
- > Wash hand unit supplied with rear panel drain waste connection access.
- > Supplied with 1 no. leg set – consisting pair of nylon feet adjustable +/- 25 mm for final alignment on site.
- > Additional bridging leg sets available to suit required bar layout.
- > Waste traps & waste pipes are not supplied.

Main Features

- > S/steel modular open shelf backbar blender station unit c/w s/steel pressed bowl on plain top worktop, 1/2" mixer tap, operator side blender shelf, valance panel & solid s/steel base storage shelf under.
- > Suitable for wet area working locations within a bar run.
- > Supplied loose – wall mounting (1/2") swivel spout mixer tap, plug/chain & 38 mm (1 1/2") waste connection.
- > 304 gd. 1.2 mm thk. s/steel recessed bowl/worktop & blender support shelf. Durable 430 gd. 0.9 mm panel work construction.
- > Available in 450 and 650 mm lengths.
- > Unit size: 560 mm deep, 945 mm high – including 95 mm rear worktop upstand & pre-formed tap hole.
- > Supplied with front valance panel, solid s/steel base storage shelf & 304 gd. s/steel drinks blender mounting shelf.
- > Anti drip mould to all edges of recessed bowl worktop.
- > Blender Station unit supplied with rear panel drain waste connection access.
- > Supplied with 1 no. leg set – consisting pair of nylon feet adjustable +/- 25 mm for final alignment on site.
- > Additional bridging leg sets available to suit required bar layout.
- > Waste traps & waste pipes are not supplied.

Main Features

- > S/steel modular open void (or bridging) backbar unit c/w pressed 'drainer' worktop & roll under bin.
- > Supplied with open void section to rear and side panels.
- > Supplied with s/steel mobile bottle bin housed within open void.
- > Bin housing supplied with lift off waste container, set of castors & s/steel circular cup handle
- > Available in 450 and 650 mm lengths.
- > 560 mm deep, 945 mm high – including 95 mm rear worktop up stand.
- > Supplied with 1 no. leg set – consisting pair of nylon feet adjustable +/- 25 mm for final alignment on site.
- > Additional bridging leg sets available to suit required bar layout.
- > Suitable for wet area work areas.
- > 304 gd. 1.2 mm thk. s/steel recessed 'drainer' worktop & 430 gd. 0.9 mm panels. 430 gd. steel roll under bin.
- > Anti drip mould to all edges of recessed drainer worktop.
- > Worktop drainer supplied with 38 mm (1 1/2") waste connection and rear panel waste access.



DOWNLOAD ALL TECHNICAL DRAWINGS from www.cedfabsltd.co.uk

Wash Hand Basin Unit

| Code | Price |
|-------|--------|
| HWU35 | £1,332 |
| HWU45 | £1,339 |

Blender Station

| Code | Price |
|------|--------|
| BS45 | £1,552 |
| BS65 | £1,601 |

Drainer Top Bridge (With Roll Under Bin)


| Code | Price |
|-------|--------|
| PTD45 | £1,023 |
| PTD65 | £1,075 |

STORAGE CUPBOARD UNITS

Backbar Bar System



Storage Cupboard Unit



Single Drawer Unit



Three Drawer Unit

VERSATILE:
Use as a cutlery
storage bay

Main Features

- › S/steel modular backbar lockable storage cupboard unit c/w 'plain top' s/steel worktop & 3 levels of internal s/steel storage shelving.
- › 304 gd. 1.2mm thk. s/steel solid 'plain top' worktop & durable 430 gd. 0.9 mm panel work construction.
- › Model SC45 & SC65 feature single side hung s/steel locking door (suited locks – 2 keys per lock) & s/steel circular pull handle.
- › Model SC80 & SC100 feature double side hung s/steel locking doors (suited locks – 2 keys per lock) & s/steel circular pull handles.
- › Supplied with 3 no. levels of removable adjustable height s/steel shelving.
- › Available in 450, 650, 800 and 1000 mm lengths.
- › Anti drip mould to front edge of worktop.
- › 560 mm deep, 945 mm high – including 95 mm rear worktop up stand.
- › Supplied with 1 no. leg set – consisting pair of nylon feet adjustable +/- 25 mm for final alignment on site.
- › Additional bridging leg sets available to suit required bar layout.

Main Features

- › S/steel modular open shelf single drawer storage unit c/w 'plain top' s/steel worktop & storage shelf under.
- › 304 gd. 1.2mm thk. s/steel solid 'plain top' worktop & durable 430 gd. 0.9 mm panel work construction.
- › Features s/steel locking single drawer (suited locks – 2 keys per lock) & s/steel circular pull handle.
- › Available in 450 and 650 mm lengths.
- › Anti drip mould to front edge of worktop.
- › 560 mm deep, 945 mm high – including 95 mm rear worktop up stand.
- › Supplied with 1 no. leg set – consisting pair of nylon feet adjustable +/- 25 mm for final alignment on site.
- › Additional bridging leg sets available to suit required bar layout.



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

Main Features

- › S/steel modular open shelf three drawer storage unit c/w 'plain top' s/steel worktop.
- › 304 gd. 1.2 mm thk. s/steel solid 'plain top' worktop & 430 gd. 0.9 mm panel work construction.
- › Features bank of three s/steel locking single drawers (suited locks – 2 keys per lock) & s/ steel circular pull handles.
- › Available in 450 and 650 mm lengths.
- › Anti drip mould to front edge of worktop.
- › 560 mm deep, 945 mm high – including 95 mm rear worktop up stand.
- › Supplied with 1 no. leg set – consisting pair of nylon feet adjustable +/- 25 mm for final alignment on site.
- › Additional bridging leg sets available to suit required bar layout.



Storage Cupboard Unit

| Code | Price |
|-------|--------|
| SC45 | £1,409 |
| SC65 | £1,463 |
| SC80 | £1,547 |
| SC100 | £1,601 |

Single Drawer Unit

| Code | Price |
|-------|--------|
| SD 45 | £1,409 |
| SD 65 | £1,463 |

Three Drawer Unit

| Code | Price |
|--------|--------|
| DU3-45 | £1,830 |
| DU3-65 | £1,897 |

BASKET SHELVEING UNIT, BIN UNIT & BEER STATION

Backbar Bar System



HEALTH & SAFETY:
With pull out shelving

Plain Top Shelving Unit
(Basket Rack Type)



Plain Top Bridge
(With Roll Under Bin)



Beer Station

Main Features

- > S/steel modular open shelving glass wash basket storage unit c/w solid s/steel worktop & 3 levels of glass wash basket storage under.
- > 304 gd. 1.2mm thk. s/steel solid 'plain top' worktop & durable 430 gd. 0.9 mm panel work construction.
- > Supplied with 3 no. pull out telescopic sliding s/steel basket support shelving.
- > Glass washing baskets not supplied.
- > Suitable for wet area working locations within a bar run.
- > Available in 500, 550 and 600 mm lengths.
- > Anti drip mould to front edge of worktop.
- > 560 mm deep, 945 mm high – including 95 mm rear worktop up stand.
- > Supplied with 1 no. leg set – consisting pair of nylon feet adjustable +/- 25 mm for final alignment on site.
- > Additional bridging leg sets available to suit required bar layout.



DOWNLOAD ALL TECHNICAL DRAWINGS from www.cedfabsltd.co.uk

Main Features

- > S/steel modular open void (or bridging) backbar unit c/w 'plain top' solid s/steel worktop & roll under bin.
- > Supplied with open void section to rear and side panels.
- > Supplied with s/steel mobile bottle bin housed within open void.
- > Bin housing supplied with set of castors & s/steel circular cup handle
- > Available in 450 and 650 mm lengths.
- > 560 mm deep, 945 mm high – including 95 mm rear worktop up stand.
- > Supplied with 1 no. leg set – consisting pair of nylon feet adjustable +/- 25 mm for final alignment on site.
- > Additional bridging leg sets available to suit required bar layout.
- > Suitable for dry bar area work areas.
- > 304 gd. 1.2 mm thk. s/steel solid 'plain top' worktop & 430 gd. 0.9 mm panels. 430 gd. steel roll under bin.
- > Anti drip mould to front edge of worktop.

Main Features

- > S/steel modular open shelf storage unit c/w a plain top 'stepped down' s/steel worktop, storage & base shelf under.
- > 304 gd. 1.2mm thk. s/steel solid 'plain top' worktop & durable 430 gd. 0.9 mm panel work construction.
- > Features s/steel set down worktop and side upstands – typically used to fill beer glasses from an overhead beer pump.
- > Available in 450, 650 and 800 mm lengths.
- > Suitable for wet area working locations within a bar run.
- > Anti drip mould to front edge of worktop.
- > 560 mm deep, 945 mm high – including rear worktop up stand.
- > Supplied with 1 no. leg set – consisting pair of nylon feet adjustable +/- 25 mm for final alignment on site.
- > Additional bridging leg sets available to suit required bar layout.



Made in the UK

Plain Top Shelving Unit (Basket Rack Type)

| Code | Price |
|-----------------------|--------|
| PTBR50 (400mm basket) | £1,417 |
| PTBR55 (450mm basket) | £1,433 |
| PTBR60 (500mm basket) | £1,448 |

Plain Top Bridge (With Roll Under Bin)

| Code | Price |
|-------|-------|
| PTB45 | £969 |
| PTB65 | £990 |

Beer Station

| Code | Price |
|-------|--------|
| SDB45 | £1,476 |
| SDB65 | £1,547 |
| SDB80 | £1,636 |

BACKBAR ACCESSORIES

Backbar Bar System

Rear Cover Trims

Main Features

- Series of varied cover trims in 430 gd. s/steel that cover the interface between different base unit end panels.
- Trim type CT: Used to cap the interface of 2 base units at 45 or 90 degree angle.
- Trim type DT: Used to cap the interface of 2 adjacent base units in a straight bar run.
- Trim type ST: Used to cap over the end decor panel and base unit side panel at the end of a bar run.
- Trim type AT: Used to cap over the interface of 2 adjacent angled base units. (10 deg/ 15 deg/ 20 deg.)
- *Bespoke angled trims available on request.



Rear Cover Trims

| Type | Code | Price |
|-------------|--------------|-------|
| Corner trim | CTT | £71 |
| Double trim | DTT | £50 |
| Single trim | ST-L or ST-R | £40 |
| Angled trim | ATT | £61 |

Roll-Under Bin

Main Features

- Optional 2 section roll under bin module with removable waste container.
- Bin housing mounted on 4 no. castors.
- Bin housing features letter box opening for bottle waste and s/steel circular pull handle.
- Constructed in 430 gd. s/steel.
- Available to suit a 450 or 600 mm void.



Roll-Under Bin

| Code | Price |
|-------|-------|
| RUB45 | £457 |
| RUB65 | £524 |

Speed Rail (Fixed)

Main Features

- 304 gd. S/steel face fixed shelf for local storage and access of spirit bottles in wet areas of the bar run, such as ice chests.
- Folded/ welded construction with keyhole slot mounting facility to bottle shelf rear.
- Available to suit 450, 650, 800 and 1000 mm long base units.



Speed Rail (Fixed)

| Code | Price |
|-------|-------|
| SR45 | £214 |
| SR65 | £230 |
| SR80 | £243 |
| SR100 | £256 |

Leg Support Frames

Main Features

- Frame supplied with pair of nylon feet adjustable +/- 25 mm for final alignment on site.
- Low Leg**
 - S/steel tubular low leg set frame which alternately bridges the interface of 2 no. base units of any bar run. (each base unit supplied with 1 set as standard)
 - Locates under the end panels of 2 no. adjoining base units.

High Leg

- S/steel tubular high leg set frame supports an infill/ bridging worktop at end of any bar run where infill worktop is fitted (e.g. wall or open end)
- Locates under the infill section of worktop.



Leg Support Frames

| Model | Code | Price |
|----------|------|-------|
| Low leg | LLF | £118 |
| High leg | HLF | £135 |

* One low leg frame with each standard unit.

* High leg frame will be required at end of any run where a bridge is positioned.

* End panels cannot be fitted to this item.

Speed Rail (Add On)

Main Features

- 304 gd. S/steel hook on shelf attaches to front face of fixed speed rail option.
- For additional local storage of spirit bottles in wet areas of the bar run.
- Folded/ welded construction.
- Available to suit 450, 650, 800 and 1000 mm unit speed rails.



Speed Rail (Add On)

| Code | Price |
|--------|-------|
| ASR45 | £243 |
| ASR65 | £259 |
| ASR80 | £266 |
| ASR100 | £283 |

End Decor Panel

Main Features

- 2 part universal S/steel end decor panel that provides a neat finish to an open end of the bar run.
- Constructed in 430 gd. s/steel.
- 1 x EP1 decor end panel is required to finish each exposed end of every run.



End Decor Panel

| Code | Price |
|------|-------|
| EP1 | £97 |

* One EP1 décor panel required to finish the end of every run

* Not suitable for HLF



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

ACCESSORIES

Backbar Bar System

Condiment Set

Main Features

- > 304 gd. S/steel removable condiment storage shelf, attaches over rear upstand of most backbar base units.
- > Ideal for bar fruit such as lemon slices, olives, peanuts etc.
- > Suitable for wet or dry areas of the bar run.
- > Folded/ welded construction.
- > Supplied with 1/9 Gn x 65 mm containers.
- > Available as either 2 or 3 Gn container version.



Condiment Sets

| Code | Price |
|------|-------|
| CS2 | £285 |
| CS3 | £298 |

Blender Shelf

Main Features

- > 304 gd. S/steel face fixed shelf for local storage and access to electric drinks blenders in dry/wet areas of the bar run, such as ice chests.
- > Provides a perfect working platform for making of cocktails or smoothies.
- > Folded construction with keyhole slot mounting facility to blender shelf rear.
- > Front and rear upstand to shelf acts as product stop



Blender Shelf

| Code | Price |
|-------|-------|
| BS450 | £230 |
| BS650 | £236 |

Plain Top Infill/ Bridging Worktop

Main Features

- > Series of varied length 'plain top' S/steel infill or bridging worktops for use over void areas of the bar, such as bottle fridges.
- > Can be used in conjunction with optional high leg support frame (option HLF).
- > Constructed in 304 gd. s/steel.
- > Worktop section includes 95 mm rear worktop up stand.
- > Anti drip mould to front edge of worktop.
- > Available in 450, 650, 800 and 1000 mm lengths.
- > 'Bespoke' sizes also available



- > Wet area version available on request (features removable perforated drip tray within plain top)



Plain Top Infill/ Bridging Worktop

| Code | Price |
|-------|-------|
| PB45 | £455 |
| PB65 | £482 |
| PB80 | £507 |
| PB100 | £546 |

* Perforated top option - Add £259.00

45 Degree Corner Infill/Bridging Worktop

Main Features

- > 'Plain top' S/steel angled infill or bridging worktop for bridging 2 no. base units for a 45 degree faceted corner layout.
- > Constructed in 304 gd. s/steel.
- > Worktop section includes 95 mm rear worktop up stand.
- > Anti drip mould to front edge of worktop.
- > Bespoke angles also available on request.



45 Degree Corner Infill/ Bridging Worktop

| Code | Price |
|------|-------|
| CT45 | £400 |

Angled Infill/ Bridging Worktop

Main Features

- > Series of varied 'plain top' S/steel angled infill or bridging worktops for use with a faceted base unit layout.
- > Constructed in 304 gd. s/steel.
- > Worktop section includes 95 mm rear worktop up stand.
- > Anti drip mould to front edge of worktop.
- > Available in 10, 15 and 20 degree angles as standard.
- > Bespoke angles also available on request.
- > Available in 10, 15 and 20 degree angles as standard.
- > Bespoke angles also available on request.

ANGLED INFILLS:
Allow faceted base unit layout



Angled Infill/ Bridging Worktop

| Code | Price |
|------|-------|
| AT10 | £497 |
| AT15 | £497 |
| AT20 | £497 |

90 Degree Corner Infill/ Bridging Worktop

Main Features

- > Plain top' S/steel angled infill or bridging worktop for bridging 2 no. base units for a 90 degree right angle internal corner layout.
- > Constructed in 304 gd. s/steel.
- > Worktop section includes 95 mm rear worktop up stand.
- > Anti drip mould to front edge of worktop.
- > Bespoke angles also available on request.
- > Optional Hand Wash bowl corner worktop (Model CTW90)
- > Model CT90W: c/w 300mm diam. x 160mm deep inset bowl and a pair of dome head basin taps, plug/chain and waste.



1/2" basin taps (dome head).



90 Degree Corner Infill/ Bridging Worktop

| Code | Price |
|--------|-------|
| CT90 | £442 |
| CT90W* | £780 |

* With inset basin waste and mixer tap.





PERFORATED TOP:
Suitable below beer stations



HOOK ON CONDIMENT SET:
Ideal for bar fruit like lemon slices, olives, peanuts



SPEED RAIL:
Spirits storage for a faster customer service



THREE DRAWER MODULE:
A compact bar cutlery storage solution



BLENDER STATION UNIT:
Local preparation area wash point with shelving for drinks blender





Head Office
Lancashire

CED Fabrications Ltd
Units A1-A4, Falcon Court
Clayton Business Park
Clayton-le-Moors,
Hyndburn, Lancashire
BB5 5JD

T: 01254 238 282
F: 01254 238 228

T: 0151 545 2840

CED Fabrications Ltd,
Units 4 & 5,
Nexus Industrial Estate,
Randles Road, Knowsley
Prescot, Merseyside
L34 9HX



Manufacturing Plant
Merseyside



Manufacturing Plant
Kent

CED Fabrications Ltd
Building 3
Sandwich Industrial Estate
Sandwich, Kent
CT13 9LY

T: 01304 617 377



Certificate Number 7895
ISO 9001, ISO 14001

SALES LINE
01254 238 282

All prices exclude VAT - Free delivery applies to all orders over £350. All orders under £350 incur a £40 charge. Deliveries to UK mainland ONLY.



DOWNLOAD ALL
TECHNICAL DRAWINGS
from www.cedfabsltd.co.uk

Distributor stamp

w: www.cedfabsltd.co.uk
e: sales@cedlimited.com